

2004  
DODGE RAM QUAD/STANDARD CAB  
(DR)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.








The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S.      3 = Mexico
2	Make	D = Dodge
3	Vehicle type	2 = Incomplete with Side Airbag 3 = Truck with Side Airbag 6 = Incomplete without Side Airbag 7 = Truck without Side Airbag
4	GVWR & Pass. Safety	H=2722-3175 kg (6001-7000 lbs) W=Buses/Incomplete Vehicles with Hydraulic Brakes
5	Vehicle Line	A = Ram Pick Up (4x2) U = Ram Pick Up (4x4)
6	Series	1 = 1500 (DR1, DR6) 2 = 2500 (DR2, DR7) 3 = 3500 w/o 'AA9' (DR3, DR8) 4 = 3500 (DR3, DR8)
7	Body Style	6 = Conventional Cab (61, 62) 8 = Quad Cab Full Rear Doors (41, 42)
8	Engine	D = 5.7L 8 Cyl. SMPI (EZA) K = 3.7L 6 Cyl. MPI (EKG) N = 4.7L 8 Cyl. MPI (EVA) 6 = 5.9L 6 Cyl. Turbo Diesel (ETC) C = 5.9L 6 Cyl. Turbo Diesel H/O (ETH) W = 8.0L 10 Cyl. MPI (EWA) Z = 5.9L 8 Cyl. MPI-LDC (EML)
9	Check Digit	0 through 9 or X
10	Model Year	4 = 2004
11	Assembly Plant	S = Dodge City      G = Saltillo J = St. Louis (North)
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

# Group – 001

## Component Parts for Mopar Accessories



<b>001-100</b> Audio & Electronics	<b>001-200</b> Carriers & Cargo Hauling	<b>001-300</b> Driving Convenience	<b>001-400</b> Exterior Appearance
			
<b>001-500</b> Exterior Protection	<b>001-600</b> Fog Lights & Electrical	<b>001-900</b> Security	
			

## GROUP 1 - Component Parts for Mopar Accessories

Illustration Title

Group-Fig. No.

### Audio & Electronics

Player Kit - CD Changer 6 Disc	Fig. 001-110
Satellite Receiver Kit	Fig. 001-120
Navigation Kit	Fig. 001-150

### Carriers & Cargo Hauling

Wiring Package - Trailer Tow 7 Way	Fig. 001-240
Adapter Kit - Ball Mount	Fig. 001-250
Cover Kit - Tonneau Hard, One Piece	Fig. 001-255
Cover Kit - Tonneau Hard, Gull Wing	Fig. 001-256

### Driving Convenience

Diesel Exhaust Brake Kit	Fig. 001-320
--------------------------	--------------

### Exterior Appearance

Rumble Bee	Fig. 001-410
Hemi Sport	Fig. 001-420
Accent Kit, Body	Fig. 001-430

### Exterior Protection

Grille Kit / Chrome Applique	Fig. 001-520
Liner Kit / Wheel House	Fig. 001-522
Skid Plate Package - Front	Fig. 001-530
Skid Plate Transfer Case	Fig. 001-534


### Fog Lights & Electrical

Light Kit - Fog	Fig. 001-610
Hands-Free Kit/ Cellular Phone-Blue Tooth	Fig. 001-620

### Security

Alarms - EVS II, Without Keyless Entry	Fig. 001-910
Alarm Package - Security with Sentry Key	Fig. 001-914
Factory keyless Entry	Fig. 001-916


**Player Kit - CD Changer 6 Disc  
Figure 001-110**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7483	1							PLAYER KIT, CD Changer - 6 Disc
2	4797 433	1							MAGAZINE, CD Changer
3									CHANGER, CD, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Satellite Receiver Kit  
Figure 001-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; For Warranty Repair On Item 3, Order Through [GPOP] Function, Using Z Prefix

1	82206 488AA	1							RECEIVER, Satellite
2	5066 205AC	1							ANTENNA, Satellite
3	5064 020AG	1							RECEIVER, Satellite

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Navigation Kit  
Figure 001-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: For Warranty Repair On Item 2, Order Through [GPOP] Function 11, Using Z Prefix

1	8220 6406	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
2	56038 629AC	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
3	56038 630AA	1							ANTENNA, GPS
4	56038 642AD	1							DVD, Geographic Database




DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


## Wiring Package - Trailer Tow 7 Way

### Figure 001-240

[illegible]

DODGE RAM (DR)			
SERIES	LINE	BODY	ENGINE
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8
			ETC = 5.9LD V6
			ETH = 5.9LD V6 HO
			EWA = 8.0L V10 MPI
			TRANSMISSION
			DGT = 4 Spd. Auto.(46RE)
			DDC = 5 Spd. HD Manual (3500)
			DDP,DDX = 5 Spd. Manual (4500)
			DGQ,DG4 = Multi-Speed Auto.(45RFE)
			DG8 = 4 Spd. Auto.(48RE)
			DEE = 6 Spd. Manual (5600)
			DGP = 4 Spd. Auto.(47RE)
			DEC = 5 Spd. Manual



Adapter Kit - Ball Mount  
Figure 001-250



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7411	1							ADAPTER KIT, Ball Mount, Kit
2	5016 666AA	1							Includes Adapter and Pin Only
3									PIN, Hitch
	8240 1102	1							BALL KIT, Trailer Tow
	8240 1103	1							1-7/8 inch Ball, 1 inch Shank
	8240 1218	1							2 inch Ball, 1 inch Shank
									1-5/16 inch Ball, 1 inch Shank

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Cover Kit - Tonneau Hard, One Piece  
Figure 001-255






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER KIT, Tonneau-Hard
	8220 7082	1			41, 61				White
	8220 7083	1			41, 61				Graphite Metallic
	8220 7084	1			41, 61				Patriot Blue [WBT]
	8220 7085	1			41, 61				Light Almond Pearl
	8220 7088	1			41, 61				Black
	8220 7089	1			41, 61				Flame Red
	8220 7090	1			41, 61				Atlantic Blue
	8220 7105	1			41, 61				Bright Silver Metallic [WSB]
	8220 7760	1							Patriot Blue [WB7]
	8220 8175	1			41, 61				Timberline Green
	8220 8288	1			41, 61				Molten Red
	8220 8526	1			41, 61				Bright Silver Metallic [WS2]
2	5018 067AA	1			41, 61				GAS PROP KIT, tonneau-hard
3	5018 117AA	1							LOCK KIT, hard-tonneau
4	5018 343AA	1							KEY, Master

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cover Kit - Tonneau Hard, Gull Wing  
Figure 001-256



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER KIT, Tonneau-Hard
	8220 7091	1			41, 61				Flame Red Clear Coat
	8220 7092	1			41, 61				Light Almond Pearl
	8220 7097	1			41, 61				Black
	8220 7100	1			41, 61				Atlantic Blue
	8220 7101	1			41, 61				Graphite Metallic
	8220 7761	1			41, 61				Patroit Blue [WB7]
	8220 7103	1			41, 61				Patroit Blue [WBT]
	8220 7098	1			41, 61				Bright Siver Metallic [WSB]
	8220 8525	1			41, 61				Bright Silver Metallic [WS2]
	8220 8176	1			41, 61				Timberline Green
	8220 8321	1			41, 61				Molten Red
	8220 7099	1			41, 61				Bright White [GW7]
2	5018 067AA	1							GAS PROP KIT, tonneau-hard
3	5135 239AA	1			41, 61				GAS PROP KIT, tonneau-hard
4	5018 117AA	1							LOCK KIT, hard-tonneau
5	5018 343AA	1							KEY, Master

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Diesel Exhaust Brake Kit  
Figure 001-320


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									EXHAUST BRAKE KIT
	8220 8277	1	2, 3, 7, 8						Up to 5/26/03
	8220 8835	1	2, 3, 7, 8						After 5/26/03
2									BELT
	5114 188AA	1	2, 3, 7, 8						Without Air Conditioning
	53041 270AA	1	2, 3, 7, 8						With Air Conditioning
3	5102 084AA	1	2, 3, 7, 8						PUMP, Vacuum
4	5102 082AA	1	2, 3, 7, 8						SWITCH, Exhaust Brake
5	5013 772AA	1	2, 3, 7, 8						SOLENOID, Vacuum
6									BRAKE
	5102 081AA	1	2, 3, 7, 8						3 inch
	5139 837AA	1	2, 3, 7, 8						4 inch
7	5127 323AA	1	2, 3, 7, 8						WIRING
8	5114 553AA	1	2, 3, 7, 8						GASKET, exhaust brake

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rumble Bee  
Figure 001-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLADDING KIT, Lowside
	5159 214AA	1			61				Right
	5159 215AA	1			61				Left
2	5096 348AA	1			41, 61				AIR DAM
3	5159 221AA	1			41, 61				VALANCE, Rear
4	5159 222AA	1			41, 61				ACCENT KIT, Box, Right, Set of Two
5	5159 223AA	1			41, 61				ACCENT KIT, Box, Left, Set of Two
6	8220 7131	1							EXHAUST TIP, Tailpipe
7	8220 7715	1							DECOR KIT, Fuel Door
8	8220 8794	1							GUARD KIT, Light
9	8220 8576	1							SCOOP KIT, HOOD, Primed
10	5159 224AA	1							GASKET, Hood
11	5159 225AA	1							GRILLE, Hood
12									DECAL KIT, Body, Yellow Box Stripe
	5159 216AA	1							Right
	5159 217AA	1							Left
13									DECAL KIT, Body, Black Box Stripe
	5159 228AA	1							Right
	5159 229AA	1							Left
14									DECAL KIT, Body, BEE
	5159 218AA	1							Right
	5159 219AA	1							Left
-15	5159 220AA-	1							APPLIQUE KIT, Door, Set of 2 "BEE" Interior Medallion

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hemi Sport  
Figure 001-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RUNNING BOARD, Board
	5159 226AA	1			41, 42				Right
	5159 227AA	1			41, 42				Left
2	5096 348AA	1			41, 61				AIR DAM
3	5159 221AA	1			41, 61				VALANCE, Rear, Primed
4									ACCENT KIT, Box
	5159 222AA	1			41, 61				Right
	5159 223AA	1			41, 61				Left
5	8220 7131	1							EXHAUST TIP, Tailpipe
6	8220 7715	1							DECOR KIT, Fuel Door
7	8220 8794	1							GUARD KIT, Light
8	8220 8576	1							SCOOP KIT, HOOD
9	5159 224AA	1							GASKET, Hood
10	5159 225AA	1							GRILLE, Hood
-11	8220 8890	1							DECAL KIT, Qtr & Tailgate - RR, HEMI SPORT

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Accent Kit, Body  
Figure 001-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

[P.A.R.] = Paint as required


Air Dam includes all hardware required for installation

1									ACCENT KIT, Running Board Black [DX8]
	8220 8314	1			41				
	8220 8315	1			41				Graphite Metallic [PDR]
	8220 8316	1			41				Atlantic Blue [PBJ]
	8220 8317	1			41				Flame Red [PR4]
	8220 8318	1			41				Bright White [GW7]
	8220 8319	1			41				Bright Silver [WS2]
	8220 8320	1			41				Primed [P.A.R.]
2	5096 348AA	1			41				AIR DAM, Primed [P.A.R.]



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Grille Kit / Chrome Applique  
Figure 001-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7849	1							GRILLE KIT, Chrome Applique
2									GRILLE, Panel
	5073 296AA	1							Right
	5073 297AA	1							Left
3	5073 327AA	1							RETAINER

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Liner Kit / Wheel House  
Figure 001-522




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7367	1	1, 6						LINER KIT, Wheel, Without Rear Dual Wheels
2	6507 030AA	1	1, 6						SCREW
3	6032 031	1	1, 6						NUT, Spring, .19-16
4	55276 422AA	1	1, 6						SHIELD, Wheelhouse, Right
5	55276 423AA	1	1, 6						SHIELD, Wheelhouse, Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Skid Plate Package - Front  
Figure 001-530

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8055	1	6		41, 42, 61, 62				PLATE PACKAGE, Skid - Front
2	52022 048AB	1	6						SKID PLATE, Front
3	6507 342AA	2	6, 7, 8						SCREW, M8x1.25x30, M8 HEX HD



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Skid Plate Transfer Case  
Figure 001-534



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7963	1	6		41, 42, 61, 62				PLATE PACKAGE, Skid - Transfer Case
2	52022 046AB	1	6						CROSSMEMBER, Skid Plate
3	52022 047AB	1	6						SKID PLATE, Transfer Case
4	6507 342AA	8	6, 7, 8						SCREW, M8x1.25x30, M8 HEX HD

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Light Kit - Fog  
Figure 001-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8102	1							LIGHT PACKAGE, Fog
2	5096 300AA	1							SWITCH, Fog Lamp
3	55077 474AB	1							LAMP AND BRACKET, Fog Lamp, Right
4	55077 475AB	1							LAMP AND BRACKET, Fog Lamp, Left
5	55077 238AD	1							BEZEL, Fog Lamp
6	55077 239AC	1	1, 6						BEZEL, Fog Lamp, Left
7									WIRING, Fog Lamp, Serviced in package, (NOT SERVICED) (Not Serviced)
-8	L000 9006	1	1, 6						BULB, Headlamp

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Hands-Free Kit/ Cellular Phone-Blue Toot  
Figure 001-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: For Warranty Repair On Item 2, Order Through [GPOP] Function 11, Using Z Prefix

1	82207 853AB	1							HANDS FREE KIT, Cellular Phone
2	5114 359AB	1							MODULE, U Connect
3	5102 026AA	1							SPEAKER, Front
4	5102 025AA	1							MICROPHONE, Audio
5	5102 027AA	1							CONTROLLER, Audio

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Alarms - EVS II, Without Keyless Entry  
Figure 001-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3763	1							MODULE KIT, Alarm without Keyless
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	5012 164AA	1							MODULE, Security Alarm
-6	4886 259AA-	1							INDICATOR, Valet Status
-7	4886 258AA-	1							SWITCH, Programing Bypass

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Alarm Package - Security with Sentry Key  
Figure 001-914

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8216	1							ALARM PACKAGE, Security With Sentry Key
2	56045 275AC	1							MODULE, Immobilizer
3	5018 690AA	1							KEY, Blank
4	8220 7152	1							SENSOR KIT, Shock



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Factory keyless Entry  
Figure 001-916



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7153	1							MODULE PACKAGE, Keyless Entry
2	56045 755AB	1							RECEIVER, Keyless Entry
3	4686 481AC	2							TRANSMITTER, Keyless Entry

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 002  
Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title Group-Fig. No.

Front Suspension

Upper and Lower Control Arms,Springs and Shocks,DR 1,2,3 .....	Fig. 002-110
Upper and Lower Control Arms,Torsion Bars,and Shocks,DR 6 .....	Fig. 002-120
Upper and Lower Control Arms,Springs and Shocks,DR 7,8 .....	Fig. 002-130
Front Sway Bar,DR 1,2,3,6 .....	Fig. 002-140
Front Sway Bar and Track Bar,DR 7,8 .....	Fig. 002-150

Front Axle Drive Shafts

Axle Shafts,Front, DR 6,7,8 .....	Fig. 002-210
-----------------------------------	--------------

Front Axle Housing

Axle Housing,Front,Corporate 8.25 [DJM],DR 6 .....	Fig. 002-310
Axle Housing,Front,American Axle,9.25 [DJQ,DJX],DR 7,8 .....	Fig. 002-320

Front Axle Assembly


Axle Assembly,Front,Corporate 8.25 [DJM],DR 6 .....	Fig. 002-410
Axle Assembly,Front,American Axle,9.25 [DJQ,DJX],DR 7,8 .....	Fig. 002-420







Front Axle Differential

Differential,Front,Coporate 8.25 [DJM],DR 6 .....	Fig. 002-610
Differential,Front,American Axle,9.25 [DJQ,DJX],DR 7,8 .....	Fig. 002-620


Front Axle Skid Plate

Skid Plate,Front Axle,DR 6 .....	Fig. 002-810
----------------------------------	--------------



<b>002-100</b> Front Suspension	<b>002-200</b> Front Axle Drive Shafts	<b>002-300</b> Front Axle Housing	<b>002-400</b> Front Axle Assembly
			
<b>002-600</b> Front Axle Differential	<b>002-800</b> Front Axle Skid Plate		
			

Upper and Lower Control Arms,Springs and Shocks,DR 1,2,3  
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;  
Note; Both right hand and left hand knuckles must be of the same material  
[EK0]=Engines - All 3.7L 6 Cylinder Gas  
[EV0]=Engines - All 4.7L Gas  
[[ET0]=Engines - All 5.9L Turbo Diesels  
[EWC]=Engine - 8.3L V10 SFI  
[EW0]=Engines - All 8.0L Gas  
[EZ0]=Engines - All 5.7L 8 Cylinder Gas  
[TTQ]= Tires - P275/55R20 Black Side Wall Performance

[WLA]=Wheels - Dual Rear  
[ZBJ] Through [ZYE] = Spring sales codes will be found on Vehicle Identification Number [VIN] Sales Code Listing.


1	52106 577AB	2	1, 6						ARM, Upper Control, Front
	52106 776AB	2	2, 3		41, 42,				Complete Assembly, Right or Left
					62				Complete Assembly, Right or Left
2	6503 029	2							NUT, Hex, M12x1.25, Shock,
									Mounting
3	5203 8257	2							RETAINER, Shock Absorber, Upper
4	52106 742AA	2	1, 6						GROMMET, Shock Absorber
		2	2, 3, 7, 8		41, 42,				Upper
					62				Upper
5	52106 717AA	2	1, 2, 3						ISOLATOR, Spring
6	6506 557AA	2	1, 6						NUT AND WASHER
	6505 623AA	2	2, 3		41, 42,				UCA Ball Joint, Mounting
					62				UCA Ball Joint, Mounting
7	5290 605AA	1	1						SPRING, Front Coil
	55366 360AA	1	1						[ZBJ,ZPJ]
	55366 361AA	1	1						[ZDA,ZSA]
	55366 362AA	1	1						[ZDB,ZSB]
	55366 363AA	1	1						[ZDC,ZSC]
	55366 364AA	1	1						[ZDD,ZSD]
	55366 365AA	1	1						[ZDE,ZSE]
	55366 366AA	1	1						[ZDF,ZSF]
	55366 367AA	1	1						[ZDG,ZSG]
	52113 901AA	1	2, 3		41, 42,				[ZDH,ZSH]
					62				[ZFA,ZUA]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Springs and Shocks,DR 1,2,3  
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52113 902AA	1	2, 3		41, 42, 62				[ZFB,ZUB]
	52113 903AA	1	2, 3		41, 42, 62				[ZFC,ZUC]
	52113 904AA	1	2, 3		41, 42, 62				[ZFD,ZUD]
	52113 905AA	1	2, 3		41, 42, 62				[ZFE,ZUE]
	52113 906AA	1	2, 3		41, 42, 62				[ZFF,ZUF]
	52113 907AA	1	2, 3		41, 42, 62				[ZFG,ZUG]
	52113 908AA	1	2, 3		41, 42, 62				[ZFH,ZUH]
	52113 909AA	1	2, 3		41, 42, 62				[ZFJ,ZUJ]
	52113 910AA	1	2, 3		41, 42, 62				[ZFK,ZUK]
	52113 911AA	1	2, 3		41, 42, 62				[ZFL,ZUL]
	52113 912AA	1	2, 3		41, 42, 62				[ZFM,ZUM]
	52113 913AA	1	2, 3		41, 42, 62				[ZFN,ZUN]
	52113 914AA	1	2, 3		41, 42, 62				[ZFP,ZUP]
	52113 931AA	1	3		41, 42, 62				[ZGA,ZVA] With [WLA]
	52113 932AA	1	3		41, 42, 62				[ZGB,ZVB] With [WLA]
	52113 933AA	1	3		41, 42, 62				[ZGC,ZVC] With [WLA]
	52113 934AA	1	3		41, 42, 62				[ZGD,ZVD] With [WLA]
	52113 935AA	1	3		41, 42, 62				[ZGE,ZVE] With [WLA]
	52113 936AA	1	3		41, 42, 62				[ZGF,ZVF] With [WLA]
	52113 937AA	1	3		41, 42, 62				[ZGG,ZVG] With [WLA]


DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Upper and Lower Control Arms,Springs and Shocks,DR 1,2,3

## Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52113 938AA	1	3		41, 42, 62				[ZGH,ZVH] With [WLA]
	52113 939AA	1	3		41, 42, 62				[ZGJ,ZVJ] With [WLA]
	52106 605AA	1	1						[ZHA,ZWA]
	52106 606AA	1	1						[ZHB,ZWB]
	52106 607AA	1	1						[ZHC,ZWC]
	52106 608AA	1	1						[ZHD,ZWD]
	52106 600AA	1	1						[ZKA,ZYA]
	52106 601AA	1	1						[ZKB,ZYB]
	52106 602AA	1	1						[ZKC,ZYC]
	52106 603AA	1	1						[ZKD,ZYD]
	52106 604AA	1	1						[ZKE,ZYE]
8									KNUCKLE, Front
	52106 550AB	1	1						[SBA], Right
	52106 551AB	1	1						[SBA], Left
	55366 644AA	1	1						[SBP], Right
	55366 645AA	1	1						[SBP], Left
	52106 790AB	1	2, 3		41, 42, 62				Right
	52106 791AB	1	2, 3		41, 42, 62				Left
9									ARM, Lower Control, Front
	52106 558AC	1	1						Without [TTJ] Complete Assembly, Right
	52106 559AC	1	1						Without [TTJ] Complete Assembly, Left
	55366 372AA	1	1						With [TTJ] Complete Assembly, Right
	55366 373AA	1	1						With [TTJ] Complete Assembly, Left
	5290 560AA	1	1						[EWC] Complete Assembly, Right
	5290 561AA	1	1						[EWC] Complete Assembly, Left
	52106 766AE	1	2, 3		41, 42, 62				Complete Assembly, Right
	52106 767AE	1	2, 3		41, 42, 62				Complete Assembly, Left
-10	6034 969	1	2, 3		41, 42, 62				SNAP RING, Control Arm
11									BALL JOINT PACKAGE, Lower Control Arm

### DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DQG,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Springs and Shocks,DR 1,2,3  
Figure 002-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5072 958AA	1	1						
	5086 980AA	1	2, 3		41, 42, 62				
12	6506 085AA	2	1						STUD Shock Lower, Mounting
		2	2, 3		41, 42, 62				Shock Lower, Mounting
13	6506 587AA	2	1, 6						NUT, Hex Flange Lock LCA Ball Joint, Mounting
	6507 079AA	2	2, 3		41, 42, 62				LCA Ball Joint, Mounting
14	52113 029AA	1	1						BUSHING, Control Arm Front, Lower
		1	2, 3		41, 42, 62				Front, Lower
15	52106 568AA	1	1						BUSHING, Control Arm Rear, Lower
	52113 056AB	1	2, 3		41, 42, 62				Rear, Lower
16	6506 587AA	2	1, 6						NUT, Hex Flange Lock LCA to Frame, Mounting
	6102 252AA	4	2, 3		41, 42, 62				LCA to Frame, Mounting
17	52106 747AA	2	1		41, 61, 62				GROMMET, Shock Absorber Lower
		2	2, 3		41, 42, 62				Lower
18	5203 8258	2	1		41, 61, 62				RETAINER, Shock Absorber Lower
		2	2, 3		41, 42, 62				Lower
19	5072 921AC	2	1						SHOCK ABSORBER PACKAGE, Suspension, Front [SFB,EK0,Z1A,Z1B,Z1C]
	5139 134AA	2	1		41				[SFB,EV0,EZ0,Z1C]
	5103 514AB	2	1		41				[SFB,EV0,EZ0,Z1C,TTQ]
	5093 252AB	2	1		42				[SFB,EV0,EZ0,Z1C]
	5139 135AA	2	1		61				[SFB,EV0,EZ0,Z1A]

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Springs and Shocks,DR 1,2,3  
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5139 015AA	2	1		61				[SFB,EV0,EZ0,Z1A,TTJ]
	5114 489AA	2	1		61				[SFC,EWC]
	5103 515AA	2	1		62				[SFB,EV0,EZ0,Z1B]
	5086 565AC	2	2		41, 42, 62				[SFB,ET0,Z2C]
	5086 561AC	2	2, 3		41, 42, 62				[SFB,EZ0,Z2A,Z2B,Z3D]
	5086 590AC	2	3		41, 42, 62				[SFB,ET0,Z3C,Z3E]
20	5103 514AB	2	1		41				[SFB,EV0,EZ0,Z1C,TTJ]
	6100 517	4	1						NUT, Hex Flange Lock Shock Mounting, Lower
	6101 695	4	2, 3		41, 42, 62				Shock Mounting, Lower
21									BUMPER, Jounce LCA
	52106 575AB	2	1						LCA
	52113 300AA	2	2, 3		41, 42, 62				LCA
22	6507 530AA	4	1, 2, 3						SCREW, Hex Flange Head, LCA to Frame, Mounting
23									BOLT AND RETAINER, Hex Head
	6506 640AA	4	1, 6						UCA to Frame, Mounting
	6507 146AA	4	2, 3		41, 42, 62				UCA to Frame-Up To and Including 08-10-03, Mounting
	6508 043AA	4	2, 3		41, 42, 62				UCA to Frame-08-11-03 and After, Mounting
24									NUT, Hex Flange Lock
	6502 698	4	1, 6						UCA to Frame, Mounting
	6102 252AA	4	2, 3		41, 42, 62				UCA to Frame-Up To and Including 08-10-03, Mounting
	6502 698	4	2, 3		41, 42, 62				UCA to Frame-08-11-03 and After


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Upper and Lower Control Arms,Torsion Bars,and Shocks,DR 6  
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:Sales Codes;									
Note; Both right hand and left hand knuckles must be of the same material									
[AWL]=Off Road Gourp									
[ZCA] Through [ZRL] = Torsion Bar sales codes will be found on Vehicle Identification Number [VIN] Sales Code Listing.									
1	52106 577AB	2	1, 6						ARM, Upper Control, Front,
2	6506 557AA	2	1, 6						Complete Assembly, Right or Left
3									NUT AND WASHER, UCA Ball Joint
	52106 552AC	1	6						to Knuckle, Mounting
	52106 553AC	1	6						KNUCKLE, Front
4	5072 958AA	1	6						Right
5	6506 587AA	2	1, 6						Left
6									BALL JOINT PACKAGE, Lower
	52106 560AD	1	6						Control Arm, Right or Left
	52106 561AD	1	6						NUT, Hex Flange Lock, LCA Ball
7	6507 272AA	2	6						Joint to Knuckle, Mounting
8	6502 697	2	6						ARM, Lower Control, Front
9	52106 701AB	2	6						Complete Assembly, Right
10	52106 703AB	2	6						Complete Assembly, Left
11	6507 255AA	2	6						SCREW, Pilot Point, Crossmember
12	52113 130AA	1	6						to Frame, Mounting
13	52113 134AA	2	6						NUT, Hex Flange Lock, M12x1.75,
14									Crossmember to Frame, Mounting
	52106 670AA	1	6						ANCHOR, Torsion Bar
	52106 671AA	1	6						SWIVEL, Torsion Bar
	52106 672AA	1	6						SCREW, Hex Head, Torsion Bar
	52106 673AA	1	6						Adjusting
	52106 684AA	1	6						CROSSMEMBER, Front Suspension,
	52106 685AA	1	6						With Bushings
	52106 686AA	1	6						BUSHING, Crossmember
	52106 687AA	1	6						BAR, Torsion
	52106 688AA	1	6						[ZRA], Right
	52106 689AA	1	6						[ZCA], Left
									[ZRB], Right
									[ZCB], Left
									[ZRC], Right
									[ZCC], Left
									[ZRD], Right
									[ZCD], Left
									[ZRE], Right
									[ZCE], Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Torsion Bars,and Shocks,DR 6  
Figure 002-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52106 690AA	1	6						[ZRF], Right
	52106 691AA	1	6						[ZCF], Left
	52106 694AA	1	6						[ZRG], Right
	52106 695AA	1	6						[ZCG], Left
	52106 696AA	1	6						[ZRH], Right
	52106 697AA	1	6						[ZCH], Left
	52110 110AA	1	6						[ZRL], Right
	52110 111AA	1	6						[ZCL], Left
	52110 112AA	1	6						[ZRJ], Right
	52110 113AA	1	6						[ZCJ], Left
	52110 118AA	1	6						[ZRK], Right
	52110 119AA	1	6						[ZCK], Left
15	52106 576AA	2	6						BUMPER, Jounce, Right or Left
16	6507 529AA	2	6						SCREW, Hex Flange Head, LCA Rear, Mounting
17									SLEEVE, bushing
	52021 391AA	2	6		41				LCA, Rear
		2	6		42				LCA, Rear
		2	6		61				LCA, Rear
		2	6		62				LCA, Rear
18	52110 063AA	2	6		61				BUSHING, Lower Control Arm, Rear
19	6507 206AA	2	6						SCREW, Hex Flange Head, LCA Front, Mounting
20	6102 252AA	4	1, 6						NUT, Hex Flange Lock, LCA Front and Rear, Mounting
21	52110 061AA	1	6						BUSHING, Control Arm, Front
22	6506 640AA	4	1, 6						BOLT AND RETAINER, Hex Head, UCA to Frame, Mounting
23	6502 698	4	1, 6						NUT, Hex Flange Lock, UCA to Frame, Mounting
24	6506 392AA	2	6						BOLT, Shock, Mounting
25									SHOCK ABSORBER PACKAGE, Suspension, Front
	5073 263AC	2	6		41				[Z6C]
	5101 784AA	2	6		41				[Z6C,AWL]
	5073 264AC	1	6		41				[Z6C,TTJ]
	5073 265AC	1	6		42				[Z6D]
	5073 261AB	1	6		61				[Z6A]
	5101 782AA	2	6		61				[Z6A,AWL]
	5073 262AB	1	6		61				[Z6A,TTJ]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Torsion Bars,and Shocks,DR 6  
Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5073 263AC	2	6		61, 62				[Z6A,Z6B]
	5080 987AA	1	6		62				[Z6B]
	5101 783AA	2	6		62				[Z6B,AWL]
26	5203 8258	1							RETAINER, Shock Absorber, Lower
27	52106 742AA	2	1, 6						GROMMET, Shock Absorber, Lower
28	52106 742AA	2	1, 6						GROMMET, Shock Absorber, Upper
29	5203 8257	2							RETAINER, Shock Absorber, Upper
30	6503 029	2							NUT, Hex, M12x1.25, Shock, Mounting


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Upper and Lower Control Arms,Springs and Shocks,DR 7,8

## Figure 002-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6503 029	2							NUT, Hex, M12x1.25, Shock
2	5203 8257	2							Mounting, Upper
3	52106 742AA	2	2, 3, 7, 8		41, 42,				RETAINER, Shock Absorber, Shock
4	6502 696	6	7, 8		62				Mounting, Upper
5	5203 8111	2	7, 8		41, 42,				NUT, Hex Flange Lock, M10x1.5,
6	5203 8105	2	7, 8		62				Shock Bracket to Frame, Mounting
7	52037 719AC	2	7, 8		41, 42,				BRACKET, Upper Shock Cup
8	52113 685AA	2	7, 8		62				RING, Shock Absorber, With Studs
9	52106 784AD	2	7, 8		41, 42,				ISOLATOR, Spring
10	6502 698	4	7, 8		62				BUMPER, Jounce
11	6507 430AA	2	7, 8		41, 42,				ARM, Upper Control, Front, With
12	6102 252AA	2	7, 8		62				Bushings
					41, 42,				NUT, Hex Flange Lock, UCA to
					62				Frame and Axle, Mounting
					41, 42,				BOLT AND RETAINER, Hex Head,
					62				UCA to Frame, Mounting
					41, 42,				NUT, Hex Flange Lock
					62				LCA to Frame, Mounting
					41, 42,				LCA to Axle, Mounting
13	6505 444AA	2	7, 8		62				SCREW, Hex Flange Head, LCA to
14	52106 774AD	2	7, 8		41, 42,				Frame, Mounting
15	6505 741AA	2	7, 8		62				ARM, Control, With Bushings, Lower
16	6505 742AA	2	7, 8		41, 42,				WASHER, Flat, LCA to Axle,
17	6506 033AA	2	7, 8		62				Mounting
18	6502 818	2	7, 8		41, 42,				SCREW, LCA to Axle, Mounting
					62				BOLT, Hex Flange Head, M14x2.
					62				0x105, UCA to Axle, Mounting
					41, 42,				BOLT, Hex Flange Head, M14x2.
					62				00x80, Shock Mounting, Lower

### DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Upper and Lower Control Arms,Springs and Shocks,DR 7,8

## Figure 002-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	6502 817	2	7, 8		41, 42, 62				LOCK NUT, M14-2.00, Shock Mounting, Lower
20									SHOCK ABSORBER PACKAGE, Suspension, Front
	5086 594AC	2	7		41, 42, 62				[ET0,Z7C]
	5134 162AA	2	7		41, 42, 62				[ET0,Z7C,AWL]
	5086 592AC	1	7, 8		41, 42, 62				[EW0,Z7C,Z8E]
	5086 591AD	2	7, 8		41, 42, 62				[EZ0,Z7A,Z7B,Z8E]
	5134 155AA	2	7, 8		41, 42, 62				[EZ0,Z7A,Z7B,Z8E,AWL]
	5086 599AC	2	8		41, 42, 62				[ET0,Z8C,Z8D]
	5134 163AA	2	8		41, 42, 62				[ET0,Z8C,Z8D,AWL]
21	5203 8258	2	7, 8		41, 42, 62				RETAINER, Shock Absorber, Mounting, Lower
22	52106 747AA	2	7, 8		41, 42, 62				GROMMET, Shock Absorber, Mounting, Lower
23									SPRING, Front Coil
	52122 800AA	1	7, 8		41, 42, 62				[ZAA,ZNA]
	52122 801AA	1	7, 8		41, 42, 62				[ZAB,ZNB]
	52121 802AA	1	7, 8		41, 42, 62				[ZAC,ZNC]
	52121 803AA	1	7, 8		41, 42, 62				[ZAD,ZND]
	52121 804AA	1	7, 8		41, 42, 62				[ZAE,ZNE]
	52121 805AA	1	7, 8		41, 42, 62				[ZAF,ZNF]
	52121 806AA	1	7, 8		41, 42, 62				[ZAG,ZNG]
	52113 977AA	1	7, 8		41, 42, 62				[ZEA,ZTA]

### DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Upper and Lower Control Arms,Springs and Shocks,DR 7,8  
Figure 002-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52113 978AA	1	7, 8		41, 42, 62				[ZEB,ZTB]
	52113 979AA	1	7, 8		41, 42, 62				[ZEC,ZTC]
	52113 980AA	1	7, 8		41, 42, 62				[ZED,ZTD]
	52113 981AA	1	7, 8		41, 42, 62				[ZEE,ZTE]
	52113 982AA	1	7, 8		41, 42, 62				[ZEF,ZTF]
	52113 983AA	1	7, 8		41, 42, 62				[ZEG,ZTG]
	52113 984AA	1	7, 8		41, 42, 62				[ZEH,ZTH]
	52113 985AA	1	7, 8		41, 42, 62				[ZEJ,ZTJ]
	52113 986AA	1	7, 8		41, 42, 62				[ZEK,ZTK]
	52113 987AA	1	7, 8		41, 42, 62				[ZEL,ZTL]
	52113 988AA	1	7, 8		41, 42, 62				[ZEM,ZTM]



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



**Front Sway Bar,DR 1,2,3,6**  
**Figure 002-140**





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									NUT, Hex Lock, M10x1.5
	6506 746AA	2	1		41, 42, 62				
		2	1		61				
		2	2, 3		41, 42, 62				
		2	6		41, 61, 62				
		2	6		42				
2									RETAINER, Sway Bar
	5203 8115	2	1		41, 42, 62				Upper
		2	1		61				Upper
		2	2, 3		41, 42, 62				Upper
		2	6		41, 61, 62				Upper
		2	6		42				Upper
3									GROMMET, Link
	5203 7916	4	1		41, 42, 62				
		4	1		61				
		4	2, 3		41, 42, 62				
		4	6		41, 61, 62				
		4	6		42				
4									RETAINER, Sway Bar
	5203 8116	2	1		41, 42, 62				Lower
		2	1		61				Lower
		2	2, 3		41, 42, 62				Lower
		2	6		41, 61, 62				Lower
		2	6		42				Lower
5									LINK PACKAGE, Sway Bar
	5072 934AD	2	1		41, 42, 62				Right or Left
		2	1		61				Right or Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

# Front Sway Bar,DR 1,2,3,6 Figure 002-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 972AB	2	2, 3		41, 42, 62				Right or Left
	5072 935AC	2	6		41, 61, 62				Right or Left
		2	6		42				Right or Left
6	52106 585AB	1	1		41, 42, 62				BAR, Front Sway [SHA]
	52113 082AB	1	1		61				[SHA]
	52106 839AA	1	2, 3		41, 42, 62				[SHA]
	52106 586AB	1	6		41, 61, 62				[SHA]
	52110 096AA	1	6		42				[SHA]
	5290 439AA	1	1, 6						[SHH]
7	52110 060AB	2	1		41, 42, 62				BUSHING, Sway Bar [SHA]
	52106 590AB	2	1		61				[SHA]
	5290 440AA	2	1, 6						[SHH]
	5203 8849	2	2, 3		41, 42, 62				[SHA]
	52110 060AB	2	6		41, 61, 62				[SHA]
	52106 590AB	2	6		42				[SHA]
8	52110 141AB	2	1		41, 42, 62				RETAINER, Sway Bar
		2	1		61				
	52110 141AA	2	2, 3		41, 42, 62				
	52110 141AB	2	6		41, 61, 62				
		2	6		42				
9	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame, Mounting
10	6503 652	2	1, 6						NUT AND RETAINER, Hex Flange Lock, m8x1.25, Sway Bar Link to LCA, Mounting

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Front Sway Bar and Track Bar,DR 7,8 Figure 002-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BOLT, Hex Flange Head, M14x2.00x67.50
	6503 576	1	7, 8		41, 42, 62				Track Bar to Axle, Mounting
		1	7, 8		41, 42, 62				Track Bar to Frame, Mounting
2	6506 443AA	2	7, 8		41, 42, 62				NUT, Nylock Hex, M10x1.5, Sway Bar Link to Axle, Mounting
3									NUT AND RETAINER, Hex Flange Locking, M14 x 2.00
	6507 810AA	1	7, 8		41, 42, 62				Track Bar to Axle, Mounting
		1	7, 8		41, 42, 62				Track Bar to Frame, Mounting
4	5093 111AA	2	7, 8		41, 42, 62				LINK PACKAGE, Sway Bar
5	6506 746AA	2	7, 8		41, 42, 62				NUT, Hex Lock, M10x1.5, Sway Bar Link to Sway Bar, Mounting
6	5203 8115	2	7, 8		41, 42, 62				RETAINER, Sway Bar, Upper
7	5203 7916	4	7, 8		41, 42, 62				GROMMET, Link
8	5203 8116	2	7, 8		41, 42, 62				RETAINER, Sway Bar, Lower
9	52106 795AC	1	7, 8		41, 42, 62				TRACK BAR, Front
10	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame, Mounting
11									BRACKET, Track Bar
	52021 423AB	1	7		41				Rear
		1	7		42				Rear
		1	7		62				Rear
		1	8		41				Rear
		1	8		42				Rear
		1	8		62				Rear
12									BRACKET, Track Bar
	52021 422AB	1	7		41				Front
		1	7		42				Front
		1	7		62				Front

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)


DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

### Front Sway Bar and Track Bar,DR 7,8

#### Figure 002-150




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		41				Front
		1	8		42				Front
		1	8		62				Front
13	52106 813AB	1	7, 8		41, 42, 62				BAR, Front Sway
14	52037 710AB	2	7, 8		41, 42, 62				RETAINER, Sway Bar
15	52113 085AA	2	7, 8		41, 42, 62				BUSHING, Sway Bar
16									BRACKET, Stabilizer Bar
	52021 590AA	1	7		41				
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
		1	8		62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Axle Shafts,Front, DR 6,7,8  
Figure 002-210



DR 6




DR 7,8

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5072 390AA	2	6						BOOT KIT, Half Shaft, Inner, Right or Left
2	5072 389AA	2	6						SHAFT, Axle Half, Right or Left
3	5072 391AA	2	6						BOOT KIT, Half Shaft, Outer, Right or Left
4	6506 454AA	2	6						NUT, Hex, Right or Left
5	5086 666AB	1	7, 8		41, 42, 62				SHAFT, Axle Right
	5086 667AB	1	7, 8		41, 42, 62				Left
6	5086 668AB	1	7, 8		41, 42, 62				SHAFT, Stub, Right or Left
7	5086 665AB	1	7, 8		41, 42, 62				U JOINT, Right or Left
8	5086 686AA	2	7, 8		41, 42, 62				SEAL, Axle Drive Shaft, Right or Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Axle Housing,Front,Corporate 8.25 [DJM],DR 6  
Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: The circlip on the outboard ends of items 1 and 7 are used in production only and are not required for replacement


1	52069 886AD	1	6						SHAFT, Axle, Right,Intermediate
2	52069 710AB	2	6						SNAP RING, Axle Shaft, Inner or Outer, Right or Left
3	5206 9706	2	6						SEAL, Axle Drive Shaft, Right or Left
4	52111 167AA	1	6						BUSHING, Axle Shaft, Right
5	5206 9707	1	6						BEARING, Axle Shaft, Left
6	52069 888AA	2	6						O RING, Shaft Disconnect, Right or Left
7	52069 887AD	1	6						SHAFT, Axle, Left,Intermediate
8	5072 495AA	1	6						HOUSING, Axle
9	J535 2955	1	6						VENT, Axle
10	52111 416AA	1	6						CLIP, Front Axle Vent Hose, Mounting
11	HFV00 516AB	1							HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
12	6505 216AA	12	6						BOLT, Differential Cover
13	52070 428AA	1	6						PLUG, Differential Cover
14	5206 9713	1	6						COVER, Differential, With Vent
15	5010 884AA	1	6						SEALANT, RTV, Cover
16	6100 954	4	6						BOLT, Differential

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Front,American Axle,9.25 [DJQ,DJX],DR 7,8  
Figure 002-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J535 2955	1	7, 8		41, 42,				VENT, Axle, Upper
2	6032 633	1	7, 8		41, 42,				CLIP, Vent Tube
3	HFV00 516AB	1	7, 8		41, 42,				HOSE, Fuel And Vapor, 25 Foot Roll
4	0153 455	1			62				5/16"
5	5086 698AB	1	7, 8		41, 42,				CLAMP, Hose, .620
6	5086 672AB	2	7, 8		41, 42,				VENT, Axle, In Housing, Lower
7	5086 676AA	2	7, 8		41, 42,				BALL JOINT PACKAGE, Upper
8	5086 678AA	1	7, 8		41, 42,				RING, Ball Joint, Lower
	5086 679AA	1	7, 8		41, 42,				62
9	5086 675AA	2	7, 8		41, 42,				KNUCKLE, Front Right
10	5086 674AB	2	7, 8		41, 42,				Left
11	5086 673AA	1	7, 8		41, 42,				62
12	5086 670AA	1	7, 8		41, 42,				NUT, Steering Knuckle Socket, Lower
	5086 671AA	1	7, 8		41, 42,				BALL JOINT PACKAGE, Lower
13	5086 684AA	1	7, 8		41, 42,				62
14	5086 685AA	4	7, 8		41, 42,				NUT, Steering Knuckle Socket, Upper
15	5086 682AA	1	7, 8		41, 42,				BRACKET, Brake Sensor Wire
16	5086 680AA	1	7, 8		41, 42,				Right
17	5086 681AA	1	7, 8		41, 42,				Left
					62				HOUSING, Axle
					62				BOLT, Differential
					62				GASKET, Front Axle Cover, Mounting
					62				COVER, Differential
					62				PLUG, Differential Cover

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Front,American Axle,9.25 [DJQ,DJX],DR 7,8  
Figure 002-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5086 683AA	14	7, 8		41, 42,				BOLT, Differential Cover, Mounting
-19	4809 389AA-	1	7, 8		41, 42,				CLIP, Axle Vent Hose
					62				
					62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Axle Assembly,Front,Corporate 8.25 [DJM],DR 6  
Figure 002-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;  
[DJM]=Axle - Front, 205MM Heavy Duty  
[DMD]=Axle Ratio - 3.55  
[DMH]=Axle Ratio - 3.92

1									AXLE, Service Front
	52070 385AA	1	6						[DMD]
	52070 384AA	1	6						[DMH]




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Axle Assembly,Front,American Axle,9.25 [DJQ,DJX],DR 7,8  
Figure 002-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;  
[DJQ]=Axle - Front,9.25  
[DJX]=Axle - Front,9.25 W/Hub Extensions  
[DME]=Axle Ratio - 3.73  
[DMF]=Axle Ratio - 4.10


1									AXLE, Service Front [DJQ,DME,BRT]
	5086 716AA	1	7, 8		41, 42, 62				
	5086 677AA	1	7, 8		41, 42, 62				[DJQ,DMF,BRT]
	5086 716AA	1	8		42, 62				[DJX,DME,BRT]
	5086 677AA	1	8		42, 62				[DJX,DMF,BRT]



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Differential,Front,Coporate 8.25 [DJM],DR 6  
Figure 002-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DJM]=Axle - Front, 205MM Heavy Duty									
[DMD]=Axle Ratio - 3.55									
[DMH]=Axle Ratio - 3.92									
1	6036 150AA	1	6						NUT, Hex, .875-14, Pinion Flange
2	52070 389AA	1	6						FLANGE, Driveshaft Yoke
3	52070 457AA	1	6						SEAL, Drive Pinion
4	5072 494AA	1	6						BEARING PACKAGE, Drive Pinion, Bearing and Cup, Front
5	3507 678	1	6						SPACER, Drive Pinion Bearing, Crush
6	5015 874AA	1	6						SHIM PACKAGE, Pinion 0.64MM to 0.91MM
	5015 875AA	1	6						0.94MM to 1.27MM
	5015 876AA	1	6						1.30MM to 1.57MM
7	5072 493AA	1	6						BEARING PACKAGE, Drive Pinion, Bearing and Cup, Rear
8	5072 496AA	1	6						BEARING PACKAGE, Differential, Contains 2 Bearing and 2 Cups
9	5015 884AA	1	6						SHIM PACKAGE, Differential 2.82MM to 3.05MM
	5015 885AA	1	6						3.07MM to 3.35MM
	5015 886AA	1	6						3.38MM to 3.66MM
	5015 887AA	1	6						3.68MM to 3.96MM
	5015 888AA	1	6						3.99MM to 4.27MM
	5015 889AA	1	6						4.29MM to 4.57MM
	5015 890AA	1	6						4.60MM to 4.88MM
10	4443 158	10	6						SCREW PACKAGE, Axle Drive Gear
11	52070 437AA	1	6						CASE ASSEMBLY, Differential, Contains Item 12
12	5072 492AA	1	6						GEAR PACKAGE, Differential
13	5015 873AA	1	6						GEAR KIT, Ring And Pinion [DMD]
	5015 895AB	1	6						[DMH]
14	5015 864AA	1	6						WASHER PACKAGE, Side Gear Thrust, Contains 1 each .031,.036,.041,.046,Washers
15	2852 912	2	6						WASHER, Pinion Gear, Thrust
16	52070 338AA	1	6						PIN, Differential Shaft
17	5206 9657	1	6						SHAFT, Differential Pinion

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Differential,Front,Coporate 8.25 [DJM],DR 6  
Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	52069 915AA	2	6						BEARING, Differential
19	52069 916AA	2	6						CUP, Differential Side Bearing
-20	1820 552	1	6						BEARING, Drive Pinion [DRB,DMD]
		1	6						[DRB,DMD,DSA]
		1	6						[DRB,DMH,DSA]
-21	1820 551	1	6						CUP, Drive Pinion Bearing [DRB,DMD]
		1	6						[DRB,DMD,DSA]
		1	6						[DRB,DMH,DSA]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Differential,Front,American Axle,9.25 [DJQ,DJX],DR 7,8**  
**Figure 002-620**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes; [DJQ]=Axle - Front,9.25 [DJX]=Axle - Front,9.25 W/Hub Extensions [DME]=Axle Ratio - 3.73 [DMF]=Axle Ratio - 4.10									
1	5086 704AA	1	7, 8		41, 42, 62				NUT, Pinion Yoke
2	5086 703AA	1	7, 8		41, 42, 62				WASHER, Pinion Yoke
3	5086 696AA	1	7, 8		41, 42, 62				YOKE, Axle
4	5086 697AB	1	7, 8		41, 42, 62				SEAL, Drive Pinion
5	5086 690AA	1	7, 8		41, 42, 62				BEARING, Drive Pinion, Bearing and Cup, Front
6	5086 702AA	1	7, 8		41, 42, 62				SPACER, Drive Pinion Bearing, Crush
7	5086 690AA	1	7, 8		41, 42, 62				BEARING, Drive Pinion Bearing and Cup, Rear
	5086 688AA	1	8		42, 62				
8	5086 705AA	1	7, 8		41, 42, 62				SHIM KIT, Pinion Shaft [.054 Inches to .059 Inches]
	5086 706AA	1	7, 8		41, 42, 62				[.061 Inches to .072 Inches]
	5086 707AA	1	7, 8		41, 42, 62				[.074 Inches to .084 Inches]
	5086 708AA	1	7, 8		41, 42, 62				[.087 Inches to .098 Inches]
9	5086 692AB	1	7, 8		41, 42, 62				GEAR PACKAGE, Differential
10	5086 686AA	1	7, 8		41, 42, 62				SEAL, Axle Drive Shaft
11	5086 699AA	2	7, 8		41, 42, 62				ADJUSTER, Differential Bearing
12	5086 689AA	2	7, 8		41, 42, 62				BEARING, Differential
13	5086 701AA	1	7, 8		41, 42, 62				BOLT, Ring Gear, Mounting

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Differential,Front,American Axle,9.25 [DJQ,DJX],DR 7,8  
Figure 002-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5086 693AA	1	7, 8		41, 42,				SHAFT, Differential Pinion
					62				
15	5086 694AA	1	7, 8		41, 42,				SCREW, Differential
					62				
16	5086 695AA	2	7, 8		41, 42,				BOLT, Bearing Adjuster Lock
					62				
17	5086 687AA	1	7, 8		41, 42,				LOCK, Differential Bearing, Adjuster
					62				
18									GEAR PACKAGE, Ring And Pinion
	5086 717AB	1	7, 8		41, 42,				[DME]
					62				
	5086 700AB	1	7, 8		41, 42,				[DMF]
					62				
19	5086 691AA	1	7, 8		41, 42,				CASE, Differential
					62				


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Skid Plate,Front Axle,DR 6  
Figure 002-810


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52022 048AB	1	6						SKID PLATE, Front
2	6507 342AA	2	6, 7, 8						SCREW, M8x1.25x30



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




# Group – 003

## Rear Axle



### GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No.
<b>Rear Axle</b>	
Axle Assembly,Rear,Corporate 9.25 [DRB],DR 1,6	Fig. 003-110
Axle Assembly,Rear,American Axle 10.5'[DRW],DR2,7	Fig. 003-120
Axle Assembly,Rear,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8	Fig. 003-130
Axle Assembly,Rear,Dana 60/248MM [DRD] DR 1	Fig. 003-140
<b>Differential and Housing</b>	
Axle Housing,Rear,With Differential Parts,Corporate 9.25 [DRB],DR 1,6	Fig. 003-210
Axle Housing,Rear,With Differential Parts,American Axle 10.5'[DRW],DR 2,7	Fig. 003-220
Axle Housing,Rear,With Differential Parts,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8	Fig. 003-230
Axle Housing,Rear,With Differential Parts,Dana 60/248 [DRD] DR 1	Fig. 003-240
<b>Rear Axle Vent</b>	
Vent, Axle	Fig. 003-310


<b>003-100</b> Rear Axle	<b>003-200</b> Differential and Housing	<b>003-300</b> Rear Axle Vent	
			

Axle Assembly,Rear,Corporate 9.25 [DRB],DR 1,6  
Figure 003-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note:Sales Codes;  
[DMD]=Axle Ratio - 3.55  
[DMH]=Axle Ratio - 3.92  
[DRB]=Axle - Rear,Corporate 9.25 Light Duty  
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear
	5072 500AA	1	1						[DMD]
	5072 509AA	1	1						[DMD,DSA]
	5103 102AA	1	1						[DMH]
	5072 510AA	1	1						[DMH,DSA]
	5072 512AB	1	6						[DMD]
	5072 517AB	1	6						[DMD,DSA]
	5103 107AA	1	6						[DMH]
	5072 518AB	1	6						[DMH,DSA]



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Axle Assembly,Rear,American Axle 10.5'[DRW],DR2,7  
Figure 003-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Codes;  
[DME]=Axle Ratio - 3.73  
[DMF]=Axle Ratio - 4.10  
[DRW]=Axle - Rear,10.50  
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear
	5127 608AA	1	2		41, 42, 62				[DME]
	5127 611AA	1	2		41, 42, 62				[DME,DSA]
	5127 617AA	1	2		41, 42, 62				[DMF]
	5127 618AA	1	2		41, 42, 62				[DMF,DSA]
	5127 619AA	1	7		41, 42, 62				[DME]
	5127 620AA	1	7		41, 42, 62				[DME,DSA]
	5127 621AA	1	7		41, 42, 62				[DMF]
	5127 622AA	1	7		41, 42, 62				[DMF,DSA]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Axle Assembly,Rear,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8  
Figure 003-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;  
[DME]=Axle Ratio - 3.73  
[DMF]=Axle Ratio - 4.10[  
[DRQ]=Axle - Rear,11.50  
[DRX]=Axle - Rear,11.50, Dual Wheels  
[DSA]=Axle - Anti-Spin Differential

1									AXLE, Service Rear [DRQ,DME]
	5127 623AA	1	2, 3		41, 42, 62				
	5127 624AA	1	2, 3		41, 42, 62				[DRQ,DME,DSA]
	5127 625AA	1	2, 3		41, 42, 62				[DRQ,DMF]
	5127 626AA	1	2, 3		41, 42, 62				[DRQ,DMF,DSA]
	5127 640AA	1	3		42, 62				[DRX,DME]
	5127 641AA	1	3		42, 62				[DRX,DME,DSA]
	5127 642AA	1	3		42, 62				[DRX,DMF]
	5127 643AA	1	3		42, 62				[DRX,DMF,DSA]
	5127 627AA	1	7, 8		41, 42, 62				[DRQ,DME]
	5127 628AA	1	7, 8		41, 42, 62				[DRQ,DME,DSA]
	5127 629AA	1	7, 8		41, 42, 62				[DRQ,DMF]
	5127 630AA	1	7, 8		41, 42, 62				[DRQ,DMF,DSA]
	5127 636AA	1	8		42, 62				[DRX,DME]
	5127 637AA	1	8		42, 62				[DRX,DME,DSA]
	5127 638AA	1	8		42, 62				[DRX,DMF]
	5127 639AA	1	8		42, 62				[DRX,DMF,DSA]


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Axle Assembly,Rear,Dana 60/248MM [DRD] DR 1  
Figure 003-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5137 569AA	1	1		61				AXLE, Service Rear



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Axle Housing,Rear,With Differential Parts,Corporate 9.25 [DRB],DR 1,6  
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;  
[DMD]=Axle Ratio - 3.55  
[DMH]=Axle Ratio - 3.92  
[DRB]=Axle - Rear,Corporate 9.25 Light Duty  
[DSA]=Axle - Anti-Spin Differential

1									NUT, Pinion Yoke
	6028 041	1	1						
		1	6						
2									WASHER, Pinion Yoke
	2070 117	1	1						
		1	6						
3									FLANGE, Driveshaft Yoke
	5210 5064	1	1						
		1	6						
4									SEAL, Drive Pinion
	52070 340AA	1	1						
		1	6						
5									BEARING PACKAGE, Drive Pinion
	5072 498AA	1	1						Bearing and Cup, Front
		1	6						Bearing and Cup, Front
6									HOUSING, Rear Axle
	5072 499AA	1	1						
	5072 511AA	1	6						
7	4137 696AB	1							BOLT, Axle Vent
8									STUD
	6036 556AA	8	1						Axle Housing to Backing Plate,
									Mounting
		8	6						Axle Housing to Backing Plate,
									Mounting
-9									NUT, Hex, .375-24
	6036 159AA-	8	1						Axle Housing to Backing Plate,
									Mounting
		8	6						Axle Housing to Backing Plate,
									Mounting
10									BEARING, Wheel
	3507 898AB	2	1						
		2	6						
11									SEAL, Axle Drive Shaft
	52070 427AB	2	1						
		2	6						
12									SHAFT, Axle

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

Axle Housing,Rear,With Differential Parts,Corporate 9.25 [DRB],DR 1,6  
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5206 7614	2	1						STUD, Wheel
		2	6						
	6035 323	10	1						
14	3432 695	4	1						SCREW, Hex Head, .50-13x2.38
		4	6						Carrier Bearing Cap, Mounting
15	5010 884AA	1	1						SEALANT, RTV
		1	6						
16	4384 293AC	1	1						COVER, Differential
		1	6						
17	6033 043	12	1						SCREW AND WASHER, Hex Flange
		12	6						Head, .312-18x.562
18	52070 428AA	1	1						Differential, Cover
		1	6						Differential, Cover
		1	6						PLUG, Differential Cover
19	52070 443AA	2	1						ADJUSTER, Differential Bearing
		2	6						
20	3723 858	2	1						LOCK, Differential Bearing
		2	6						
21	6023 092	2	1						SCREW AND WASHER, Hex Head,
		2	6						.25-20x.50
22	5072 506AA	1	1						Differential Bearing Lock
		1	6						Differential Bearing Lock
23	6036 054AA	12	1						BEARING PACKAGE, Differential
		12	6						Consists of 2 Bearings ;and 2 Cups
24	1633 928	1	1						Consists of 2 Bearings ;and 2 Cups
		1	6						BOLT, Ring Gear
25	5072 506AA	1	1						SHAFT, Differential Pinion
		1	6						Without [DSA]
26	5072 506AA	1	1						Without [DSA]
		1	6						CASE, Differential

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,Corporate 9.25 [DRB],DR 1,6  
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4384 286	1	1						Without [DSA] With Internal Parts
	4384 222	1	1						Without [DSA] Without Internal Parts
	4384 286	1	6						Without [DSA] With Internal Parts
	4384 222	1	6						Without [DSA] Without Internal Parts
-26									TONE RING, Sensor
	4384 227	1	1						
		1	6						
27									SCREW, Hex Head, .312-18x1.80
	3507 724	2	1						Differential Shaft Lock-Without [DSA]
		2	6						Differential Shaft Lock-Without [DSA]
28									GEAR KIT, Ring And Pinion [DMD]
	5010 322AE	1	1						
	5010 321AC	1	1						[DMH]
	5010 322AE	1	6						[DMD]
	5010 321AC	1	6						[DMH]
29									BEARING PACKAGE, Drive Pinion Bearing and Cup, Rear
	5017 438AA	1	1						
		1	6						Bearing and Cup, Rear
30									SHIM, Drive Pinion Bearing, .020
	3432 320	1	1						
		1	6						
-31									SHIM, Drive Pinion Bearing, .021
	3432 321	1	1						
		1	6						
-32									SHIM, Drive Pinion Bearing, .022
	3432 322	1	1						
		1	6						
-33									SHIM, Drive Pinion Bearing, .023
	3432 323	1	1						
		1	6						
-34									SHIM, Drive Pinion Bearing, .024
	3432 324	1	1						
		1	6						
-35									SHIM, Drive Pinion Bearing, .025
	3432 325	1	1						
		1	6						
-36									SHIM, Drive Pinion Bearing, .026

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,Corporate 9.25 [DRB],DR 1,6  
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3432 326	1	1						
-37		1	6						SHIM, Drive Pinion Bearing, .027
	3432 327	1	1						
-38		1	6						SHIM, Drive Pinion Bearing, .028
	3432 328	1	1						
-39		1	6						SHIM, Drive Pinion Bearing, .029
	3432 329	1	1						
-40		1	6						SHIM, Drive Pinion Bearing, .030
	3432 330	1	1						
-41		1	6						SHIM, Drive Pinion Bearing, .031
	3432 331	1	1						
-42		1	6						SHIM, Drive Pinion Bearing, .032
	3432 332	1	1						
-43		1	6						SHIM, Drive Pinion Bearing, .033
	3432 333	1	1						
-44		1	6						SHIM, Drive Pinion Bearing, .034
	3432 334	1	1						
-45		1	6						SHIM, Drive Pinion Bearing, .035
	3432 335	1	1						
-46		1	6						SHIM, Drive Pinion Bearing, .036
	3432 336	1	1						
-47		1	6						SHIM, Drive Pinion Bearing, .037
	3432 337	1	1						
-48		1	6						SHIM, Drive Pinion Bearing, .038
	3432 338	1	1						
49		1	6						SPACER, Drive Pinion Bearing Crush
	3507 678	1	1						

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,Corporate 9.25 [DRB],DR 1,6  
Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6						
50									
		2	1						
		2	6						
51	4137 669								
		2	1						
		2	6						
52	3507 641								
		2	1						
		2	6						
53									
		1	1						
		1	6						
54	4798 912AB								
		1	1						
		1	6						
55									
		1	1						
		2	6						
56	4131 294								
		1	1						
		1	6						
		1	1						
		1	6						

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 10.5'[DRW],DR 2,7  
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DME]=Axle Ratio - 3.73									
[DMF]=Axle Ratio - 4.10									
[DRW]=Axle - Rear,10.50									
[DSA]=Axle - Anti-Spin Differential									
1	5086 770AB	16	2		41, 42,				BOLT
					62				Axle to Hub, Mounting
		16	7		41, 42,				Axle to Hub, Mounting
					62				
2	5086 775AB	2	2		41, 42,				SHAFT, Axle
					62				Right or Left
		2	7		41, 42,				Right or Left
					62				
3	5086 767AB	2	2		41, 42,				GASKET, Axle Shaft
					62				Axle to Hub, Mounting
		2	7		41, 42,				Axle to Hub, Mounting
					62				
4	5086 782AA	1	2		41, 42,				NUT, Pinion Yoke
					62				
		1	7		41, 42,				
					62				
5	5086 781AA	1	2		41, 42,				WASHER, Pinion Yoke
					62				
		1	7		41, 42,				
					62				
6	5127 609AA	1	2		41, 42,				YOKE, Axle
					62				
		1	7		41, 42,				
					62				
7	5086 789AA	1	2		41, 42,				SEAL, Drive Pinion
					62				
		1	7		41, 42,				
					62				
8									BEARING, Drive Pinion

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Axle Housing,Rear,With Differential Parts,American Axle 10.5'[DRW],DR 2,7  
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 780AB	1	2		41, 42,				Bearing and Cup, Front
		1	7		41, 42,				Bearing and Cup, Front
9	6035 887	1			62				STUD, Axle Housing, Wheel Speed
10	56028 187AE	1							Sensor, Mounting
11	5086 787AA	1	2		41, 42,				SENSOR, Wheel Speed
		1	7		41, 42,				SPACER, Drive Pinion Bearing
					62				Crush
12					62				Crush
					41, 42,				HOUSING, Rear Axle
	5086 799AA	1	2		41, 42,				
	5086 852AA	1	7		41, 42,				
					62				
13	5086 785AA	1	2		41, 42,				BEARING, Drive Pinion
		1	7		41, 42,				Bearing and Cup, Rear
					62				Bearing and Cup, Rear
14	5086 800AA	4	2		41, 42,				BOLT, Differential
		4	7		41, 42,				
					62				
15	5086 795AA	1	2		41, 42,				SHIM KIT, Pinion Shaft
					62				1.143 MM To 1.219 MM
	5086 796AA	1	2		41, 42,				1.245 MM To 1.321 MM
	5086 794AA	1	2		41, 42,				1.346 MM To 1.422 MM
					62				
	5086 797AA	1	2		41, 42,				1.448 MM To 1.499 MM
	5086 795AA	1	7		41, 42,				1.143 MM To 1.219 MM
					62				
	5086 796AA	1	7		41, 42,				1.245 MM To 1.321 MM
					62				


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 10.5'[DRW],DR 2,7  
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 794AA	1	7		41, 42,				1.346 MM To 1.422 MM
	5086 797AA	1	7		41, 42,				1.448 MM To 1.499 MM
16					62				LOCK, Differential Bearing
	5086 779AA	2	2		41, 42,				Adjuster
		2	7		41, 42,				Adjuster
17					62				
	5086 792AA	1	2		41, 42,				GEAR KIT, Center Differential
		1	7		41, 42,				Without [DSA]
					62				Without [DSA]
18					62				BOLT
	5086 695AA	2	2		41, 42,				Bearing Adjuster Lock
		2	7		41, 42,				Bearing Adjuster Lock
19					62				
	5086 778AA	2	2		41, 42,				BEARING, Differential
		2	7		41, 42,				Consists of 1 Bearing and 1 Cup
					62				Consists of 1 Bearing and 1 Cup
20					62				ADJUSTER, Differential Bearing
	5086 788AA	1	2		41, 42,				
		1	7		41, 42,				
21					62				
	5086 790AA	1	2		41, 42,				CASE ASSEMBLY, Differential
	5086 807AA	1	2		41, 42,				Without [DSA]
					62				With [DSA]
	5086 790AA	1	7		41, 42,				Without [DSA]
	5086 807AA	1	7		41, 42,				With [DSA]
					62				
22									TONE RING, Sensor

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 10.5'[DRW],DR 2,7  
Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 786AA	1	2		41, 42,				
		1	7		62				
23	5086 798AC	1	2		41, 42,				GEAR PACKAGE, Ring And Pinion
		1	7		62				[DMF]
	5086 816AB	1	2		41, 42,				[DME]
		1	7		62				[DME]
24	5086 793AA	1	2		41, 42,				SHAFT, Differential
		1	7		62				Without [DSA]
					41, 42,				Without [DSA]
					62				
25	5086 783AB	12	2		41, 42,				BOLT, Ring Gear
		12	7		62				Mounting
26	5086 791AA	1	2		41, 42,				RING, Snap
		1	7		62				
27	5086 777AA	1	2		41, 42,				GASKET, Rear Cover
		1	7		62				Mounting
28	5086 801AA	1	2		41, 42,				COVER, Differential
		1	7		62				Includes Items 27,29,30
29					41, 42,				Includes Items 27,29,30
					62				
									BOLT, Differential Cover

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 10.5'[DRW],DR 2,7  
Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 683AA	14	2		41, 42,				
		14	7		62				
30					41, 42,				PLUG, Differential Cover
	5086 681AA	1	2		62				
		1	7		41, 42,				
					62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8  
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DME]=Axle Ratio - 3.73									
[DMF]=Axle Ratio - 4.10[									
[DRQ]=Axle - Rear,11.50									
[DRX]=Axle - Rear,11.50, Dual Wheels									
[DSA]=Axle - Anti-Spin Differential									
1	5086 770AB	16	2, 3		41, 42, 62				BOLT Axle to Hub, Mounting
		16	7, 8		41, 42, 62				Axle to Hub, Mounting
2	5086 902AB	2	2, 3		41, 42, 62				SHAFT, Axle [DRQ]
	5086 984AB	2	3		42, 62				[DRX]
	5086 902AB	2	7, 8		41, 42, 62				[DRQ]
	5086 984AB	2	8		42, 62				[DRX]
3	5086 767AB	2	2, 3		41, 42, 62				GASKET, Axle Shaft Axle to Hub, Mounting
		2	7, 8		41, 42, 62				Axle to Hub, Mounting
4	5086 782AA	1	2, 3		41, 42, 62				NUT, Pinion Yoke
		1	7, 8		41, 42, 62				
5	5086 781AA	1	2, 3		41, 42, 62				WASHER, Pinion Yoke
		1	7, 8		41, 42, 62				
6	5127 609AA	1	2, 3		41, 42, 62				YOKE, Axle [DRQ,DMF]
		1	7, 8		41, 42, 62				[DRQ,DMF]
7					62				SEAL, Drive Pinion


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8  
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 789AA	1	2, 3		41, 42,				
					62				
		1	7, 8		41, 42,				
					62				
8									BEARING, Drive Pinion
	5086 780AB	1	2, 3		41, 42,				Bearing and Cup, Front
					62				
		1	7, 8		41, 42,				Bearing and Cup, Front
					62				
9	6035 887	1							STUD, Axle Housing, Wheel Speed
									Sensor, Mounting
10	56028 187AE	1							SENSOR, Wheel Speed
11									SPACER, Drive Pinion Bearing
	5086 910AA	1	2, 3		41, 42,				Crush
					62				
		1	7, 8		41, 42,				Crush
					62				
12									HOUSING, Rear Axle
	5086 975AA	1	2, 3		41, 42,				[DRQ]
					62				
	5086 986AA	1	3		42, 62				[DRX]
	5086 920AA	1	7, 8		41, 42,				[DRQ]
					62				
	5093 001AA	1	8		42, 62				[DRX]
13									BEARING, Drive Pinion
	5086 907AA	1	2, 3		41, 42,				Bearing and Cup, Rear
					62				
		1	7, 8		41, 42,				Bearing and Cup, Rear
					62				
14									BOLT, Differential
	5086 922AA	4	2, 3		41, 42,				
					62				
		4	7, 8		41, 42,				
					62				
15									SHIM KIT, Pinion Shaft
	5086 911AA	1	2, 3		41, 42,				1.092 MM-1.219 MM
					62				
	5086 912AA	1	2, 3		41, 42,				1.245 MM-1.371 MM
					62				


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8  
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 913AA	1	2, 3		41, 42, 62				1.397 MM-1.524 MM
	5086 911AA	1	7, 8		41, 42, 62				1.092 MM-1.219 MM
	5086 912AA	1	7, 8		41, 42, 62				1.245 MM-1.371 MM
	5086 913AA	1	7, 8		41, 42, 62				1.397 MM-1.524 MM
16									LOCK, Differential Bearing
	5086 909AA	2	2, 3		41, 42, 62				Adjuster
		2	7, 8		41, 42, 62				Adjuster
17									GEAR PACKAGE, Differential
	5086 916AD	1	2, 3		41, 42, 62				Without [DSA]
		1	7, 8		41, 42, 62				Without [DSA]
18									BOLT
	5086 695AA	2	2, 3		41, 42, 62				Bearing Adjuster Lock
		2	7, 8		41, 42, 62				Bearing Adjuster Lock
19									BEARING, Differential
	5086 906AA	2	2, 3		41, 42, 62				Consists of 1 Bearing and 1 Cup
		2	7, 8		41, 42, 62				Consists of 1 Bearing and 1 Cup
20									ADJUSTER, Differential Bearing
	5086 908AA	2	2, 3		41, 42, 62				
		2	7, 8		41, 42, 62				
21									CASE ASSEMBLY, Differential
	5086 915AB	1	2, 3		41, 42, 62				Without [DSA]
	5086 962AA	1	2, 3		41, 42, 62				With [DSA]
	5086 915AB	1	7, 8		41, 42, 62				Without [DSA]


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8  
Figure 003-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	5086 962AA	1	7, 8		41, 42, 62				With [DSA]
	5086 914AA	1	2, 3		41, 42, 62				TONE RING, Sensor
		1	7, 8		41, 42, 62				
23	5086 919AC	1	2, 3		41, 42, 62				GEAR PACKAGE, Ring And Pinion [DME]
	5086 971AC	1	2, 3		41, 42, 62				[DMF]
	5086 919AC	1	7, 8		41, 42, 62				[DME]
	5086 971AC	12	7, 8		41, 42, 62				[DMF]
24	5086 917AA	1	2, 3		41, 42, 62				SHAFT, Differential Without [DSA]
		1	7, 8		41, 42, 62				Without [DSA]
25	5086 783AB	12	2, 3		41, 42, 62				BOLT, Ring Gear Mounting
		12	7, 8		41, 42, 62				Mounting
26	5086 918AA	1	2, 3		41, 42, 62				RING, Snap Without [DSA]
		1	7, 8		41, 42, 62				Without [DSA]
27	5086 905AA	1	2, 3		41, 42, 62				GASKET, Rear Cover Differential Cover, Mounting
		1	7, 8		41, 42, 62				Differential Cover, Mounting
28	5086 904AA	1	2, 3		41, 42, 62				COVER, Differential Includes Items 27,29,30

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



**Axle Housing,Rear,With Differential Parts,American Axle 11.5'[DRQ,DRX],DR 2,3,7,8  
Figure 003-230**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8		41, 42, 62				Includes Items 27,29,30
29	5086 683AA	14	2, 3		41, 42, 62				BOLT, Differential Cover Mounting
		14	7, 8		41, 42, 62				Mounting
30	5086 681AA	1	2, 3		41, 42, 62				PLUG, Differential Cover
		1	7, 8		41, 42, 62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

# Axle Housing,Rear,With Differential Parts,Dana 60/248 [DRD] DR 1 Figure 003-240



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	1795 173	1	1		61				NUT, Pinion Yoke
2	1795 175	1	1		61				WASHER, Pinion Yoke
3	5137 577AA	1	1		61				YOKE, Axle
4	4746 867	1	1		61				SLINGER, Drive Pinion
5	5016 792AA	1	1		61				O RING, Pinion Flange, Fits Over
6	5072 265AA	1	1		61				Hub of Axle Yoke
7	4746 604	1	1		61				SEAL, Drive Pinion
8	5137 570AA	1	1		61				BEARING, Drive Pinion, Bearing and Cup, Front
9	4137 696AB	1							SHIM KIT, Pinion Shaft, Front and Rear
10	5137 568AA	1	1		61				BOLT, Axle Vent
11	5003 648AA	4	1		61				HOUSING, Rear Axle
12	4506 066	12	1		61				BOLT, Differential
13	5137 571AA	1	1		61				BOLT, Ring Gear, Mounting
14	5137 573AA	1	1		61				SHIM KIT, Differential
15	5137 581AA	2	1		61				BEARING, Differential, Consists of 2 Bearings and 2 Cups
16	5137 580AA	1	1		61				BOLT, Bracket to Differential Cover, Mounting
17	5137 574AA	1	1		61				BRACKET, Differential Cover
18	5137 579AA	1	1		61				CASE, Differential, Includes 10,11,26
19	5137 583AA	10	1		61				COVER, Differential
20	5137 582AA	2	1		61				BOLT, Differential Cover, Mounting
21	5010 884AA	1	1		61				PLUG, Differential Cover
22	4506 057	1	1		61				SEALANT, RTV
23	5137 576AA	1	1		61				SEAL, RTV
24	5137 572AA	1	1		61				SEAL, RTV
25	5137 575AA	1	1		61				SEAL, RTV
26	5137 578AA	1	1		61				SEAL, RTV
27	4746 603	1	1		61				SEAL, RTV
28	5017 709AA	8	1		61				SEAL, RTV
29	5137 586AA	2	1		61				SEAL, RTV
30	5137 587AA	2	1		61				SEAL, RTV
31	5137 585AA	2	1		61				SEAL, RTV
32	5137 588AA	2	1		61				SEAL, RTV
33	5137 589AA	10	1		61				SEAL, RTV


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Vent, Axle  
Figure 003-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J535 2955	1							VENT, Axle, Upper
2	6032 633	1							CLIP, Vent Tube
3	HFV00 516AB	1							HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
4	0153 455	1							CLAMP, Hose, .620
5	4137 696AB	1							BOLT, Axle Vent, Lower

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 004

## Parking Brake


### GROUP 4 - Parking Brake

Illustration Title


Group-Fig. No.

#### Parking Brake Lever and Cables

Parking Brake Lever and Front Cable .....	Fig. 004-110
Parking Brake Cables,Rear .....	Fig. 004-120
Parking Brake Assembly,Rear,Disc,DR 1,6 .....	Fig. 004-130
Parking Brake Assembly,Rear,Disc,DR 2,3,7,8 .....	Fig. 004-140




**004-100**  
Parking Brake Lever and Cables




Parking Brake Lever and Front Cable  
Figure 004-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LEVER, Park Brake
	52010 176AA	1							Up To 01-21-04
	52010 176AB	1							From 01-22-04
2	4221 463	1							SWITCH, Parking Brake
-3									HANDLE, Parking Brake
	WL85 XDVA-	1							[DV] Release
	WL85 1L5A-	1							[L5] Release
4									ROD, Parking Brake Release
	52010 388AA	1							Up To 01-21-04
	52010 388AB	1							From 01-22-04
5	6501 483	3							NUT, Hex Flange, M8x1.25, Park Brake Lever, Mounting
6	5072 489AA	1							PAD, Parking Brake Pedal
7	52010 133AA	1							CABLE, Parking Brake, Front



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Parking Brake Cables,Rear Figure 004-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[BRR]=Brakes - 4 Wheel Disc, Rear Anti-Lock									
[BRT]=Brakes - Antilock 4-Wheel Disc									
[BR5]=Brakes - Anti-Lock 4-Wheel Disc Performance									
1									SCREW, Hex Head, M8x1.25x30
	6502 282	1	1, 6						Parking Brake Cable Guide, Mounting
		2	2, 3, 7, 8		41, 42, 62				Parking Brake Cable Guide, Mounting
2									GUIDE, Parking Brake Cable
	52013 022AA	1	1, 6						
	52110 015AA	1	2, 3, 7, 8		41, 42, 62				Up To 01-04-04
	52013 644AA	1	2, 3, 7, 8		41, 42, 62				From 01-05-04
3									CABLE, Parking Brake
	5290 888AB	1	1, 6		41, 61				[BR5], Left
	52010 069AA	1	1, 6		41, 61				[BRR,BRT], Left
	52010 175AA	1	1, 6		42, 62				Left
	52121 101AA	1	2, 3, 7, 8		41				Left
	52121 102AA	1	2, 3, 7, 8		42, 62				Left
4									CABLE, Parking Brake
	5290 896AA	1	1, 6		41, 61				[BR5], Right
	52010 066AA	1	1, 6		41, 61				[BRR,BRT], Right
	52010 068AA	1	1, 6		42, 62				Right
	52010 294AA	1	2, 3, 7, 8		41				Right
	52010 414AA	1	2, 3, 7, 8		42, 62				Right
5	6505 242AA	1							SCREW, Cable to Shock Bracket, Mounting
6	52013 518AA	1							CLIP, Parking Brake Wraparound
7	0152 472	1							NUT, Hex Flange Lock, .312-18, Brake Cable Clip to Sensor Bolt, Mounting
8									TENSIONER, Parking Brake Cable
	52113 642AB	1	1, 6						
	52010 319AA	1	2, 3, 7, 8		41, 42, 62				
9	52010 067AA	1			41, 42				CABLE, Parking Brake Extension
10	52010 133AA	1							CABLE, Parking Brake, Front

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Parking Brake Assembly,Rear,Disc,DR 1,6**  
**Figure 004-130**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52009 967AE	2	1						ADAPTER, Parking Brake
		2	6						[DRB] Complete Assembly, Right or Left
	5106 004AA	2	1		61				[DRB] Complete Assembly, Right or Left
2	5018 554AA	2	1						[DRD] Complete Assembly, Right or Left
		2	6						SPRING, Park Brake Shoe Return Upper
3	5080 568AB	1	1						Upper
		1	6						SHOE AND LINING KIT, Parking Brake
4	5080 570AB	2	1						PIN, Brake Shoe Hold Down
		2	6						
5	5114 192AA	2	1						CLIP, Brake Shoe Hold Down
		2	6						
6	5018 551AB	1	1						ADJUSTER, Parking Brake
		1	6						Complete Assembly, Right or Left
7	5018 554AA	2	1						Complete Assembly, Right or Left
		2	6						SPRING, Park Brake Shoe Return Lower
8	6036 159AA	8	1						Lower
		8	6						NUT, Hex, .375-24
9	5018 557AA	2	1						Parking Brake Adapter to Axle, Mounting
		2	6						Parking Brake Adapter to Axle, Mounting
10	5080 569AC	1	1						PLUG, Brake Adjusting Hole
		1	6						
11	5018 555AA	2	1						LEVER, Park Brake
		2	6						Right or Left
									Right or Left
									BOOT, Parking Brake Lever


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Parking Brake Assembly,Rear,Disc,DR 2,3,7,8**  
**Figure 004-140**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52010 141AB	2	2, 3		41, 42, 62				ADAPTER, Parking Brake Right or Left
		2	7, 8		41, 42, 62				Right or Left
2	5018 553AA	1	2, 3		41, 42, 62				SPRING, Park Brake Shoe Return
		1	7, 8		41, 42, 62				
3	5018 550AA	1	2, 3		41, 42, 62				SHOE AND LINING KIT, Parking Brake
		1	7, 8		41, 42, 62				
4	4238 733	2	2, 3		41, 42, 62				PIN, Brake Shoe Hold Down
		2	7, 8		41, 42, 62				
5	4383 543	2	2, 3		41, 42, 62				CLIP, Brake Shoe Hold Down
		2	7, 8		41, 42, 62				
6	5018 551AB	1	2, 3		41, 42, 62				ADJUSTER, Parking Brake
		1	7, 8		41, 42, 62				
7	5018 554AA	1	2, 3		41, 42, 62				SPRING, Park Brake Shoe Return
		1	7, 8		41, 42, 62				
8	5086 764AA	8	2, 3		41, 42, 62				NUT Parking Brake Adapter, Mounting

**DODGE RAM (DR)**


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Parking Brake Assembly,Rear,Disc,DR 2,3,7,8 Figure 004-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	7, 8		41, 42, 62				Parking Brake Adapter, Mounting
9	5018 557AA	1	2, 3		41, 42, 62				PLUG, Brake Adjusting Hole
		1	7, 8		41, 42, 62				
10	5018 556AA	4	2, 3		41, 42, 62				STUD Parking Brake Adapter, Mounting
		4	7, 8		41, 42, 62				Parking Brake Adapter, Mounting
11	5080 569AC	1	2, 3		41, 42, 62				LEVER, Park Brake
		1	7, 8		41, 42, 62				
12	5018 555AA	1	2, 3		41, 42, 62				BOOT, Parking Brake Lever
		1	7, 8		41, 42, 62				

## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – 005

## Service Brakes

**GROUP 5 - Service Brakes**

Illustration Title
Group-Fig. No.

**Front Brakes**

Brakes,Front,DR 1 SRT-10 With [BR5]	Fig. 005-110
Brakes,Front,DR 1,6 With [BRR,BRT]	Fig. 005-120
Brakes,Front,DR 2,3,7,8	Fig. 005-130

**Rear Brakes**

Brakes,Rear,Disc,DR 1 SRT-10 With [BR5]	Fig. 005-210
Brakes,Rear,Disc,DR 1,6 With [BRR,BRT]	Fig. 005-220
Brakes,Rear,Disc,DR 2,3,7,8	Fig. 005-230

**Power Brake Booster**

Booster,Power Brake and HYDRO-BOOSTER	Fig. 005-310
---------------------------------------	--------------

**Brake Master Cylinder**


Master Cylinder,Brake	Fig. 005-410
-----------------------	--------------







**Brake Lines and Hoses**

HCU,Lines And Hoses,Brake,Front With R.W.A.L. [BRR]	Fig. 005-510
HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5]	Fig. 005-520
Lines and Hoses,Brake,Rear,with Rear Disc Brakes	Fig. 005-530


**Brake Pedals**

Pedal,Brake,Standard	Fig. 005-610
Pedal,Brake,Power Adjustable	Fig. 005-620



<b>005-100</b> Front Brakes 	<b>005-200</b> Rear Brakes 	<b>005-300</b> Power Brake Booster 	<b>005-400</b> Brake Master Cylinder 
<b>005-500</b> Brake Lines and Hoses 	<b>005-600</b> Brake Pedals 		

# Brakes,Front,DR 1 SRT-10 With [BR5] Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[BR5]=Brakes - Anti-Lock 4-Wheel Disc									
1	6505 830AA	4	1						BOLT
2	5139 912AA	1	1						ADAPTER, Disc Brake Caliper Right
	5139 913AA	1	1						Left
3	5014 431AA	1	1						BLEEDER SCREW, Brake
4	4238 717	1	1						CAP, Bleeder
5	5139 910AA	1	1						CALIPER, Disc Brake Right
	5139 911AA	1	1						Left
6	4423 639	2	1						PIN, Caliper
7	5003 896AA	2	1						BUSHING, Disc Brake Caliper
8	5018 238AA	2	1						SLEEVE, Disc Brake Caliper
9	5066 246AA	1	1						RETAINER, Leading
10	5139 909AA	1	1						PAD KIT, Front Disc Brake
11	5066 245AA	1	1						RETAINER, Trailing
12	5003 911AA	2	1						BOOT, Brake Piston
13	5003 910AA	2	1						SEAL, Caliper Piston
14	5003 912AA	2	1						PISTON, Brake
15	6507 649AA	6	1, 6						BOLT, Hub, Hub and Bearing to Knuckle, Mounting
16	52070 323AB	2	1, 6						HUB AND BEARING, Brake
17	6035 323	5	1, 6						STUD, Wheel
18	55366 036AB	2	1			61			ROTOR, Brake
19									NUT, Push, .50-13, (NOT SERVICED) (Not Serviced)
20	5083 204AA	2	1, 6						SENSOR KIT, Anti-Lock Brakes
-21	52010 449AB-	2	1, 6						BRACKET, Brake Sensor Wire

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Brakes,Front,DR 1,6 With [BRR,BRT]  
Figure 005-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[BRR]=Brakes - Rear Anti-Lock 4 Wheel Disc									
[BRT]=Brakes - Anti-Lock 4 Wheel Disc									
1	6506 599AA	4	1, 6						BOLT, [BRR,BRT]
2	5080 557AC	1	1, 6						ADAPTER, Disc Brake Caliper, Right or Left
3	5014 431AA	1	1, 6						BLEEDER SCREW, Brake
4	4238 717	1	1, 6						CAP, Bleeder
5									CALIPER, Disc Brake
	5080 554AA	1	1, 6						Right
	5080 558AA	1	1, 6						Left
6	4423 639	2	1, 6						PIN, Caliper
7	5003 896AA	2	1, 6						BUSHING, Disc Brake Caliper
8	5018 238AA	2	1, 6						SLEEVE, Disc Brake Caliper
9	5018 403AA	1	1, 6						CLIP, Brake Anti-Rattle, Leading
10									PAD KIT, Front Disc Brake
	5080 556AE	1	1, 6						Up To 12-14-03
	5139 733AA	1	1, 6						From 12-15-03
11	5018 404AA	1	1, 6						CLIP, Brake Anti-Rattle, Trailing
12	5066 700AA	2	1, 6						BOOT AND SEAL, Disc Brake
13									PISTON, Brake
	5018 235AA	2	1, 6						Up To 12-14-03
	5139 730AA	2	1, 6						From 12-15-03
14	6507 649AA	6	1, 6						BOLT, Hub
15									SHIELD, Brake
	52010 138AB	1	1, 6						[BRR,BRT], Right
	52010 139AB	1	1, 6						[BRR,BRT], Left
16									HUB AND BEARING, Brake
	52070 321AB	2	1, 6						[EKG,EV0,BRR], Right or Left
		1	1, 6						[EZA,BRR], Right
	52070 323AB	1	1, 6						[EZA,BRR], Left
		2	1, 6						[BRT], Right or Left
17	6035 323	5	1, 6						STUD, Wheel
18	52010 080AC	2	1, 6						ROTOR, Brake, [BRR,BRT], Right or Left
19									NUT, Push, .50-13, (NOT SERVICED) (Not Serviced)
20	6506 454AA	2	6						NUT, Hex
21	5083 204AA	1	1, 6						SENSOR KIT, Anti-Lock Brakes, [BRT]


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Brakes,Front,DR 1,6 With [BRR,BRT]  
Figure 005-120**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-22	52010 449AB-	2	1, 6						BRACKET, Brake Sensor Wire, [BRT], Right or Left
-23									SCREW, Pan Head, M6.3x1.81x30. 00, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Brakes,Front,DR 2,3,7,8  
Figure 005-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes: [WLA]=Wheels,Dual Rear									
1	6505 830AA	4	2, 3, 7, 8		41, 42, 62				BOLT, Caliper Adapter to Knuckle, Mounting
2	5093 268AA	1	2, 3, 7, 8		41, 42, 62				ADAPTER, Disc Brake Caliper Right
	5093 270AA	1	2, 3, 7, 8		41, 42, 62				Left
3	5014 431AA	1	2, 3, 7, 8		41, 42, 62				BLEEDER SCREW, Brake
4	4238 717	1	2, 3, 7, 8		41, 42, 62				CAP, Bleeder
5	5093 266AA	1	2, 3, 7, 8		41, 42, 62				CALIPER, Disc Brake Right
	5093 269AA	1	2, 3, 7, 8		41, 42, 62				Left
6	4423 639	2	2, 3, 7, 8		41, 42, 62				PIN, Caliper
7	5003 896AA	2	2, 3, 7, 8		41, 42, 62				BUSHING, Disc Brake Caliper
8	5018 238AA	2	2, 3, 7, 8		41, 42, 62				SLEEVE, Disc Brake Caliper
9	5066 246AA	1	2, 3, 7, 8		41, 42, 62				RETAINER, Leading
10	5093 267AA	1	2, 3, 7, 8		41, 42, 62				PAD KIT, Front Disc Brake
11	5066 245AA	1	2, 3, 7, 8		41, 42, 62				RETAINER, Trailing
12	5003 911AA	2	2, 3, 7, 8		41, 42, 62				BOOT, Brake Piston
13	5003 910AA	2	2, 3, 7, 8		41, 42, 62				SEAL, Caliper Piston
14	5003 912AA	2	2, 3, 7, 8		41, 42, 62				PISTON, Brake
15	6507 298AA	4	2, 3		41, 42, 62				BOLT, Hub Hub and Bearing to Knuckle-Short, Mounting

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Front,DR 2,3,7,8  
Figure 005-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6507 299AA	2	2, 3		41, 42,				Hub and Bearing to Knuckle-Long,
					62				Mounting
	5086 661AA	8	7, 8		41, 42,				Hub and Bearing to Knuckle,
					62				Mounting
16									SHIELD, Brake
	52010 214AB	1	2, 3		41, 42,				Right
					62				
	52010 215AB	1	2, 3		41, 42,				Left
					62				
	5086 663AA	1	7, 8		41, 42,				Right
					62				
	5086 664AA	1	7, 8		41, 42,				Left
					62				
17									HUB AND BEARING, Brake
	52010 206AB	2	2, 3		41, 42,				
					62				
	5103 507AA	2	7, 8		41, 42,				
					62				
18									STUD, Hub
	5096 144AA	8	2, 3		41, 42,				Wheel, Mounting
					62				
		8	3		41, 42,				With [WLA] Bolts Item 17 to 20
					62				
		8	7, 8		41, 42,				Wheel, Mounting
					62				
		8	8		42, 62				With [WLA] Bolts Item 17 to 20
19									ROTOR, Brake
	52121 050AA	2	2, 3		41, 42,				Right or Left
					62				
		2	7, 8		41, 42,				Right or Left
					62				
20									EXTENSION, Wheel House
	5015 234AA	1	3		41, 42,				With [WLA], Right or Left
					62				
		1	8		42, 62				With [WLA], Right or Left
21									STUD, Hub
	5096 144AA	8	3		41, 42,				Wheel-With [WLA], Mounting
					62				
		8	8		42, 62				Wheel-With [WLA], Mounting

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Front,DR 2,3,7,8  
Figure 005-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	5086 659AA	2	7, 8		41, 42,				WASHER, Flat
					62				
23	5086 660AA	2	7, 8		41, 42,				NUT, Axle Hub
					62				
-24	5086 669AB-	2	7, 8		41, 42,				PIN, Cotter
					62				
25	4746 899	8	3		41, 42,				NUT
					62				With [WLA] Bolts Item 20 to 18,
		8	8		42, 62				Mounting
26	5093 834AA	1	2, 3		41, 42,				SENSOR KIT, Anti-Lock Brakes
					62				Includes Sensor,Bolt,Wire,Instr.
	5103 493AA	1	7, 8		41, 42,				Sheet, Right or Left
					62				Includes Sensor,Bolt,Wire,Instr.
					62				Sheet, Right or Left



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Brakes,Rear,Disc,DR 1 SRT-10 With [BR5]  
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 445AA	4	1						BOLT, Caliper Adapter, Mounting
2	5139 918AA	1	1		61				ADAPTER, Disc Brake Caliper, Right or Left
3									CALIPER, Disc Brake
	5139 914AA	1	1		61				Right
	5139 915AA	1	1		61				Left
4	5014 431AA	1	1		61				BLEEDER SCREW, Brake
5	4238 717	1	1		61				CAP, Bleeder
6	4423 639	2	1		61				PIN, Caliper
7	5139 916AA	2	1		61				PISTON, Brake
8	5018 238AA	2	1		61				SLEEVE, Disc Brake Caliper
9	5003 896AA	2	1		61				BUSHING, Disc Brake Caliper
10	5019 749AA	2	1		61				BOOT AND SEAL, Disc Brake
11	5018 579AA	1	1		61				CLIP, Brake Anti-Rattle, Leading
12	5290 345AA	2	1		61				ROTOR, Brake
13	5139 917AA	1	1		61				PAD KIT, Rear Disc Brake
14	5018 578AA	1	1		61				CLIP, Brake Anti-Rattle, Trailing


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Brakes,Rear,Disc,DR 1,6 With [BRR,BRT]  
Figure 005-220**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[BRR]=Brakes - Rear Anti-Lock 4 Wheel Disc									
[BRT]=Brakes - Anti-Lock 4 Wheel Disc									
1	5080 567AA	2	1						PIN, Caliper
2	5080 566AA	1	1						ADAPTER, Disc Brake Caliper
3	6505 445AA	4	1						BOLT
4	4238 717	1	1						Caliper Adapter, Mounting
5	5014 431AA	1	1						Caliper Adapter, Mounting
6	5080 560AA	1	1						CAP, Bleeder
7	5080 562AA	1	1						BLEEDER SCREW, Brake
8	5080 560AA	1	1						CALIPER, Disc Brake
9	5080 562AA	1	1						Right
10	5080 562AA	1	1						Left
11	5003 896AA	2	1						BUSHING, Disc Brake Caliper
12	5018 238AA	2	1						SLEEVE, Disc Brake Caliper
13	5066 699AA	1	1						PISTON KIT, DISC BRAKE
14	52009 968AB	1	1						ROTOR, Brake
15	5080 564AA	1	1						CLIP, Brake Anti-Rattle
16	5080 563AB	1	1						Leading
17	5080 563AB	1	1						PAD KIT, Rear Disc Brake

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500


BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

**Brakes,Rear,Disc,DR 1,6 With [BRR,BRT]  
Figure 005-220**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6						
13									CLIP, Brake Anti-Rattle
	5080 565AA	1	1						Trailing
		1	6						Trailing




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Brakes,Rear,Disc,DR 2,3,7,8  
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[WLA]=Wheels,Dual Rear									
1	6504 691	4	2, 3, 7, 8		41, 42, 62				BOLT, Adapter, Mounting
2	5093 258AA	1	2, 3, 7, 8		41, 42, 62				ADAPTER, Disc Brake Caliper, Right or Left
3	5104 758AA	1	2, 3, 7, 8		41, 42, 62				CALIPER, Disc Brake Without [WLA], Right
	5104 759AA	1	2, 3, 7, 8		41, 42, 62				Without [WLA], Left
	5093 263AA	1	3, 8		41, 42, 62				With [WLA], Right
	5093 264AA	1	3, 8		41, 42, 62				With [WLA], Left
4	5014 431AA	1	2, 3, 7, 8		41, 42, 62				BLEEDER SCREW, Brake
5	4238 717	1	2, 3, 7, 8		41, 42, 62				CAP, Bleeder
6	4423 639	2	2, 3, 7, 8		41, 42, 62				PIN, Caliper
7	5018 589AA	2	2, 3, 7, 8		41, 42, 62				PISTON, Brake Without [WLA]
	5018 572AA	2	3, 8		41, 42, 62				With [WLA]
8	5003 896AA	2	2, 3, 7, 8		41, 42, 62				BUSHING, Disc Brake Caliper
9	5018 588AA	2	2, 3, 7, 8		41, 42, 62				SEAL, Caliper Piston Without [WLA]
	5018 574AA	2	3, 8		41, 42, 62				With [WLA]
10	5018 238AA	2	2, 3, 7, 8		41, 42, 62				SLEEVE, Disc Brake Caliper
11	5018 590AA	2	2, 3, 7, 8		41, 42, 62				BOOT, Brake Piston Without [WLA]
	5018 573AA	2	3, 8		41, 42, 62				With [WLA]


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Rear,Disc,DR 2,3,7,8  
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5018 579AA	1	2, 3, 7, 8		41, 42, 62				CLIP, Brake Anti-Rattle, Leading
13	5093 257AA	1	2, 3, 7, 8		41, 42, 62				PAD KIT, Rear Disc Brake, Includes Items 12,14
14	5018 578AA	1	2, 3, 7, 8		41, 42, 62				CLIP, Brake Anti-Rattle, Trailing
15	5017 651AA	16	3		42, 62				BOLT, Hub and Rotor With [WLA] Bolts Hub to Rotor
		16	8		42, 62				With [WLA] Bolts Hub to Rotor
16	52010 144AA	2	2, 3		41, 42, 62				ROTOR, Brake
		2	7, 8		41, 42, 62				
17	5086 773AB	2	2, 3		41, 42, 62				SEAL, Wheel Bearing Without [WLA]
	5086 983AA	2	3		42, 62				With [WLA]
	5086 773AB	2	7, 8		41, 42, 62				Without [WLA]
	5086 983AA	2	8		42, 62				With [WLA]
18	5086 774AA	2	2, 3		41, 42, 62				BEARING, Wheel Without [WLA]
	5086 982AA	2	3		42, 62				With [WLA]
	5086 774AA	2	7, 8		41, 42, 62				Without [WLA]
	5086 982AA	2	8		42, 62				With [WLA]
19	4746 918	2	2, 3		41, 42, 62				CUP, Wheel Bearing Without [WLA], Inner
	4746 919	2	3		42, 62				With [WLA], Inner
	4746 918	2	7, 8		41, 42, 62				Without [WLA], Inner
	4746 919	2	8		42, 62				With [WLA], Inner
20	52121 158AA	2	2, 3		41, 42, 62				HUB, Wheel Without [WLA]
	5083 727AA	2	3		42, 62				With [WLA]

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Rear,Disc,DR 2,3,7,8  
Figure 005-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	52121 158AA	2	7, 8		41, 42,				Without [WLA]
					62				
	5083 727AA	2	8		42, 62				With [WLA]
	5096 145AA	8	2, 3		41, 42,				STUD, Hub Without [WLA]
22					62				
	4746 916	8	3		42, 62				With [WLA]
	5096 145AA	8	7, 8		41, 42,				Without [WLA]
					62				
23	4746 916	8	8		42, 62				With [WLA]
	2955 374	2	2, 3		41, 42,				CUP, Wheel Bearing Outer
24		2	7, 8		41, 42,				Outer
					62				
	5086 772AA	2	2, 3		41, 42,				BEARING, Wheel Outer
		2	7, 8		41, 42,				Outer
25					62				
	5086 804AA	2	2, 3		41, 42,				RETAINER, Hub Nut Locking
		2	7, 8		41, 42,				Locking
					62				
26									LOCK, Wheel Bearing Adj Nut
	5086 762AA	2	2, 3		41, 42,				
		2	7, 8		41, 42,				
					62				
27									NUT, Bearing Adjusting
	5086 760AA	2	2, 3		41, 42,				
		2	7, 8		41, 42,				
					62				
28									GASKET, Axle Shaft Axle Shaft to Hub, Mounting
	5086 767AB	2	2, 3		41, 42,				
		2	7, 8		41, 42,				Axle Shaft to Hub, Mounting
					62				

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Rear,Disc,DR 2,3,7,8  
Figure 005-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 770AB	16	2, 3		41, 42, 62				Axle Shaft to Hub, Mounting
		16	7, 8		41, 42, 62				Axle Shaft to Hub, Mounting
-29									NUT, Push
	5086 803AA-	6	2, 3		41, 42, 62				Rotor Retainer
		6	7, 8		41, 42, 62				Rotor Retainer

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Booster,Power Brake and HYDRO-BOOSTER  
 Figure 005-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[EK0]=Engines - All 3.7L 6 Cylinder Gas

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[EV0]=Engines - All 4.7L Gas

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

1									HOSE, Brake Booster
	52010 402AC	1	1, 2, 6, 7						[EZ0]
	52010 173AB	1	1, 6						[EK0,EV0]
	5290 815AA	1	1, 6						[BR5]
	52010 401AC	1	2, 7		41, 42, 62				[EW0]
	52010 402AC	1	3, 8						
-2	2448 761	1							CLAMP, Hose
-3	5073 039AA-	1							STRAP, Tie
4									VALVE, Vacuum Check
	5072 522AA	1	1, 6						
		1	2, 7		41, 42, 62				
		1	3, 8		41, 42, 62				
5									CAP, Vacuum Port
	5103 338AA	1	1, 6						
		1	2, 7		41, 42, 62				
		1	3, 8		41, 42, 62				
6									NUT
	5072 523AA	6	1, 6						Master Cylinder and Adapter, Mounting
		6	2, 7		41, 42, 62				Master Cylinder and Adapter, Mounting
		6	3, 8		41, 42, 62				Master Cylinder and Adapter, Mounting
7									BOOSTER, Power Brake
	5102 068AA	1	1		61				[BR5]
	5080 887AA	1	1, 6						[BRR,BRT]
	5102 068AA	1	2, 7		41, 42, 62				

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)


DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Booster,Power Brake and HYDRO-BOOSTER  
 Figure 005-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8		41, 42, 62				
8	52010 337AA	1	2, 7		41, 42, 62				TUBE, Brake Hydo-Booster Pump Port
		1	3, 8		41, 42, 62				Hydo-Booster Pump Port
9	52009 651AA	2	2, 7		41, 42, 62				CLIP, Brake Tube Mounting
		2	3, 8		41, 42, 62				Mounting
10	6503 071	1	2, 7		41, 42, 62				CLIP, Line&Hose Mounting
		1	3, 8		41, 42, 62				Mounting
11	52010 339AB	1	2, 7		41, 42, 62				HOSE, Brake Hydro-Booster Reservoir-Return Port
		1	3, 8		41, 42, 62				Hydro-Booster Reservoir-Return Port
12	52010 336AA	1	2, 7		41, 42, 62				TUBE, Brake Hydro-Booster Gear Port
		1	3, 8		41, 42, 62				Hydro-Booster Gear Port
13	5093 411AA	1	2, 7		41, 42, 62				BRACKET, Brake Booster Mounting
		1	3, 8		41, 42, 62				Mounting
14	6506 618AA	4							NUT, Hex, M10-1.5, Brake/Hydro- Booster to Firewall, Mounting
15	5093 406AA	1	2, 7		41, 42, 62				HYDRO-BOOSTER, Power Brake
		1	3, 8		41, 42, 62				
16									SPACER, Brake Booster


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Booster,Power Brake and HYDRO-BOOSTER  
 Figure 005-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5093 409AA	1	2, 7		41, 42, 62				Master Cylinder to Hydro-Booster, Mounting
		1	3, 8		41, 42, 62				Master Cylinder to Hydro-Booster, Mounting
-17									NUT
	5093 410AA-	4	2, 7		41, 42, 62				Master Cylinder to Adapter and Adapter to Hydro-Booster, Mounting
		4	3, 8		41, 42, 62				Master Cylinder to Adapter and Adapter to Hydro-Booster, Mounting
-18	3580 171	1	2, 3, 7, 8		41, 42, 62				CAP
-19	4241 618	1	3, 8		41, 42, 62				CAP, Vacuum, Booster Fitting On Engine

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

# Master Cylinder,Brake Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[BRR]=Brakes - 4 Wheel Disc,Rear Anti-Lock									
[BRT]=Brakes - Anit-Lock 4 Wheel Disc									
[EW0]=Engines - All 8.0L Gas									
[EZ0]=Engines - All 5.7L 8 Cylinder Gas									
[ET0]=Engines - All 5.9L Turbo Diesel									
1									MASTER CYLINDER, Brake
	5080 888AB	1	1		61				[BR5]
	5102 032AA	1	1, 6						[BRR]
	5080 888AB	1	1, 6						[BRT]
		1	2, 7		41, 42,				[EW0,EZ0]
					62				
		1	3, 8		41, 42,				[EW0,EZ0]
					62				
2									CAP, Master Cylinder Reservoir
	5072 525AA	1	1, 6						
		1	2, 7		41, 42,				[EW0,EZ0]
					62				
		1	3, 8		41, 42,				[EW0,EZ0]
					62				
3									RESERVOIR, Brake Master Cylinder,
									(NOT SERVICED) (Not Serviced)
4									SCREW
	5080 890AA	1	1, 6						Master Cylinder to Reservoir,
									Mounting
		1	2, 7		41, 42,				Master Cylinder to Reservoir,
					62				Mounting
		1	3, 8		41, 42,				Master Cylinder to Reservoir,
					62				Mounting
5									NUT
	5072 523AA	6	1, 6						Master Cylinder and Booster,
									Mounting
		2	2, 7		41, 42,				Master Cylinder and Booster,
					62				Mounting
		2	3, 8		41, 42,				Master Cylinder and Booster,
					62				Mounting
6									MASTER CYLINDER, Brake
	5093 407AA	1	2, 7		41, 42,				[ET0]
					62				


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Master Cylinder,Brake  
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8		41, 42, 62				With or Without [WLA]
7	4683 656	1	2, 7		41, 42, 62				CAP, Master Cylinder Reservoir [ET0]
		1	3, 8		41, 42, 62				With or Without [WLA]
8	5093 408AA	1	2, 7		41, 42, 62				RESERVOIR, Brake Master Cylinder [ET0]
		1	3, 8		41, 42, 62				With or Without [WLA]
9	4723 394	1	2, 7		41, 42, 62				PIN, Master Cylinder Reservoir [ET0]
		1	3, 8		41, 42, 62				With or Without [WLA]
10	4723 389	1	2, 7		41, 42, 62				GROMMET, Master Cylinder Reservoir [ET0]
		1	3, 8		41, 42, 62				With or Without [WLA]
11	5017 035AA	1	2, 7		41, 42, 62				SEAL, Master Cylinder To Booster Mounting
		1	3, 8		41, 42, 62				Mounting
12	5093 410AA	4	2, 7		41, 42, 62				NUT [ET0] Master Cylinder to Hydro Booster, Mounting
		4	3, 8		41, 42, 62				Master Cylinder to Hydro Booster, Mounting
-13	6031 392	1	6, 7, 8						SNAP RING
		1	1, 2, 3						

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

HCU,Lines And Hoses,Brake,Front With R.W.A.L. [BRR]  
Figure 005-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[BRR]=Brakes - Rear Anti-Lock 4 Wheel Disc									
[EK0]=Engines - All 3.7L 6 Cylinder Gas									
[EV0]=Engines - All 4.7L Gas									
[EZ0]=Engines - All 5.7L 8 Cylinder Gas									
1	52010 234AB	1	1, 6						TUBE, Brake, RWAL to Junction Block, Secondary
2	52010 140AB	1	1, 6						TUBE, Brake, Master Cylinder to RWAL, Secondary
3	52010 035AK	1	1, 6						CONTROL UNIT, Anti-Lock Brake [EK0,EV0] [EZ0]
	55366 040AC	1	1, 6						
4									MODULE, Anti-lock Brakes
	5134 733AA	1	1, 6						[EK0,EV0]
	5127 593AB	1	1, 6						[EZ0]
5	5083 098AA	2	1, 6						STUD, As Required
6	52009 950AB	1	1, 6						TUBE, Brake, Master Cylinder to Junction Black, Primary
7	52010 183AD	1	1, 6						HOSE, Brake With Junction Block [EK0,EV0], Left
	52110 385AB	1	1, 6						With Junction Block [EZ0], Left
-8	6505 178AA-	1							SCREW, Hex Head Right Brake Hose to Frame, Mounting
		3							Left Brake Hose to Frame, Mounting
9	6506 155AA	5	1, 6						CLIP, Brake Tube, As Required, Mounting
10	6502 114	2	1, 6						WASHER, Brake Hose, Mounting
11	6505 801AA	1	1, 6						BOLT, Banjo, Brake Hose, Mounting
12	52122 133AA	1	1						TUBE, Brake Junction Block to Right Brake Hose
	52122 132AA	1	6						Junction Block to Right Brake Hose
13	6506 465AA	5	1						CLIP, Brake Line As Required, Mounting
		6	6						As Required, Mounting
14	6505 178AA	1							SCREW, Hex Head, Tube to Frame, Mounting
15	52010 182AC	1	1, 6						HOSE, Brake, Right
-16									NUT, Tube, M10 x 1.00


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

HCU,Lines And Hoses,Brake,Front With R.W.A.L. [BRR]  
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6506 182AA-	1	2, 3, 7, 8		41, 42, 62				
		1	1, 6						
-17	6506 710AA-	2	1, 6						SCREW AND WASHER, Hex Head, M8-1.25x22.00, ABS Load Sensing

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5] Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[BRT]=Brakes - Anti-Lock 4-Wheel Disc									
[BR5]=Brakes - Anti-Lock 4-Wheel Disc,Per									
[EK0]=Engines - All 3.7L 6 Cylinder Gas									
[EV0]=Engines - All 4.7L Gas									
[EWC]=Engine - 8.3L V10 Clyinder Gas,SFI									
[EW0]=Engines - All 8.0L Gas									
[EZ0]=Engines - All 5.7L 8 Cylinder Gas									
[WLA]=Wheels - Dual Rear									
1									TUBE, Brake
	52009 948AB	1	1, 6						HCU to Junction Block, Left
	52010 299AA	1	2, 3, 7, 8		41, 42,				HCU to Junction Block, Left
					62				
2									TUBE, Brake
	52009 947AB	1	1, 6						HCU to Junction Block, Right
	52010 298AA	1	2, 3, 7, 8		41, 42,				HCU to Junction Block, Right
					62				
3									CONTROL UNIT, Anti-Lock Brake
	52121 406AB	1	1, 6						[BRT,EK0,EV0]
	5290 818AA	1	1, 6						[BR5,EWC]
	52121 407AB	1	1, 6						[BRT,EZ0]
	52121 408AB	1	2, 3, 7, 8		41, 42,				[BRT,ET0,EW0]
					62				
	52121 409AB	1	2, 3, 7, 8		41, 42,				[BRT,EZ0]
					62				
	52121 410AB	1	3, 8		42, 62				[BRT,WLA,ET0,EW0]
	52121 411AB	1	3, 8		42, 62				[BRT,WLA,EZ0]
4									MODULE, Anti-lock Brakes
	5114 536AB	1	1, 6						[BRT,EK0,EV0]
	5134 527AA	1	1, 6						[BR5,EWC]
	5114 537AB	1	1, 6						[BRT,EZ0]
	5114 538AB	1	2, 3, 7, 8		41, 42,				[BRT,ET0,EW0]
					62				
	5114 539AB	1	2, 3, 7, 8		41, 42,				[BRT,EZ0]
					62				
	5114 540AB	1	3, 8		42, 62				[BRT,WLA,ET0,EW0]
	5114 541AB	1	3, 8		42, 62				[BRT,WLA,EZ0]
5									TUBE, Brake
	52009 954AB	1	1, 6						[BRT,BR5] Master Cylinder to HCU, Secondary


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5]  
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52010 304AB	1	2, 7		41, 42, 62				[BRT,ET0] Master Cylinder to HCU, Secondary
	52009 954AB	1	2, 7		41, 42, 62				[BRT,EW0,EZ0] Master Cylinder to HCU, Secondary
		1	3, 8		41, 42, 62				[BRT,EW0,EZ0] Master Cylinder to HCU, Secondary
	52010 304AB	1	3, 8		41, 42, 62				[BRT,WLA] Master Cylinder to HCU, Secondary
6									BOLT
	6506 584AA	2	1, 6						HCU Side, Mounting
		2	2, 3, 7, 8		41, 42, 62				HCU Side, Mounting
7	52007 820AB	2							GROMMET, Hydraulic Control Unit, HCU Side
-8	52010 153AA-	1							GROMMET, Hydraulic Control Unit, HCU Rear
9									TUBE, Brake
	52009 955AB	1	1, 6						[BRT,BR5] Master Cylinder to HCU, Primary
	52010 305AB	1	2, 7		41, 42, 62				[BRT,ET0] Master Cylinder to HCU, Primary
	52009 955AB	1	2, 7		41, 42, 62				[BRT,EW0,EZ0] Master Cylinder to HCU, Primary
		1	3, 8		41, 42, 62				[BRT,EW0,EZ0] Master Cylinder to HCU, Primary
	52010 305AB	1	3, 8		41, 42, 62				[BRT,WLA] Master Cylinder to HCU, Primary
10									CLIP, Brake Tube
	6506 155AA	2	1, 6						As Required
		2	2, 7		41, 42, 62				As Required
		2	3, 8		41, 42, 62				As Required
11									TUBE, Brake
	52009 946AB	1	1, 6						HCU to Junction Block, Rear
	52010 297AA	1	2, 3, 7, 8		41, 42, 62				HCU to Junction Block, Rear
12									CLIP, Brake Tube
	6506 155AA	2	1, 6						As Required

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



**HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5]  
Figure 005-520**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3	2, 3, 7, 8		41, 42, 62				As Required
13	6505 178AA	1							SCREW, Hex Head Right Brake Hose to Frame, Mounting
14		3							Left Brake Hose to Frame, Mounting HOSE, Brake Includes Junction Block, Left
	52010 181AD	1	1, 6						Includes Junction Block, Left
	52010 311AB	1	2, 3		41, 42, 62				Includes Junction Block, Left
	52010 313AC	1	7, 8		41, 42, 62				Includes Junction Block, Left
15	6502 114	2							WASHER, Brake Hose, As Required, Mounting
16	6505 801AA	1							BOLT, Banjo, Brake Hose-As Required, Mounting
17									TUBE, Brake Junction Block to Brake Hose, Right
	52122 130AA	1	1						Junction Block to Brake Hose, Right
	52010 314AA	1	2, 3		41, 42, 62				Junction Block to Brake Hose, Right
	52122 131AA	1	6						Junction Block to Brake Hose, Right
	52010 316AA	1	7, 8		41, 42, 62				Junction Block to Brake Hose, Right
18									CLIP, Brake Line As Required As Required
	6506 465AA	5	1						As Required
		5	2, 3		41, 42, 62				As Required
		6	6						As Required
		5	7, 8		41, 42, 62				As Required
19	6505 178AA	1							SCREW, Hex Head, As Required, Mounting
20									HOSE, Brake With Items 15,16, Right
	52010 180AC	1	1, 6						With Items 15,16, Right
	52010 310AB	1	2, 3		41, 42, 62				With Items 15,16, Right

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT,BR5]  
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


	52010 312AC	1	7, 8		41, 42, 62				With Items 15,16, Right
--	-------------	---	------	--	---------------	--	--	--	-------------------------

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Lines and Hoses,Brake,Rear,with Rear Disc Brakes  
Figure 005-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[BR5]=Brakes - Anti-Lock 4-Wheel Disc,Per									
[DRB]=Axle - Rear,Corporate 9.25 LD									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EW0]=Engines - All 8.0L Gas									
[EZA]=Engine - Hemi Magnum 5.7L SMPI V8									
1	2208 893	1							LOCK, Brake Hose, Mounting
2	52110 247AB	1	1, 6		41				TUBE, Brake [EK0,EV0,EZ0] To Front Junction
	52110 251AB	1	1, 6		42				Block, Chassis [EK0,EV0,EZ0] To Front Junction
	52110 241AB	1	1, 6		61				Block, Chassis [EK0,EV0,EZ0] To Front Junction
	52110 244AB	1	1, 6		62				Block, Chassis [EK0,EV0,EZ0] To Front Junction
	52010 343AD	1	2, 3, 7, 8		41				Block, Chassis [ET0] To Front Junction Block,
	52010 346AD	1	2, 3, 7, 8		42				Chassis [ET0] To Front Junction Block,
	52010 345AD	1	2, 3, 7, 8		62				Chassis [ET0] To Front Junction Block,
	52010 343AD	1	2, 3, 7, 8		41				Chassis [EW0] To Front Junction Block,
	52010 346AD	1	2, 3, 7, 8		42				Chassis [EW0] To Front Junction Block,
	52010 345AD	1	2, 3, 7, 8		62				Chassis [EW0] To Front Junction Block,
	52010 343AD	1	2, 3, 7, 8		41				Chassis [EZA] To Front Junction Block,
	52010 346AD	1	2, 3, 7, 8		42				Chassis [EZA] To Front Junction Block,
	52010 345AD	1	2, 3, 7, 8		62				Chassis [EZA] To Front Junction Block,
3	6505 178AA	2							SCREW, Hex Head, Tube and Hose to Rear Axle, Mounting
4	5290 555AC	1	1		61				TUBE AND HOSE, Brake [BR5], Left
	52009 979AD	1	1, 6						[DRB], Left

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

# Lines and Hoses,Brake,Rear,with Rear Disc Brakes Figure 005-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52013 027AC	1	2, 3, 7, 8		41, 42, 62				[DRQ,DRX,DRW], Left
5	52010 060AA	1	1, 6						HOSE, Brake Rear
	52121 118AB	1	2, 3, 7, 8		41, 42, 62				Rear
6	4137 696AB	1							BOLT, Axle Vent
7	0152 472	1							NUT, Hex Flange Lock, .312-18
8	6035 887	1							STUD, Axle Housing
9	56028 187AE	1							SENSOR, Wheel Speed, Rear
10	5290 554AC	1	1		61				TUBE AND HOSE, Brake [BR5], Right
	52009 978AD	1	1, 6						[DRB], Right
	52013 026AC	1	2, 3, 7, 8		41, 42, 62				[DRQ,DRX,DRW], Right
-11	6505 801AA-	2							BOLT, Banjo
-12	6502 114	4							WASHER, Brake Hose
-13	52121 213AA-	1	2		42				BRACKET, Brake Hose
		1	2		62				
		1	2		41				
		1	3		42				
		1	3		62				
		1	3		41				
		1	7		42				
		1	7		62				
		1	7		41				
		1	8		42				
		1	8		62				
		1	8		41				
-14	52102 760AD-	3	1, 6		61				CLIP
		3	1, 6		62				Hose to rear junction
		3	1, 6		41				Hose to rear junction
		3	1, 6		42				Hose to rear junction


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Pedal.Brake,Standard  
Figure 005-610



DBB



DG0

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;  
[DBB]=Transmissions - All Manual  
[DG0]=Transmissions - All Automatic


1	55351 190AD	1							BRACKET, Steering Column, Clutch and Brake Pedal
2	52010 309AA	8							BUSHING, Brake Pedal [DBB]
		4							[DG0]
3	52010 318AA	2							SHAFT, Brake Pedal Pivot [DBB]
		1							[DG0]
4	6023 879	4							SNAP RING [DBB]
		2							[DG0]
5	4294 036	1							CLIP
6	52010 221AC	1							PEDAL AND PAD, Brake [DBB]
	52010 322AC	1							[DG0]
7	4779 027	1							PAD, Pedal [DG0]
	5200 2750	1							[DBB]
8	52010 331AB	1							PIN, Clutch Pedal, [DBB]
9	52009 944AB	1							PEDAL, Clutch, [DBB]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Pedal,Brake,Power Adjustable  
Figure 005-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;  
Note: There are no parts serviced for the DEC sales code except the complete assembly  
[DD0]=Transmissions - All 5-Speed Manual  
[DEC]=Transmission - 6-Speed Manual  
[DEE]=Transmission - 6-Speed HD Manual  
[DG0]=Transmissions - All Automatic

1									MOTOR AND CABLE, Pedal [DD0,DEE] [DG0]
	52013 060AA	1							
	52010 188AC	1							
2	55351 190AC	1							BRACKET, Steering Column, Clutch and Brake Pedal
3									PAD, Pedal [DD0,DEE] [DG0] [DEC]
	5200 2750	2							
	4779 027	1							
	5140 906AA	2							
4									PEDAL AND BRACKET, BRAKE [DD0,DEE] Complete Assembly [DEC] Complete Assembly [DG0] Complete Assembly
	52010 186AC	1							
	5290 400AA	1							
	52010 177AI	1							
5	5140 907AA	1							PEDAL, Accelerator, [DEC]
-6	56045 653AA-	1							BRACKET, Connector, Instrumnt Panel



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 006


## Clutch

### GROUP 6 - Clutch

Illustration Title	Group-Fig. No.
<b>Clutch</b>	
Clutch .....	Fig. 006-110
<b>Clutch Housing</b>	
Housing And Pan, Clutch .....	Fig. 006-210
<b>Clutch Controls</b>	
Controls, Hydraulic Clutch .....	Fig. 006-310
<b>Clutch Pedals</b>	
Pedal, Clutch .....	Fig. 006-410
Adjustable Module .....	Fig. 006-415



Clutch  
Figure 006-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DBB] = All Manual Transmissions

[DDC] = 5 Speed Heavy Duty Manual Transmission

[EKG] = MAGNUM 3.7L V6 Cylinder Gas Engine

[ETC] = 5.9L Cummins Diesel Engine

[ETH] = 5.9L HO Cummins Turbo Diesel

[EVA] = Next Generation 4.7L Magnum Engine

[EZA] = MAGNUM 5.7L SMPI V8 Engine


1									DISC, Clutch
	52107 611AD	1				ETC	DBB		
	52107 829AB	1				EKG	DDC		
	5032 472AB	1				EZ0	DBB		
	52107 775AC	1				ETH	DBB		
	52107 834AB	1				EV0	DBB		
2	6035 626	6				EKG, EV0, EZ0	DBB		BOLT, Hex Head, .375-16x.84
3	6036 096AA	8				ET0	DBB		BOLT, Hex Flange Head, [.312-18x0.98]
4									CLUTCH PACKAGE
	4897 532AC	1				ETC	DBB		
	5017 886AB	1				EKG	DDC		
	5072 318AA	1				EV0	DBB		
	5086 406AB	1				ETH	DBB		
	5086 555AB	1				EZ0	DBB		
5	6036 611AA	8				EWC	DBB		BOLT, Clutch To Flywheel
6	4848 708AC	1				EWC	DBB		PLATE, Clutch Pressure

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



# Housing And Pan, Clutch Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DBB] = All Manual Transmissions									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[EKG] = MAGNUM 3.7L V6 Cylinder Gas Engine									
[EK0] = All 3.7L 6 Cylinder Engines									
[EVA] = Next Generation 4.7L Magnum Engine									
[EV0] = All 4.7L Gas Engines									
[EZA] = MAGNUM 5.7L SMPI V8 Engine									
1									HOUSING, Clutch
	5003 582AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
	52107 540AC	1				EZ0	DDP		
	5300 6513	1				ETC	DDX		
	5093 034AA	1	1, 2, 3			EWC	DEC		
2	52107 753AC	1				EKG, EV0, EZA	DBB		COVER, Transmission Case
3									SHIELD, Clutch Housing Vent
	5300 5474	1				EZ0	DDP		
		1				ETC	DDX		
4									COVER, Engine
	53021 283AA	1				EK0	DBB		
	53021 584AA	1				EZ0	DBB		
5	5302 0974	1				EV0	DBB		COVER, Bedplate
6	6023 092	1				EKG, EVA, EZA	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
7									SCREW, .437-14x1.25, (NOT SERVICED) (Not Serviced)
8									SCREW AND WASHER, M10x1. 50x45.00
	6101 985	6				EK0, EV0	DBB		
		6				EZ0	DBB		
9	6022 266	4					DBB		SCREW, Hex Head, .375-16x1.5
10									SCREW, Hex Head, .375-16x1.5, (NOT SERVICED) (Not Serviced)

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

## LINE

1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

## BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

## ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


## TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Housing And Pan, Clutch Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	6028 758	2				EKG, EV0, EZ0	DBB		WASHER, Coned, .480x.885x.121
12	1122 532	2				EK0, EV0 EZ0			DOWEL, Block To Clutch Housing
13	52107 761AA	1				EK0, EV0, EZ0	DDC		PLUG, Dust Cover To Transmission
14	6024 055	4				ETC, EZA	DDP, DDX		SCREW AND WASHER, Transmission to Clutch Housing
15	0153 371	4				EWC	DBB		BOLT, Hex Head, .375-16x2.25
16	0154 927AA	4				EWC	DBB		SCREW
17	0181 148	2				EWC	DBB		SCREW, Hex Head, .437-14x2.75
18	9417 838	2				EWC	DBB		WASHER, Flat
19	5037 330AD	1				EWC	DBB		COVER, Transmission Dust
20	6035 666	2				EWC	DBB		SCREW, Hex Flange Head, .25- 20x1.00


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Controls, Hydraulic Clutch  
Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes


[DBB] = All Manual Transmissions  
[DDC] = 5 Speed Heavy Duty Manual Transmission  
[DDP] = 5 Speed Manual Transmission  
[DDX] = 5 Speed Heavy Duty Manual Transmission  
[DEE] = 6 Speed Heavy Duty Manual Transmission  
[DG0] = All Automatic Transmissions  
[EKG] = MAGNUM 3.7L V6 Cylinder Gas Engine  
[EK0] = All 3.7L 6 Cylinder Engines  
[EML] = MAGNUM 5.9L SMPI V8 Engine  
[ETH] = 5.9L HO Cummins Turbo Diesel  
[ET0] = All 5.9L Turbo Diesel Engines  
[EVA] = Next Generation 4.7L Magnum Engine  
[EV0] = All 4.7L Gas Engines  
[EW0] = ALL 8.0L Gas Engines  
[EZA] = MAGNUM 5.7L SMPI V8 Engine  
[XAP] = Power Adjustable Pedals

1									HYDRAULIC CONTROL UNIT
	52110 495AB	1	2, 3, 7, 8			ET0	DBB		
	52110 496AB	1	1, 6			EK0, EV0, EZ0	DBB		
	5037 431AA	1	2, 3, 7, 8			EZA EWC	DBB DBB		
2									NUT, Hex, M10-1.5
	6506 618AA	2					DBB		Clutch Master Cylinder
		2					DG0		Cylinder Opening Plug
3	0152 472	2					DBB		NUT, Hex Flange Lock, .312-18, Hydraulic Clutch To Housing
4	52107 875AA	1					DG0		PLUG
5									PIVOT, Clutch Release
	5208 7542	1				EZ0	DDP		
		1				ETC	DDX		
		1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Controls, Hydraulic Clutch  
Figure 006-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4338 855	1				EK0, ET0, EV0, EZ0	DBB		SPRING, Clutch Release
7	5210 7555	1				EKG, EV0, EZ0	DBB		FORK, Clutch Release
8	5208 7515	1				ET0	DBB		LEVER, Clutch Release
9									BEARING, Clutch Release
	5208 7514	1				ET0	DDX, DEE		
	53008 342AB	1				EKG, EV0, EZ0	DBB		
10	6032 878	2					DBB		STUD, .312-18x2.00, Slave Cylinder To Clutch Housing
11	4643 448	1					DBB		BUSHING, Hydraulic Clutch Actuator, [XAP]
12	6101 462	2				EWC	DBB		SCREW AND WASHER, Hex Head, M8x1.25x30
13	5037 518AA	1				EWC	DBB		CYLINDER, Clutch Slave
14	6101 462	2				EWC	DBB		SCREW AND WASHER, Hex Head, M8x1.25x30

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Pedal, Clutch  
Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes

[DBB]= All Manual Transmissions

1	52009 944AB	1					DBB		PEDAL, Clutch
2	5200 2750	1					DBB		PAD, Pedal
3	55351 190AD	1							BRACKET, Steering Column, Clutch and Brake Pedal
4	6023 879	4					DBB		SNAP RING
5	52010 309AA	8					DBB		BUSHING, Brake Pedal
6	52010 318AA	2					DBB		SHAFT, Brake Pedal Pivot
7	52010 331AB	1					DBB		PIN, Clutch Pedal

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Adjustable Module  
Figure 006-415








ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL AND BRACKET, BRAKE
	52010 186AC	1					DDO, DEE		
	5290 400AA	1					DEC		
2	55351 190AC	1					DBB		BRACKET, Steering Column, Clutch and Brake Pedal
3	56045 653AA	1					DBB		BRACKET, Connector
4	52013 060AA	1					DBB		MOTOR AND CABLE, Pedal
5	5200 2750	2					DBB		PAD, Pedal



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Group – 007  
Cooling




<b>007-100</b> Radiator and Related Parts	<b>007-200</b> Water Pump and Related Parts	<b>007-300</b> Tank, Coolant Engine	<b>007-400</b> Pulleys and Related Parts
			
<b>007-500</b> Drive Belts	<b>007-600</b> Lines, Transmission Oil Cooler	<b>007-700</b> Grilles	
			

GROUP 7 - Cooling

Illustration Title	Group-Fig. No.
<b>Radiator and Related Parts</b>	
Radiator And Related Parts, Gas Engines .....	Fig. 007-125
Radiator And Related Parts, Diesel Engines .....	Fig. 007-130
Radiator Closure Frame Support .....	Fig. 007-150
<b>Water Pump and Related Parts</b>	
Water Pump 3.7 and 4.7L Engine .....	Fig. 007-205
Water Pump 5.7L Engine .....	Fig. 007-207
Water Pump 8.3L Engine .....	Fig. 007-210
Water Pump Diesel Engine .....	Fig. 007-220
<b>Tank, Coolant Engine</b>	
Coolant Tank .....	Fig. 007-320
<b>Pulleys and Related Parts</b>	
Drive Pulleys 3.7 And 4.7L Engine .....	Fig. 007-405
Drive Pulleys 5.7L Engine .....	Fig. 007-407
Drive Pulleys 8.3L Engine .....	Fig. 007-410
Drive Pulleys Diesel Engine .....	Fig. 007-420
<b>Drive Belts</b>	
Drive Belts 3.7 and 4.7L Engine .....	Fig. 007-510
Drive Belts 5.7L Engine .....	Fig. 007-512
Drive Belts 8.3L Engine .....	Fig. 007-525
Drive Belts Diesel Engine .....	Fig. 007-530
<b>Lines, Transmission Oil Cooler</b>	
Oil Cooler And Lines 3.7 and 4.7L Engine .....	Fig. 007-615
Oil Cooler And Lines 5.7L Engine .....	Fig. 007-617
Oil Cooler And Lines Diesel Engine .....	Fig. 007-625
Oil Cooler, Water To Oil, Diesel Engine .....	Fig. 007-630
<b>Grilles</b>	
Grille And Related Parts .....	Fig. 007-720

# Radiator And Related Parts, Gas Engines

## Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code NMC = Heavy Duty Cooling Note: Sales Code NMS = Severe Duty Cooling Note: Sales Code EK0 = 3.7L Engine Note: Sales Code EV0 = 4.7L Engine Note: Sales Code EM0 = 5.9L Engine Note: Sales Code DG0 = Auto Transmission Note: Sales Code DBB = Manual Transmission Note: Sales Code DGT = 4 Speed Auto Transmission Note: Sales Code DG4 = Muti-Speed Auto Transmission									
1	55056 479AA	1				EK0, EV0	DBB		RADIATOR, Engine Cooling
		1				EK0, EV0	DG0		
	55056 481AA	1				EZ0	DBB		
		1				EZ0	DG0		
	5290 803AB	1				EWC			
-2	5086 226AA-	1				EK0, EV0	DBB		CAP, Coolant Reserve Tank
		1				EK0, EV0	DG0		
		1				EZ0	DBB		
		1				EZ0	DG0		
		1				EWC			
3	4644 269	1				EK0, EV0	DBB		DRAINCOCK, Radiator
		1				EK0, EV0	DG0		
		1				EZ0	DBB		
		1				EZ0	DG0		
	52029 087AA	1				EWC			
4	52028 945AA	1				EK0, EV0	DBB		ISOLATOR, Radiator, Upper
		1				EK0, EV0	DG0		
		1				EZ0	DBB		
		1				EZ0	DG0		

### DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	52029 086AA	2				EWC			ISOLATOR, Radiator, Lower
	52028 942AA	2				EK0, EV0	DBB		
		2				EK0, EV0	DG0		
		2				EZ0	DBB		
		2				EZ0	DG0		
6	52029 086AA	2				EWC			ISOLATOR, Radiator
	4401 950	1				EK0, EV0	DBB		
		1				EK0, EV0	DG0		
		1				EZ0	DBB		
		1				EZ0	DG0		
-7	5202 7828	2				EWC			COOLER, Transmission Oil
	52028 915AC-	1				ET0, EW0	DG0		
	52028 967AC-	1				EK0, EV0	DG0		
	55056 472AA-	1				EZ0	DG0		
	52029 301AB-	1				ET0, EWD			
-8	52029 306AD-	1				EK0, EV0	DBB		COOLER, Power Steering
		1				EK0, EV0	DG0		
		1				EZ0	DBB		
		1				EZ0	DG0		
9									HOSE, Radiator, Upper
	52028 870AD	1				EZ0			
	55056 480AA	1				EW0			
	5290 804AB	1				EWC			
	52028 825AD	1				EK0			
10	52028 826AD	1				EV0			HOSE, Radiator, Lower
	52028 824AF	1				EK0			

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

**September 19, 2005**

# Radiator And Related Parts, Gas Engines

## Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52028 827AE	1				EV0			
	55056 982AA	1				EZ0			
	5290 805AB	1				EWC			
11	52029 090AA	1				EK0, EV0,			CLAMP, Hose to Radiator, Upper
12	3200 2366	1				EZ0 EK0, EV0, EZ0			CLAMP, Hose, 55mm Black, Lower
-13	6032 277	1				EK0, EV0, EZ0			CLAMP, Radiator
14									SHROUD, Fan
	52028 851AD	1				EV0, EZ0			
		1				EK0			
	5290 401AD	1				EWC			
-15	5072 472AA-	1				EK0			EXTENSION, Fan Shroud
16	6503 543	2				ET0, EW0	DG0		BOLT AND CONED WASHER, Hex Head, M8x1.25x25
17									FAN, Cooling
	52027 846AB	1				EK0, EV0			
		1	1, 6			EZ0			
	52027 999AB	1	2, 3, 7, 8			EZ0			
18									DRIVE, Fan
	52028 789AE	1				EK0	DBB		
	52029 977AD	1				EK0	DG0		
	52028 789AE	1				EV0	DG0		Without [NMC,NMS]
	52028 790AE	1				EV0	DG0		With [NMC,NMS]
	55056 963AA	1	2, 3, 7, 8			EZ0			With [AHD]
	52028 877AC	1	2, 3, 7, 8			EZ0	DG0		Without [AHD]
	52029 858AD	1				EV0	DBB		
	52029 876AC	1	1, 6			EZ0	DG0		
19									SCREW AND WASHER, Hex Head, (NOT SERVICED) (Not Serviced)
-20	52079 476AC-	1				EK0, EV0			THERMOSTAT
-21	5037 344AA-	1				EWC			THERMOSTAT, 185 Degrees
-22	5037 173AA-	1				EWC			GASKET, Thermostat

### DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Radiator And Related Parts, Gas Engines  
Figure 007-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-23	52028 898AE-	1				EZ0			THERMOSTAT, 195 Degrees
-24									HOUSING, Thermostat
	5037 089AA-	1				EWC			
	53020 887AB-	1				EK0, EV0			
	53021 536AC-	1				EZ0			
-25	5290 438AC-	1				EWC			FAN MODULE, Radiator Cooling
26									BRACKET, Radiator
	5290 374AB	1				EWC			Right
	5290 375AB	1				EWC			Left
-27	5290 437AA-	1	1			EWC			BAFFLE, Radiator
-28	5290 421AB-	1				EWC			SEAL, Radiator, Upper

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Radiator And Related Parts, Diesel Engines Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	55056 423AA	3				ET0			CLIP, Shroud
2	52028 900AD	1				ET0			RADIATOR, Engine Cooling
3	5200 6750	1				ET0, EW0			CLAMP, Radiator, Inlet Hose
4	52028 872AD	1				ET0			HOSE, Radiator, Inlet,Upper
5	52028 912AF	1				ET0			SHROUD, Fan
	52029 081AD	1				ET0			Without [XCK], Upper
	55056 980AA	1				ET0			Without [XCK], Lower
	55056 985AA	1				ET0			With [XCK], Upper
6	4429 630	2				ETC	DBB		With [XCK], Lower
		2				ETC	DG0		BOLT, Hex Head
7	5139 067AA	1				ETH	DBB		With [XCK]
		1				ETH	DG0		BRACKET, Shroud
8	5139 068AA	1				ETH	DBB		With [XCK], Center
		1				ETH	DG0		With [XCK], Center
9	5139 069AA	1				ETH	DBB		BRACKET, Shroud
		1				ETH	DG0		With [XCK], Left
10	52028 873AC	1				ET0			With [XCK], Left
11	6032 277	1				ET0			BRACKET, Shroud
	55056 432AA	1				ET0			With [XCK], Right
12	5202 7828	2				ET0			With [XCK], Right
	52029 086AA	2				ET0			HOSE, Radiator, Outlet,Lower
	52029 088AA	2				ET0			CLAMP, Radiator
13	4596 198	1				ET0			Outlet Hose
14	52028 878AB	1				ET0			ISOLATOR, Radiator
15	52028 879AF	1				ET0			Lower
	55056 990AA	1				ET0			Upper
16	6022 225	6				ET0			Mounting, Upper
17	4429 460	3				ETC	DBB		CAP, Radiator

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Radiator And Related Parts, Diesel Engines Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5093 120AA	1	11			ETC	DG0		CONNECTOR, Water Inlet
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
19	4429 484	2				ETC	DBB		PIN, Roll
		2				ETC	DG0		
		2				ETH	DG0		
		1				ETH	DBB		
20	5011 903AA	1				ETC	DBB		PLUG, Pipe
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
21	5016 651AA	3				ETC	DBB		SCREW, Hex Flange Head
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		
22	5015 713AA	1				ETC	DG0		HOUSING, Thermostat
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
23	5086 739AA	1				ETC	DG0		THERMOSTAT
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
24	5086 740AA	1				ETC	DG0		SEAL, Thermostat
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
25	4429 697	1				ETC	DG0		SEAL, Water Outlet
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

## BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

## ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

## TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DQG,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Radiator And Related Parts, Diesel Engines  
Figure 007-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
26	4429 495	1				ETC	DG0		BOLT, Hex Head, M12x1.75x25
		1				ETC	DBB		
		1				ETH	DBB		
		1				ETH	DG0		
-27	52029 087AA-	1				ET0			DRAINCOCK, Radiator
-28	52028 881AC-	1				ET0			COOLER, Charge Air
-29									DUCT, Charge Air Cooler
	52028 883AF-	1				ET0			Without [XCK], Inlet
	52028 895AD-	1				ET0			Without [XCK], Outlet
	55056 538AA-	1				ET0			With [XCK], Inlet
	55056 539AA-	1				ET0			With [XCK], Outlet
-30	52028 977AA-	1				ET0			CLAMP, Hose
-31	52028 980AA-	1				ET0			CLAMP, Hose, Constant Tension
-32	55056 517AA-	1				ET0			SEAL, Charge Air Cooler


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Radiator Closure Frame Support  
Figure 007-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	55275 694AE	1							Right
	55275 695AE	1							Left
2	55275 686AF	1							CROSSMEMBER, Radiator
3									CROSSMEMBER, Radiator
	55276 096AC	1							Lower
	55275 686AF	1							SRT, Lower
4									SCREW, M8x1.25x20, (NOT SERVICED) (Not Serviced)
-5									AIR DUCT, Brake Cooling
	5290 808AB-	1	1			EWC			Right
	5290 809AB-	1	1			EWC			Left
6									INSERT, (NOT REQUIRED)




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Water Pump 3.7 and 4.7L Engine Figure 007-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EK0 = 3.7L Engine									
Note: Sales Code EV0 = 4.7L Engine									
1	53021 187AA	1				EK0, EV0			PUMP, Water
2	5302 0865	1				EK0, EV0			GASKET, Water Pump
3	6035 854	2				EK0			FITTING, Y-Style
4									SCREW, (NOT SERVICED) (Not Serviced)
5	53020 887AB	1				EK0, EV0			HOUSING, Thermostat
6									GASKET, Thermostat, (NOT SERVICED) (Not Serviced)
7	52079 476AC	1				EK0, EV0			THERMOSTAT
8	53021 313AA	1				EK0			SEAL, Crankshaft Oil, Front
9		1				EV0			PIPE FITTING, Chain Case Cover, .375-18x2, (NOT SERVICED) (Not Serviced)
10									SCREW, M6x1x25, (NOT SERVICED) (Not Serviced)
11									PLUG, (NOT SERVICED) (Not Serviced)
12									PLUG, (NOT SERVICED) (Not Serviced)

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Water Pump 5.7L Engine  
Figure 007-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	53021 380AK	1				EZ0			PUMP, Water
2	53021 384AC	1				EZ0			GASKET, Water Pump
3	6506 268AA	2				EZ0			SCREW AND WASHER, Hex
4	6506 269AA	3				EZ0			SCREW AND WASHER, Hex
5	6506 270AA	5				EZ0			SCREW AND WASHER, Hex
6	6506 684AA	1				EZ0			STUD
7	53021 536AC	1				EZ0			HOUSING, Thermostat

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Water Pump 8.3L Engine  
Figure 007-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes:


[EWC] = 8.3L V10 SFI

1	5037 164AC	1				EWC			PUMP, Water, With Pulley
2									HUB, Water Pump Pulley, (NOT SERVICED) (Not Serviced)
3	5037 171AB	1				EWC			GASKET, Water Pump
4	0220 800	2				EWC			SCREW, Hex Head, .312-18x.75
5	6035 558	1				EWC			SCREW, Hex Flange Head, .375-16x1.50

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Water Pump Diesel Engine  
Figure 007-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:  
DBB = All Manual Transmissions  
ETC = 5.9L Cummins 24V Diesel Engine  
ETH = 5.9L HO Cummins Turbo Diesel Engine  
ET0 = All 5.9L Diesel Engines

1	4429 698	1				ETC	DG0		SEAL, Water Pump To Front Cover
		1				ETC	DBB		
2	5086 959AA	1				ETC	DG0		PUMP, Water
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
3	5003 666AA	2				ETC	DG0		SCREW, Cap
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Coolant Tank  
Figure 007-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EK0 = 3.7L Engine									
Note: Sales Code EV0 = 4.7L Engine									
Note: Sales Code EM0 = 5.9L Engine									
1	5072 595AA	1				EK0, EV0 EZ0			TANK, Coolant Reserve
2	5202 8612	1				EK0, EV0 ET0, EW0			CAP, Coolant Reserve Tank
3	5200 4922	1				EK0, EV0 EZ0			HOSE, Coolant Recovery Bottle
4	5202 7813 53032 503AA 2448 761	2 2 1				ET0 EK0, EV0 EZ0			CLAMP, Hose
5	5086 226AA	1				EK0, EV0 EZ0 EZ0 EWC ET0	DBB DG0 DBB DG0		CAP, Coolant Reserve Tank
6	5200 4922	1				EK0, EV0 EZ0			HOSE, Coolant Recovery Bottle
7									SCREW AND WASHER, Oval Head, M6x1x25, (NOT SERVICED) (Not Serviced)
-8	4266 423	1				ET0, EW0			HOSE, Overflow, Roll Stock
-9									BOTTLE, Coolant Recovery



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Coolant Tank  
Figure 007-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52028 930AE-	1				ET0			Without [XCK]
		1				EW0			
	55056 493AA-	1				ET0			With [XCK]
	55056 502AA-	1				EK0, EV0			Combo Bottle
		1				EZ0			Combo Bottle
-10	6502 018	2				EWC			CLAMP, Hose, M28.9 x 1.60



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Drive Pulleys 3.7 And 4.7L Engine  
Figure 007-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TENSIONER, Alternator Belt
	53030 958AD	1				EK0			
	53030 958AC	1				EV0			
2	6504 930AA	1				EK0, EV0			SCREW AND WASHER, Hex Head, M10x1.5x70

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Drive Pulleys 5.7L Engine  
Figure 007-407



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 688AA	1				EZ0			SCREW AND WASHER, Hex
2	6506 723AA	1				EZ0			STUD, Double Ended
3	53032 131AA	1				EZ0			PULLEY, Idler
4	53032 645AA	2				EZ0			PULLEY, Idler
-5	6507 442AA-	2				EZ0			SCREW AND WASHER, Hex
-6	6507 103AA-	1				EZ0			NUT, Hex Flange Lock, M10x1.5
7	6101 695	3				EZ0			NUT, Hex Flange Lock
8	53032 130AA	1				EZ0			TENSIONER, Belt

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Drive Pulleys 8.3L Engine  
Figure 007-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EM0 = 5.9L Engine									
1									PULLEY, Water Pump, Serviced with Pump, (NOT SERVICED) (Not Serviced)
-2	5245 110	1				EWC			DAMPER, Crankshaft
3									SCREW, (NOT SERVICED) (Not Serviced)
4									BRACKET, Alternator And Compressor, (NOT REQUIRED)
5	6102 045AA	3				EW0			SCREW AND WASHER, Hex Head
6	4792 581AA	1				EWC			PULLEY, Idler
7	3300 2201	1				EW0			BUSHING, Idler Pulley
8									BOLT, (NOT SERVICED) (Not Serviced)
9									BOLT, (NOT SERVICED) (Not Serviced)
10	6034 246	6	1, 6			EWC			BOLT, Hex Head, .375-16x.75
11	53010 255AB	1				EW0			TENSIONER, Belt
-12	5086 500AA-	1				EWC			TENSIONER PACKAGE, Belt
13	5037 204AA	1				EWC			PULLEY, Crankshaft

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Drive Pulleys Diesel Engine  
Figure 007-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	4429 445	2				ETC	DBB		BOLT, Hex Head, M8
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
2	4429 114	3				ETC	DBB		SCREW, Hex Flange Head
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		
3	4429 639	1				ETC	DBB		BEARING, Idler Pulley
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
4	5086 744AA	1				ETC	DBB		SUPPORT, Fan
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
5	5086 746AA	1				ETC	DBB		HUB, Fan
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
6	5086 747AA	1				ETC	DBB		RETAINER, Fan Hub
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
7	4886 003AA	6				ETC	DBB		SCREW, Hex Flange Head
		6				ETC	DG0		
		6				ETH	DBB		
		6				ETH	DG0		
8	5086 743AA	1				ETC	DBB		PULLEY, Fan
		1				ETC	DG0		
		1				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Drive Pulleys Diesel Engine Figure 007-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4429 779	1				ETH	DG0		BOLT, Hex Head
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DBB		
10	5086 958AA	1				ETH	DG0		TENSIONER, Belt
		1				ETC	DBB		
		1				ETC	DG0		
-11	5086 748AA-	1				ETH	DBB		PULLEY, Idler
		1				ETH	DG0		
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Drive Belts 3.7 and 4.7L Engine  
Figure 007-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EK0 = 3.7L Engine

Note: Sales Code EV0 = 4.7L Engine

1	53032 037AL	1				EK0, EV0			BELT, Accessory Drive
2	53032 037AL	1				EK0, EV0			BELT, Accessory Drive

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Drive Belts 5.7L Engine  
Figure 007-512

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------



Note: Sales Code EZ0 = 5.7L Engine

1	53032 132AK	1				EZ0			BELT, Accessory Drive
---	-------------	---	--	--	--	-----	--	--	-----------------------



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Drive Belts 8.3L Engine  
Figure 007-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------



Note: Sales Code EW0 = 8.0L Gas Engine

1	53032 433AC	1				EW0			BELT, Accessory Drive [HAA]
	5037 206AD	1				EWC			
2	53032 434AC	1				EW0			BELT, Accessory Drive, [HCA]
3	5037 206AD	1				EWC			BELT, Accessory Drive

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Drive Belts Diesel Engine  
Figure 007-530





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:									
ETC = 5.9L Cummins 24V Diesel Engine									
ETH = 5.9L HO Cummins Turbo Diesel Engine									
ET0 = All 5.9L Diesel Engines									
1									BELT, Accessory Drive
	53041 138AA	1				ET0			With Air Conditioning
	53041 139AA	1				ET0			Without Air Conditioning
-2	5304 0076	2				ET0			LABEL, Battery Jump Start

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					



Oil Cooler And Lines 3.7 and 4.7L Engine  
Figure 007-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EK0 = 3.7L Engine									
Note: Sales Code EV0 = 4.7L Engine									
Note: Sales Code DG0 = Auto Transmission									
Note: Sales Code DBB = Manual Transmission									
Note: Sales Code DGT = 4 Speed Auto Transmission									
Note: Sales Code DG4 = Multi-Speed Auto Transmission									
1	52028 866AD	1				EK0, EV0	DG0		TUBE AND HOSE, Oil Cooler
2	52028 867AC	1				EK0, EV0	DG0		TUBE AND HOSE, Oil Cooler
3	6035 358	2				EK0, EV0, EZ0	DG0		CLIP, Oil Cooler Tube
4	52028 967AC	1				EK0, EV0	DG0		COOLER, Transmission Oil
5	52029 306AD	1				EK0, EV0	DBB		COOLER, Power Steering
		1				EK0, EV0	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Oil Cooler And Lines 5.7L Engine  
Figure 007-617




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EZ0 = 5.7L Engine									
Note: Sales Code DG0 = Auto Transmission									
Note: Sales Code DBB = Manual Transmission									
Note: Sales Code DGT = 4 Speed Auto Transmission									
Note: Sales Code DG4 = Multi-Speed Auto Transmission									
1	52028 924AF	1				EZ0	DG0		TUBE AND HOSE, Oil Cooler, Pressure
2	52028 925AF	1				EZ0	DG0		TUBE AND HOSE, Oil Cooler, Return
3	52079 789AB	1				EK0, EV0, EZ0	DG0		CLIP, Cooler Lines
4	6035 358	2				EK0, EV0, EZ0	DG0		CLIP, Oil Cooler Tube
5	52028 967AC	1				EZ0	DG0		COOLER, Transmission Oil Without [NMC]
	55056 472AA	1				EZ0	DG0		With [NMC]
6	52029 306AD	1				EZ0	DBB		COOLER, Power Steering
		1				EZ0	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Oil Cooler And Lines Diesel Engine  
Figure 007-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52028 920AF	1				ET0	DG0		TUBE, Oil Cooler
2	52028 918AE	1				ET0	DG0		TUBE AND HOSE, Oil Cooler
3	52028 922AF	1				ET0	DG0		TUBE AND HOSE, Oil Cooler
4	55056 418AB	1				ET0	DG0		HOSE, Transmission Oil Pressure
5	55056 419AB	1				ET0	DG0		HOSE, Transmission Oil Return
6	55056 397AB	1				ET0	DG0		VALVE, Oil Cooler Pressure
7	5202 8621	1				ET0	DG0		CLIP, 8.5-40/ 55
8	52029 083AB	1				ET0	DG0		CLIP, Tube
-9	6035 637	1				ET0	DG0		NUT HEXAGON, Hex Flange
									Serrations
-10	56051 054AA-	1				ET0			BRACKET, Transmission Line .
-11	52028 915AC-	1				ET0	DG0		COOLER, Transmission Oil
-12	6503 543	2				ET0	DG0		BOLT AND CONED WASHER, Hex
									Head, M8x1.25x25

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Oil Cooler, Water To Oil, Diesel Engine  
Figure 007-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOSE, Oil Cooler
	5086 942AA	4				ETC	DG0		
		4				ETH	DG0		
2									TUBE, Oil Cooler
	5086 943AA	1				ETC	DG0		
		1				ETH	DG0		
3									COUPLING, Hose
	5086 944AA	1				ETC	DG0		
		1				ETH	DG0		
4									COOLER, Torque Converter
	5086 946AA	1				ETC	DG0		
		1				ETH	DG0		
-5									O RING, Oil Cooler
	5086 945AA-	1				ETC	DG0		
		1				ETH	DG0		
6									BOLT, Hex Head
	5086 947AA	1				ETC	DG0		
		1				ETH	DG0		
7									TUBE, Oil Cooler
	5093 119AB	1				ETC	DG0		
		1				ETH	DG0		
8									CLAMP, Heater
	5011 900AA	1				ETC	DG0		
		8				ETH	DG0		
-9									TUBE, Heater
	5086 825AA-	1				ETC	DG0		
		1				ETH	DG0		
-10									COUPLING, Hose
	5093 491AA-	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Grille And Related Parts  
Figure 007-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code MFD= Grille Chrome  
Note: Sales Code MFW= Grille Chrome/Body Color  
Note: Sales Code MFD= Grille Chrome/Black  
Note: Sales Code MFD= Grille Body Color  
Note: Sales Code MFU = Grille Chrome/Bright


1									GRILLE, Radiator
	55077 185AF	1							[MFD],
	5GR97 DX8AE	1							[MFN], X8
	5GR97 GW7AE	1							[MFN], W7
	5GR97 PR4AE	1							[MFN], R4
	5GR97 WS2AE	1							[MFN], S2
	5GR97 WSB AE	1							[MFN], SB
	5GR97 ZBJAE	1							[MFN], BJ
	5GR97 ZDRAE	1							[MFN], DR
	5GR97 VYHAE	1							[MFN], YH
	5JF05 1SPAB	1							[MFV]
	55077 811AA	1							[MF1,MFW]
	5073 276AB	1							[MFD,MFW,MF1] Grille Frame
2	55077 186AE	1							BRACKET, Radiator Grille, With bushing
-3									GRILLE, Front Bumper
	YX64 XXXAA-	1							Right
	YX65 XXXAA-	1							Left
4	6504 288	6							SCREW AND WASHER, Hex Head
5	6102 101AA	6							NUT AND WASHER, Hex, m5x0.80
6	6507 167AA	6							SCREW
7									GRILLE, Panel
	5073 288AA	1							[MFD,MFW], Black, Right
	5073 289AA	1							[MFD,MFW], Black, Left
	5073 296AB	1							[MFN], Right
	5073 297AB	1							[MFN], Left
	5127 734AA	1							Right
	5127 735AA	1							Left
8									SHIELD KIT, Air - Front
	8220 7281	1							Chrome
	8220 6998	1							Smoke
	8220 7278	1							Black [DX8]
	8220 7280	1							Bright White [GW7]
	8220 7279	1							Bright Silver [WSB]
	8220 7277	1							Atlantic Blue [ZBJ]
	8220 7287	1							Patriot Blue [WBT]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Grille And Related Parts  
Figure 007-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	8220 7283	1							Flame Red [PR4]
	8220 7285	1							Light Almond Pear [ZKJ]
	8220 7922	1							Timberland Green [AGW]
	8220 8311	1							Molten Red [BR8]
9	5073 290AB	1							MEDALLION, Hood, Rams Head
10	5073 327AA	22							RETAINER
-11	55077 387AA-	2							BUMPER, Grille, Overslam


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – 008

## Electrical



<b>008-100</b> Starters	<b>008-200</b> Alternators	<b>008-400</b> Modules	<b>008-500</b> Relays
<b>008-600</b> Sensors	<b>008-700</b> Single Board Engine Controllers	<b>008-800</b> Switches	<b>008-900</b> Horns


# Group – 008

## Electrical

<b>008-1000</b> Battery Tray, Cables and Block Heaters	<b>008-1100</b> Lamps – Front, Rear and Courtesy	<b>008-1200</b> Wiring–Engine & Related Parts	<b>008-1300</b> Wiring–Headlamp to Dash
<b>008-1400</b> Wiring–Instrument Panel	<b>008-1500</b> Wiring–Body & Accessories	<b>008-1600</b> Wiring Repair	<b>008-1700</b> Air Bag Systems
<b>008-1900</b> Spark Plugs–Cables–Coils			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
<b>Starters</b>		<b>Wiring-Engine &amp; Related Parts</b>	
Starter [Gas Engine] .....	Fig. 008-105	Wiring, Engine (Gas) .....	Fig. 008-1205
Starter [ET0 Diesel] .....	Fig. 008-110	Wiring, Engine (Diesel) .....	Fig. 008-1210
<b>Alternators</b>		Wiring and Intake Heater Diesel .....	Fig. 008-1215
Alternator (3.7L Engine) .....	Fig. 008-205	<b>Wiring-Headlamp to Dash</b>	
Alternator (4.7L & 5.7L Engine) .....	Fig. 008-210	Headlamp to Dash .....	Fig. 008-1305
Alternator (8.0L Engine) .....	Fig. 008-215	<b>Wiring-Instrument Panel</b>	
Alternator (5.9L Diesel Engine) .....	Fig. 008-220	Wiring Instrument Panel .....	Fig. 008-1405
<b>Modules</b>		<b>Wiring-Body &amp; Accessories</b>	
Modules .....	Fig. 008-405	Wiring Body Front .....	Fig. 008-1505
<b>Relays</b>		Wiring Body Rear .....	Fig. 008-1510
Power Distribution Center, Fuses, Relays .....	Fig. 008-505	Wiring Seats .....	Fig. 008-1515
<b>Sensors</b>		<b>Wiring Repair</b>	
Sensors, Engine Gas .....	Fig. 008-605	Wiring Repair .....	Fig. 008-1605
Sensors, Engine Diesel .....	Fig. 008-610	<b>Air Bag Systems</b>	
Sensors, Oxygen .....	Fig. 008-615	Air Bag Modules and Sensors .....	Fig. 008-1705
Sensors, Drivetrain .....	Fig. 008-620	Air Bags, Clock Spring, Switch .....	Fig. 008-1710
Sensors, Body .....	Fig. 008-625	<b>Spark Plugs-Cables-Coils</b>	
<b>Single Board Engine Controllers</b>		Spark Plugs, Cables, and Coil .....	Fig. 008-1905
Powertrain Control Modules .....	Fig. 008-705	Spark Plugs and Wiring [5.7L] .....	Fig. 008-1910
Engine Control Module [ET0 Diesel] .....	Fig. 008-710		
<b>Switches</b>			
Switches, Instrument Panel .....	Fig. 008-805		
Switches, Body .....	Fig. 008-810		
Switches, Drivetrain .....	Fig. 008-815		
<b>Horns</b>			
Horns .....	Fig. 008-905		
<b>Battery Tray, Cables and Block Heaters</b>			
Battery Tray and Wiring .....	Fig. 008-1005		
Battery Tray And Wiring [ET0 Diesel] .....	Fig. 008-1010		
Block Heaters .....	Fig. 008-1015		
<b>Lamps - Front, Rear and Courtesy</b>			
Lamps Front .....	Fig. 008-1105		
Lamps Rear .....	Fig. 008-1110		
Lamps Courtesy .....	Fig. 008-1115		
Bulbs & Sockets .....	Fig. 008-1195		

Starter [Gas Engine]  
 Figure 008-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[EK0] = 3.7L V6 Engine

[EV0] = 4.7L Engine

[EM0] = 5.9L Engine


[DD0] = All 5 Speed Manual Transmissions

[DG0] = All Automatic Transmissions

1									STARTER
	56027 702AD	1				EK0, EV0	DD0		
	56028 715AD	1				EZ0	DG0		
	56028 733AA	1				EZ0	DD0		
	56029 113AA	1				EK0, EV0	DG0		
	5037 199AB	1				EWC			
2	6035 606	1				EK0, EV0	DD0		STUD, .437-14/.437-20x2.00
3	0271 506	1				EK0, EV0	DD0		NUT, Hex, .42-20
4									WASHER, ID=.437 OD=.787 THK=.133, (NOT SERVICED) (Not Serviced)
5	6036 455AA	2				EK0, EV0, EZ0	DG0		SCREW AND WASHER, Hex Head
		1				EK0, EV0	DD0		
		2				EZ0	DD0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Starter [ET0 Diesel]  
 Figure 008-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Starter
	5114 422AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
2									STARTER
	5086 932AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
3									NUT
	4761 364	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
-4									SCREW, Starter Motor
	4429 834	3				ETC	DBB		
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005



Alternator (3.7L Engine)  
Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[EK0]=3.7L Engine


[EV0]=4.7L Engine

1	56041 120AC	1				EK0, EV0			ALTERNATOR
2	6505 482AA	1				EK0, EV0			SCREW AND WASHER, Hex Head, M8x1.25x50
3	6504 344	1				EK0, EV0			SCREW AND WASHER, Hex Head
4	6505 488AA	1				EK0, EV0			SCREW AND WASHER, Hex
5	53032 037AL	1				EK0, EV0			BELT, Accessory Drive
6	53030 958AD	1				EK0			TENSIONER, Alternator Belt
-7	6505 182AA-	1				EK0, EV0			STUD

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Alternator (4.7L & 5.7L Engine)  
Figure 008-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:


[EK0]=3.7L Engine  
[EM0]=5.9L Engine  
[EV0]=4.7L Engine  
[EW0]=8.0L Engine  
[EZ0]=5.7L Engine  
[EZA]=5.7L 'Magnum' SMPI Engine

1									ALTERNATOR
	56028 697AA	1				EZA			160 Amp
	56028 699AA	1				EZ0			136 Amp
	56041 120AC	1				EK0, EV0			136 Amp
2									SCREW AND WASHER, Hex Head
	6102 045AA	3				EZ0			
		3				EK0, EV0			
3	6506 337AA	1				EZ0			SCREW AND WASHER, Hex Head, Alternator Attaching
4	6034 247	1				EWD			BOLT, Hex Head, .375-16x.25
5	53032 387AA	1				EZ0			BRACKET, Alternator And Compressor
6	6101 695	3				EZ0			NUT, Hex Flange Lock
7	6507 071AA	1				EZ0			SCREW AND WASHER, Hex
8	53032 387AA	1				EZ0			BRACKET, Alternator And Compressor
9	6034 247	1				EWD			BOLT, Hex Head, .375-16x.25, 06034247
10									PULLEY, Idler
	53032 131AA	1				EZ0			
	4792 581AA	1				EWC			
	5032 467AA	1				EWD			
11	3300 2201	1				EW0			BUSHING, Idler Pulley, 33002201
12									SCREW AND WASHER, Hex Head
	6102 045AA	3				EZ0			
		3				EK0, EV0			
13	6034 246	4				EK0, EV0, EZ0			BOLT, Hex Head, .375-16x.75
14									BELT, Accessory Drive

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Alternator (4.7L & 5.7L Engine)  
Figure 008-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53032 132AK	1				EZ0			
	53032 037AL	1				EK0, EV0			
15	53030 958AC	1				EV0			TENSIONER, Alternator Belt
16									NUT, .375-16, (NOT SERVICED)
									(Not Serviced)
-17	6506 724AA-	1				EZ0			STUD, Double Ended, Alternator
									Inner Attaching
-18									NUT, Hex Flange Lock, M8x1.25
	6506 929AA-	1				EK0, EV0, EW0			
		1				EZ0			
-19	6505 182AA-	1				EK0, EV0			STUD

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Alternator (8.0L Engine)  
Figure 008-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:


EW0 = All 8.0L Gas Engines

1	5037 198AA	1	1			EWC			ALTERNATOR, Electrical
2	6102 045AA	3				EW0			SCREW AND WASHER, Hex Head
3	6034 247	1				EWD			BOLT, Hex Head, .375-16x.25
4									NUT, .375-16, (NOT SERVICED) (Not Serviced)
5	53041 112AB	1				EWD			BRACKET, Tensioner
6	6034 247	1				EWD			BOLT, Hex Head, .375-16x.25
7	6034 242	1				EWD			SCREW AND WASHER
8									BELT, Accessory Drive
	53032 433AC	1				EW0			7PK 2563 w/air
	53032 434AC	1				EW0			7PK 2311 w/out air
-9	5032 466AA-	1				EWD			BRACE, Alternator

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Alternator (5.9L Diesel Engine)  
Figure 008-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
1	56028 732AA	1				ET0			ALTERNATOR, 136 Amp
2	6506 337AA	2				ET0			SCREW AND WASHER, Hex Head
3									BELT, Accessory Drive
	53041 138AA	1				ET0			With Air Condition
	53041 139AA	1				ET0			Without Air Condition
-4									BRACKET, Alternator
	5086 742AB-	1				ETC	DBB		
		1				ETC	DG0		
-5									SCREW, Hex Head
	4429 631	3				ETC	DBB		
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		
-6									SCREW, Hex Head
	5086 741AA-	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
-7	6506 929AA-	1				EK0, ET0, EV0, EZ0			NUT, Hex Flange Lock, M8x1.25

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Modules Figure 008-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DG4] = Multi Speed Transmission									
1									MODULE, Transmission Control, Serviced with Powertrain Control Module, (NOT SERVICED) (Not Serviced)
2	56049 706AB	1			61, 62				MODULE, Overhead Console Without Universal Garage Door Opener
	56049 707AB	1			41, 42				With Universal Garage Door Opener
	56049 706AB	1			41, 42				Without Universal Garage Door Opener
	56049 707AB	1			61, 62				With Universal Garage Door Opener
3	56051 036AD	1				EK0, EV0, EWD, EZ0 ET0			MODULE, Front Control
4	5114 536AA	1	1, 6			EK0, EV0			MODULE, Anti-lock Brakes [BRT]
	5114 537AA	1	1, 6			EZ0			[BRT]
	5114 538AA	1	2, 3, 7, 8		41, 42, 62	ET0, EW0			[BRT]
	5114 539AA	1	2, 3, 7, 8		41, 42, 62	EZ0			[BRT]
	5114 540AA	1	3, 8		42, 62	ET0, EW0			[BRT,WLA]
	5114 541AA	1	3, 8		42, 62	EZ0			[BRT,WLA]
	5127 593AA	1	1, 6			EZ0			[BRR]
	5134 527AA	1	1, 6			EWC			[BR5]
	5134 733AA	1	1, 6			EK0, EV0			[BRR]
5	56045 275AC	1							MODULE, Immobilizer
6	56010 113AA	1			61, 62				MODULE, Heated Seat Control [JTH]
		1			41, 42				[JTD]


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Modules Figure 008-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	56028 589AD	1	6, 7, 8						MODULE, Transfer Case Control
8	56043 701AE	1	1, 6						MODULE, Occupant Restraint
	56043 702AE	1	2, 3, 7, 8		41, 42, 62				Light Duty with Side Airbags
	56043 703AE	1	1, 6						Heavy Duty with Side Airbags
	56043 704AE	1	2, 3, 7, 8		41, 42, 62				Light Duty without Side Airbags
									Heavy Duty without Side Airbags
-9									CONTROL UNIT, Anti-Lock Brake
	52121 406AA-	1	1, 6			EK0, EV0			[BRT]
	52121 407AA-	1	1, 6			EZ0			[BRT]
	52121 408AA-	1	2, 3, 7, 8		41, 42, 62	ET0, EW0			[BRT]
	52121 409AA-	1	2, 3, 7, 8		41, 42, 62	EZ0			[BRT]
	52121 410AA-	1	3, 8		42, 62	ET0, EW0			[BRT,WLA]
	52121 411AA-	1	3, 8		42, 62	EZ0			[BRT,WLA]
	55366 040AA-	1	1, 6			EZ0			[BRR]
	52010 035AK-	1	1, 6			EK0, EV0			[BRR]
-10	56045 755AB-	1							RECEIVER, Keyless Entry
-11	5064 022AE-	1							MODULE, Telematics
-12	56043 256AA-	1							BRACKET, Audio Equipment, Telematics Module Mounting


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Power Distribution Center, Fuses, Relays  
Figure 008-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
POWER DISTRIBUTION CENTER									
1	56051 037AC	1				EK0, EV0, EZ0			
	56049 696AB	1				EWC			
	56051 038AC	1				ET0			
-2	5086 631AA-	2				ET0			RELAY, Electrical, Intake Heater
3	56028 367AD	1				ET0			BRACKET, Relay, Intake Heater
4	4727 370AA	1							RELAY, Mini
5	00AT M10	7				ET0			FUSE, Mini, 10 AMP, Red
		1				EK0, EV0, EWD, EZ0			
6	00AT M15	8				ET0			FUSE, Mini, 15 AMP, Light Blue
		1				EK0, EV0, EZ0			
7	00AT M20	13				ET0			FUSE, Mini, 20 AMP, Yellow
		1				EK0, EV0, EZ0			
8	00AT M25	2				ET0			FUSE, Mini, 25 Amp, Natural
		3				EK0, EV0, EWD, EZ0			
9	4868 007AA	6				ET0			FUSE CARTRIDGE, 30 Amp
		1				EK0, EV0, EZ0			
10	4868 008AA	6				ET0			FUSE CARTRIDGE, 40 Amp


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Power Distribution Center, Fuses, Relays  
Figure 008-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1			EK0, EV0, EZ0			FUSE CARTRIDGE, 50 Amp
11	6102 078AA	2				ET0			
		1				EK0, EV0, EZ0			
12	6102 075AA	1				EWC			FUSE CARTRIDGE, 20 Amp
-13	5114 449AA-	1				EK0, EV0, EWD,			COVER, Power Distribution Center
						EZ0			
	5029 731AA-	1				EWC			
	5114 448AA-	1				ET0			PULLER, Fuse
14	56021 922AA	1				ET0			
		1				EK0, EV0, EWD,			
						EZ0			

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

Sensors, Engine Gas  
Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:


[EK0] = 3.7L Engine  
[EV0] = 4.7L Engine  
[ET0] = 5.9L Turbo Diesel  
[ETC] = 5.9L Cummins 24V Diesel  
[ETH] = 5.9L HO Cummins Turbo Diesel  
[EZ0] = 8.0L Engine  
[EZ0] = 5.7L Engine  
[EZA] = 5.7L 'Magnum' SMPI Engine  
[DBB] = All Manual Transmissions  
[DDC] = 5 Speed Heavy Duty Manual Transmissions  
[DG0] = All Automatic Transmissions

1									SENSOR, Camshaft
	5245 084	1				EWC			
	56041 584AE	1				EZ0			
		1				EK0,			
						EV0			
2									SENSOR, Crankshaft Position
	4727 451AA	1				EWC			
	56028 666AA	1				EV0			
	56044 180AB	1				EK0			
	56028 373AB	1				EZ0			
-3									SCREW
	6501 957	1				EZ0			Cam sensor
		1				EZ0			Crank Sensor
-4	6507 293AA-	1				EK0,			SCREW AND WASHER, Hex Head,
						EV0			M8x1.25x20
5									SENSOR, Knock
	56028 563AA	2				EZ0			
	56041 679AC	1				EK0			
-6	56041 849AA-	1				EK0			BRACKET, Knock Sensor
7									SENSOR KIT, Throttle Position
	5019 411AB	1				EK0			
	5017 479AA	1				EV0			
8									SENSOR, Throttle Position
	4686 360AC	1				EWD			
		1				EWC			
9									SENSOR, Air Temperature
	56028 364AA	1				EV0			
		1				EK0			

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Sensors, Engine Gas  
Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EZ0			
10	56041 018AC	1				EV0			SENSOR, Map
		1				EK0, EV0			
	4686 684AA	1				EWC			
	56028 562AB	1				EZ0			
-11	6505 501AA-	1				EV0			SCREW, M4x16, Map Sensor Attaching
-12									SCREW, Pan Head, (NOT SERVICED) (Not Serviced)
13	5269 870AB	1				EZ0			SENSOR, Coolant Temperature
		1				EWC			
	5602 7873	1				EK0, EV0			
	5269 870AB	1				EWC			Oil temp sensor
-14	4606 487AB-	1				EWC			SENSOR, Charge Air Temp

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Sensors, Engine Diesel  
Figure 008-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 101AA	1				ETC	DBB		SENSOR, Engine Speed
		1				ETC	DG0		This is Used for a Cam or a Crank Sensor
		1				ETH	DBB		This is Used for a Cam or a Crank Sensor
		1				ETH	DG0		This is Used for a Cam or a Crank Sensor
2	5093 102AA	1				ETC	DBB		O RING
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
3	4638 672	2				ETC	DBB		SCREW
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
4	5093 103AA	1				ETC	DBB		SENSOR, Temperature/Pressure
		1				ETC	DG0		Air boost pressure
		1				ETH	DBB		Air boost pressure up to 01/04/04
		1				ETH	DG0		Air boost pressure up to 01/04/04
		1				ETH	DG0		Air boost pressure after 01/04/04
5	5093 097AA	1				ETC	DBB		O RING
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
6	5114 413AA	1				ETC	DBB		SENSOR, Temperature Sending Unit
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
7	5139 278AA	1				ETH	DG0		SENSOR, Temperature/Pressure
		1				ETH	DBB		
8									O RING

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Sensors, Engine Diesel  
Figure 008-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5093 104AA	1				ETH	DBB		SCREW
		1				ETH	DG0		
	5093 107AA	1				ETC	DBB		
		1				ETC	DG0		
10		1				ETH	DBB		SENSOR, Fuel Pressure
		1				ETH	DG0		
	5093 112AA	1				ETC	DBB		
		1				ETC	DG0		
11		1				ETH	DBB		SWITCH, Oil Pressure
		1				ETH	DG0		
	5083 366AA	1				ETC	DBB		
		1				ETC	DG0		
12		1				ETH	DBB		O RING
		1				ETH	DG0		
	5093 097AA	1				ETC	DBB		
		1				ETC	DG0		
13		1				ETH	DG0		SENSOR, Temperature/Pressure M.A.P. Sensor Included Stamped - 4062313
	53032 649AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
14		1				ETH	DG0		Module Module Module Module O RING
	5102 115AB	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
15		1				ETH	DG0		Module Module Module Module O RING
	5093 097AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Sensors, Engine Diesel  
Figure 008-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	53032 749AB	1				ET0			SENSOR, Air Flow




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Sensors, Oxygen  
Figure 008-615




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENSOR, Oxygen
	56028 994AA	1	1, 6			EZA			Before catalyst, Right
		1				EK0			Before catalyst, Right
		1	2, 3, 7, 8		41, 42, 62	EZA			Before catalyst, Right
	56028 995AA	1				EWC			Before catalyst, Right
	56028 998AA	1				EVA			Before catalyst, Right
		1				EVD			Before catalyst, Right
2									SENSOR, Oxygen
	56028 994AA	1	2, 3, 7, 8		41, 42, 62	EZA			Before catalyst, Left
		1	1, 6			EZA			Before catalyst, Left
		1				EWC			Before catalyst, Left
		1				EK0			Before catalyst, Left
	56028 998AA	1				EVA			Before catalyst, Left
		1				EVD			Before catalyst, Left
3									SENSOR, Oxygen
	56028 996AA	1	1, 6			EZA			After catalyst, Right
		1				EWC			After catalyst, Right
		1				EK0			After catalyst, Right
	56028 997AA	1	2, 3, 7, 8		41, 42, 62	EZA			After catalyst, Right
	56028 998AA	1				EVA			After catalyst, Right
		1				EVD			After catalyst, Right
4									SENSOR, Oxygen
	56028 996AA	1	1, 6			EZA			After catalyst, Left
		1				EK0			After catalyst, Left
	56028 997AA	1	2, 3, 7, 8		41, 42, 62	EZA			After catalyst, Left
		1				EWC			After catalyst, Left
	56028 998AA	1				EVA			After catalyst, Left
		1				EVD			After catalyst, Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Sensors, Drivetrain Figure 008-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DG4] = Multi-Speed Automatic Transmission									
[DGT] = 4 Speed Automatic Transmission									
[DBB] = All Manual Transmissions									
1									TRANSDUCER, Pressure Sensor
	4799 758AC	1	7, 8		41, 42, 62	EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EK0, EV0	DG4, DGQ		
		1	6, 7, 8			EV0	DGQ		
	56028 196AD	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
	5073 617AA	1				EWC			
2									SENSOR, Transmission Output Speed Input & Output
	4799 061	2	7, 8		41, 42, 62	EZ0	DGQ		
		2	6			EZ0	DGQ		Input & Output
		2	1, 2, 3			EZ0	DGQ		Input & Output
	4800 879	1	1, 2, 3			ET0	DGP		Output
		1	6, 7, 8			ET0	DGP		Output
		1	1, 2, 3			EW0	DGP		Output
		1	6, 7, 8			EW0	DGP		Output
		1	6, 7, 8			ETH	DG8		Output
		1	1, 2, 3			ETH	DG8		Output
	4799 061	2	1, 2, 3			EK0, EV0	DG4, DGQ		Input & Output
		2	6, 7, 8			EV0	DGQ		Input & Output
	4800 879	1	6, 7, 8			ETC	DGP		Output
		1	1, 2, 3			ETC	DGP		Output
		1	6, 7, 8			ET0	DG8		Output
		1	1, 2, 3			ET0	DG8		Output
		1	1, 2, 3			EW0	DG8		Output
		1	6, 7, 8			EW0	DG8		Output
		1	1, 2, 3			ETC	DG8		Output
		1	6, 7, 8			ETC	DG8		Output
3									SENSOR, Wheel Speed
DODGE RAM (DR)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
H = SLT	1, 6 = 1500		41 = Quad Cab (140.5 WB)		EKG = 3.7L V6		DGT = 4 Spd. Auto.(46RE)		
L = ST	2, 7 = 2500		42 = Quad Cab (160.5 WB)		EVA = 4.7L V8		DDC = 5 Spd. HD Manual (3500)		
	3, 8 = 3500		61 = Reg. Cab (120.5 WB)		EZA = 5.7L V8		DDP,DDX = 5 Spd. Manual (4500)		
			62 = Reg. Cab (140.5 WB)		EML = 5.9L SMPI V8		DGQ,DG4 = Multi-Speed Auto.(45RFE)		
					ETC = 5.9LD V6		DG8 = 4 Spd. Auto.(48RE)		
					ETH = 5.9LD V6 HO		DEE = 6 Spd. Manual (5600)		
					EWA = 8.0L V10 MPI		DGP = 4 Spd. Auto.(47RE)		
							DEC = 5 Spd. Manual		


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



## Sensors, Drivetrain

### Figure 008-620


[illegible]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

Sensors, Body  
Figure 008-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

1	5604 1053	1							SENSOR, Battery Temperature
2									SENSOR, Washer Fluid Level
	55077 351AA	1				ET0, EW0			
	55077 484AA	1				EK0, EV0, EZ0			
3	5604 2395	1							SENSOR, Ambient Temperature, Bracket Included
4									SENSOR KIT, Anti-Lock Brakes
	5083 204AA	1	1, 6						
	5093 834AA	2	2, 3			41, 42, 62			
	5103 493AA	1	8			42, 62			
5									SENSOR, Wheel Speed
	56028 187AE	1					DG0 DBB		
6	56043 167AA	2							SENSOR, Side Airbag Impact
-7	6100 048	2							NUT, Hex, M6x1.00, Side Airbag Impact Sensor Attaching

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Powertrain Control Modules

## Figure 008-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

### Notes:

[EV0] = 4.7L Engine  
[EVA] = 4.7L Magnum Engine (Next Generation)  
[EM0] = 5.9L Engine  
[EML] = 5.9L Magnum SMPI Engine  
[EW0] = 8.0L Engine  
[EZA] = 5.7L Engine  
[DG0] = All Automatic Transmissions  
[DG4] = Multi-speed Speed Automatic Transmission  
[DG8] = 4 Speed Automatic Transmission  
[DGP] = 4 Automatic Transmission  
[DBB] = All Manual Transmissions  
[NA1] = Export Emission  
[NAS] = U.S. 50 State Emission  
[NFU] = 34 Gallon Fuel Tank  
[NFV] = 35 Gallon Poly Gas Tank  
[NFW] = 26 Gallon Poly Gas Tank  
[NZC] = Current Generation Controller  
[NZD] = Next Generation Controller

1									MODULE, Powertrain Control
	5029 450AA	1				EWC			
	56028 778AA	1				EVA	DDC		[NAS,NFW,NZD]
	56028 781AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAS,NFW,NZD]
	56028 781AB	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAS,NFW,NZD,NHM]
		1	3, 8		41, 42, 62	EZA	DGQ		[NAS,NFW,NZD,NHM]
	56028 782AA	1				EVD	DGQ		[NAA,NFW,NZD]
	56028 783AA	1				EVA	DGQ		[NAS,NFW,NZD]
	56028 784AA	1				EVA	DGQ		[NA1,NZD]
	56028 785AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAE,NFU,NZD]
	56028 786AA	1	1, 6			EZA	DGQ		[NAS,NFV,NZD,DHU,NHM]
	56028 787AA	1	1, 6			EZA	DGQ		[NAS,NFW,NZD]
	56028 788AA	1	1, 6			EZA	DGQ		[NA1,NZD,NHM,DHU]
	56028 789AA	1				EKG	DG4		[NA1,NFW,NZD]
	56028 790AA	1				EKG	DG4		[NAS,NFV,NZD]
	56028 791AA	1				EKG	DG4		[NAS,NFW,NZD]
	56028 792AA	1				EKG	DDC		[NAS,NFV,NZD]


### DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Powertrain Control Modules**  
**Figure 008-705**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56028 793AA	1				EKG	DDC		[NAS,NFW,NZD]
	56028 794AA	1				EKG	DDC		[NA1,NFW,NZD]
	56029 035AA	1	2, 3, 7, 8		41, 42, 62	EZA	DDP		[NA1,NZD,NHM]
	56029 041AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAA,NFV,NZD,NHM]
	56029 042AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAA,NFU,NZD,NHM]
	56029 043AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NA1,NZD,NHM]
	56029 138AA	1				EKG	DGQ		[NAS,NFU,NZD]
	56029 140AA	1				EVA	DGQ		[NAS,NFU,NZD]
	56029 141AA	1				EVA	DDC		[NAS,NFU,NZD]
	56029 142AA	1	1, 6			EZA	DGQ		[NAS,NFU,NZD]
	56029 143AA	1	1, 6			EZA	DGQ		[NAS,NFU,NZD,NHM]
	56029 147AA	1	2, 3, 7, 8		41, 42, 62	EZA	DDP		[NA1,NZD]
	56029 148AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAA,NFV,NZD]
	56029 149AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAA,NFU,NZD]
	56029 150AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NAE,NFV,NZD]
	56029 151AA	1	2, 3, 7, 8		41, 42, 62	EZA	DDP		[NAS,NFV,NZD]
	56029 154AA	1	1, 6			EZA	DGQ		[NAS,NFV,NZD,BRT]
	56029 155AA	1	1, 6			EZA	DGQ		[NAS,NFV,NZD,DHU]
	56029 156AA	1	1, 6			EZA	DGQ		[NA1,NZD,DHU]
	56029 157AA	1	2, 3, 7, 8		41, 42, 62	EZA	DGQ		[NA1,NZD]
	56029 158AA	1	1, 6			EZA	DGQ		[NAS,NFV,NZD,NHM,BRR]
	56029 159AA	1	1, 6			EZA	DGQ		[NAS,NFV,NZD,BRR]
	56029 161AA	1	1, 6			EZA	DGQ		[NAS,NFW,NZD,NHM,BRR ]
	56029 162AA	1	1, 6			EZA	DGQ		[NAS,NFW,NZD,BRR]
	56029 163AA	1	1, 6			EZA	DGQ		[NA1,NZD,NHM,BRR]
	56029 164AA	1	1, 6			EZA	DGQ		[NA1,NZD,BRR]
	56029 165AA	1	1, 6			EZA	DGQ		[NAS,NZD,NFU,BRR]
	56029 166AA	1	1, 6			EZA	DGQ		[NAS,NZD,NFU,BRR,NHM]
	56030 021AA	1				EVA	DDC		[NA1,NZD]
	56030 024AA	1				EVA	DDC		[NAS,NFV,NZD]


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Powertrain Control Modules  
Figure 008-705




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56030 031AA	1				EVD	DGQ		[NAA,NFV,NZD]
	56030 032AA	1				EVA	DGQ		[NAS,NFV,NZD]
	56030 033AA	1	2, 3, 7, 8		41, 42, 62	EZA	DDP		[NAA,NFV,NZD]
	56031 034AA	1	2, 3, 7, 8		41, 42, 62	EZA	DDP		[NAA,NFU,NZD]
	5029 467AE	1				EWC	DEC		[NAS]
2	56028 800AC	1	1, 6			EZA	DGQ		MODULE, Powertrain Control, Generic
3									SCREW, Tapping, M4x8, SCREW, Mounting M4.8x1.59x45.00, (NOT SERVICED) (Not Serviced)
4									NUT, NUT (M6x1.00) Not Serviced ***, (NOT SERVICED) (Not Serviced)
5	56028 286AB	1							BRACKET, Module
6									SCREW
	5093 106AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
7									SCREW
	5093 105AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Engine Control Module [ET0 Diesel]  
Figure 008-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Engine Controller
	5086 155AA	1				ETC	DG0		
		1				ETH	DG0		
	5086 172AA	1				ETH	DBB		
		1				ETC	DBB		
2	4429 445	5				ETH	DG0		BOLT, Hex Head, M8
3									SCREW
	5093 105AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
4									ISOLATOR
	5093 099AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
5									ISOLATOR
	5093 098AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
6									ISOLATOR
	5093 100AA	4				ETC	DBB		
		4				ETC	DG0		
		4				ETH	DBB		
		4				ETH	DG0		
7									BRACKET, Engine Control Module
	5086 969AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
8									SCREW
	5093 106AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Switches, Instrument Panel  
Figure 008-805




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
1	56045 536AC	1							SWITCH, Headlamp
	56045 537AC	1							With Fog Lamps
2	56045 515AA	1							SWITCH, Multifunction
3	56045 112AB	1					DG0		SWITCH, Ignition
		1					DBB		
	5029 463AA	1				EWC			Push button switch
	56049 697AA	1					DEC		
4									SWITCH KIT, Overdrive Lockout, Served with gera shift lever, (NOT SERVICED) (Not Serviced)
5	56045 614AA	1							SWITCH, Transfer Case Mode [DH5]
	56049 684AA	1							[DHU]
6	4565 022	1							SWITCH AND LAMP, Glove Box
7	56045 702AB	1							SWITCH, Adjustable Pedals
8	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
9	4221 463	1							SWITCH, Parking Brake
10									SWITCH, Remote Radio
	4685 728AB	1							Right
	4685 729AB	1							Left
11									SWITCH, Speed Control
	56049 378AA	1							Right
	56049 379AA	1							Left
12									SWITCH, Heated Seat
	56045 625AB	1							Left
	56045 626AB	1							Right
13	56045 496AA	1							SWITCH, Passenger Airbag Disarm
-14									BEZEL, Accessory Switch
	56045 624AB-	1							[CMA,DH5,DH3]
	56045 639AA-	1							[CMA,DH5]
	56049 685AB-	1							[CMA,DHU]
	56049 686AA-	1							[DHU]
	56051 052AA-	1							[DH5,DH3]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Switches, Body Figure 008-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56007 695AC	1			41, 42				SWITCH, Power Window
2	56049 776AA	1			41, 42				SWITCH, Seat, 6-Way, Right
3	ZA05 XZAAA	1							SWITCH, Door Lock [JBM,JPB,JPD]
	5GS19 DX9AB	1							[JPB,JPD]
4	5029 464AA	1							SWITCH, Power Window [JBM,JPB,JPD]
	56007 695AC	1			41, 42				[JPB,JPD]
-5									BEZEL, Door Trim Panel
	UY11 1L5AA-	1			41, 42				[L5] Without Power Windows (Rear Door)
	UY11 XDVA-	1			41, 42				[DV] Without Power Windows (Rear Door)
	UY14 1L5AA-	1			41, 42				[L5] With Power Windows (Rear Door)
	UY14 XDVA-	1			41, 42				[DV] With Power Windows (Rear Door)
6	55136 557AA	1							SWITCH, Security Alarm
7	56045 538AD	1			61, 62				SWITCH, Window and Door Lock [JPB,JPD,GVB]
	5GU34 DX9AC	1			41, 42				[JPB,JPD,GVB][DV]
		1			41, 42				[JPB,JPD,GVB][L5]
	5029 753AA	1			61, 62				[GXL,JPB,JPD,GVB] SRT 10
8	56045 713AC	1	1		61				SWITCH, Seat
	56049 776AA	1			41, 42				[JTD], Right
	56049 777AA	1			61, 62				[JTH], Left
		1			41, 42				[JTH], Left
-9									BEZEL, Power Window/Door Lock
	5HZ71 WL5AC-	1			41, 42				Switch, Drivers Door [JPB,JPD,GVB] [L5], Left
	5HZ71 XDVAC-	1			41, 42				[JPB,JPD,GVB] [DV], Left
	5HZ70 WL5AD-	1			61, 62				[JPB,JPD,GVB] [L5], Left
	5HZ70 XDVAD-	1			61, 62				[JPB,JPD,GVB] [DV], Left
	ZA50 XDVA-	1			61, 62				[JBM,JPB,JPD,GVB] [DV], Left
-10									BEZEL, Power Window/Door Lock
	5HZ72 WL5AB-	1							Switch, Passenger Door [L5] Power Window & Locks
	5HZ72 XDVAB-	1							[DV] Power Window & Locks
11	5029 464AA	1							SWITCH, Power Window
-12									BEZEL, Fog Lamp

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



### Switches, Body Figure 008-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55077 238AD-	1	1, 6						Right
		1	2, 3, 7, 8		41, 42, 62				Right
	55077 239AD-	1	1, 6						Left
		1	2, 3, 7, 8		41, 42, 62				Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Switches, Drivetrain  
Figure 008-815




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[EK0] = 3.7L V6 Engine									
[EV0] = 4.7L Engine									
[EM0] = 5.9L Engine									
[DGT] =4 Speed Automatic Transmission									
[DDC] = 5 Speed Manual Transmission									
[DHE] = Manual Shift on the Fly									
[DH1] = Manual Shift on the Fly									
1									SWITCH, Oil Pressure
	4868 672AA	1				EW0			
		1				EK0,			
						EV0			
		1				EZA			
		1				EWD			
	5083 366AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
2									SENDING UNIT, Oil Pressure
	56028 807AB	1				EZB			
		1				EWC			
3									SWITCH, Neutral, Safety, Back Up
	56045 489AC	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
4									SWITCH, Back Up Lamp
	5600 7270	1	1, 2, 3			ETC,	DDX		
						EW0			
		1	6, 7, 8			ETC,	DDX		
						EW0			
		1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
		1	1, 2, 3			EZ0	DDP		
		1	1, 2, 3			EW0	DDX		
5									SWITCH, Power Steering Pressure
	56041 335AB	1	1, 2, 3, 6			EZ0			
		1	3, 8		41, 42,	EZ0			
					62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

## Switches, Drivetrain

### Figure 008-815


[illegible]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

Horns  
Figure 008-905





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56043 181AD	1							HORN AND BRACKET, Dual
2									SCREW AND WASHER, Oval Head, M6x1x25, M8x1.25x23, (NOT SERVICED) (Not Serviced)
3									WIRING, Serviced in Headlamp to Dash Harness, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Battery Tray and Wiring  
Figure 008-1005





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[EK0] = 3.9L V6 Engine]									
[EM0] = 5.9L V8 Engine]									
[EV0] = 4.7L V6 Engine]									
1									WIRING, Battery Positive
	56000 967AD	1				EK0, EV0			
	56000 966AD	1	1, 6			EZ0			
	56000 983AD	1	2, 3, 7, 8		41, 42, 62	EZ0			
2									WIRING, Battery Negative
	56051 132AB	1				EWC			
	56000 969AC	1				EK0, EV0			
	5029 567AB	1				EWC			
	56000 975AC	1				EZ0			
3									SCREW, Tapping, M8x1.25x25, (NOT SERVICED) (Not Serviced)
4	56028 472AB	1							SHIELD, Battery
5	5604 1053	1							SENSOR, Battery Temperature
6	55275 831AA	1							TRAY, Battery
7									BATTERY, Storage
	4741 698	1				EK0, EV0, EZ0			600 CCA
	56028 452AA	1				EK0, EV0, EW0, EZ0			750 CCA
8									SCREW AND WASHER, Hex Head, M8x1.25x25, (NOT SERVICED) (Not Serviced)
9	55276 348AA	1							BRACKET, Battery Hold Down
10									SCREW AND WASHER, Hex Head, M6x1.00x45.00, (NOT SERVICED) (Not Serviced)
-11	6101 794	1				EK0, EV0, EZ0			SCREW, Hex Head, M10x1.5x115, Battery to Engine Ground
-12									NUT, Hex, M6x1

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

## Battery Tray and Wiring

### Figure 008-1005


[illegible]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Battery Tray And Wiring [ET0 Diesel]  
Figure 008-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56028 472AA	1				ET0			SHIELD, Battery
2	56028 452AC	2				ET0			BATTERY, Storage
3	55276 348AA	1				ET0			BRACKET, Battery Hold Down
4									SCREW AND WASHER, M6x1x45.5, (NOT SERVICED) (Not Serviced)
5	56028 472AA	1				ET0			SHIELD, Battery
6	5604 1053	1							SENSOR, Battery Temperature
7	55276 205AA	1				ET0			TRAY, Battery
8	55275 831AA	1							TRAY, Battery
9	56000 977AA	1				ET0			WIRING, Battery Positive
10	55056 423AA	3				ET0			CLIP, Shroud
11									WIRING, Battery Positive, Serviced in engine harness, (NOT SERVICED) (Not Serviced)
12	56000 978AA	1				ET0			WIRING, Battery Negative
13	56000 979AA	1				ET0			WIRING, Battery Negative
14									SCREW, Tapping, M8x1.25x25, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Block Heaters  
Figure 008-1015



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CORD, Engine Block Heater
	56045 762AA	1				EZ0			
	56045 794AA	1				EK0, EV0			
	56051 181AA	1				ET0			
	5086 737AB	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
2									HEATER, Engine Block
	5003 619AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
	56029 215AA	1				EZ0			
3									CLIP
	6016 152	1				EK0, ET0, EV0			
		1				EWC	DBB		
-4	6102 001	1				EZ0			BOLT AND WASHER, M6x12


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Lamps Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Headlamp Park And Turn
	55077 120AG	1							Right
	55077 121AG	1							Left
-2	L0009 007QL-	1							BULB, Headlamp, Right & Left
-3	5303 228	1							SOCKET, Park And Turn Signal
-4	5126 316AA-	1							RETAINER, Headlamp Bulb
5									PANEL, Headlamp Mounting, Served in Lamp Assy, (NOT SERVICED) (Not Serviced)
6									SCREW, Hex Head Serrated Flange, M6.3x1.81x25, (NOT SERVICED) (Not Serviced)
7									NUT, U Multi Thread, M6.3x1.81, (NOT SERVICED) (Not Serviced)
8									WELT, Headlamp To Grille
	5072 638AC	1							Right
	5072 639AC	1							Left
-9	5072 642AA-	1							CLIP, Lamp
10									LAMP AND BRACKET, Fog Lamp
	55077 474AB	1	1, 6						Right
		1	2, 3, 7, 8		41, 42,				Right
					62				
	55077 475AB	1	1, 6						Left
		1	2, 3, 7, 8		41, 42,				Left
					62				
-11									BEZEL, Fog Lamp
	55077 238AD-	1	1, 6						Right
		1	2, 3, 7, 8		41, 42,				Right
					62				
	55077 239AD-	1	1, 6						Left
		1	2, 3, 7, 8		41, 42,				Left
					62				
-12									BULB, Headlamp
	L000 9006	1	2, 3, 7, 8		41, 42,				Fog lamp replacement, Right & Left
					62				
		1	1, 6						Fog lamp replacement, Right & Left
13									WIRING, Fog Lamp Jumper
	56045 501AC	1	1, 6						Fog Lamp Bulb
		1	2, 3, 7, 8		41, 42,				Fog Lamp Bulb
					62				

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Lamps Front  
Figure 008-1105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	52029 083AB-	1				ET0	DG0		CLIP, Tube, Fog Lamp Wiring
-15	5029 554AA-	4	1, 6						SPACER, Fog Lamp
16	55077 559AB	5							LAMP, Cab
17	L000 0168	1							BULB, 168
18	J400 0141	10							NUT, Square, .286x.355, Cab Marker
									Lamps
-19	5602 1441	1							LAMP, Underhood

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Lamps Rear Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Backup
	55077 347AE	1							Left
	55077 348AF	1							Right
2									LAMP, Tail Stop Turn
	5505 5270	1							Without Box, Right
	5505 5271	1							Without Box, Left
-3	5600 6514	1							LENS, Taillamp, Without Box
-4									BRACKET, Tail Lamp
	5020 574AA-	1							Without Box, Right
	5020 575AA-	1							Without Box, Left
5	55077 343AB	1							SOCKET, Tail, Stop, and Turn Lamp
-6	L000 3057	1							BULB, 3057
7	6504 072	4							CLIP
8									SCREW, Tapping, .19-16x.625, (NOT SERVICED) (Not Serviced)
9									LAMP, License Plate
	55077 292AE	1							Right
	55077 291AE	1							Left
-10	55156 027AA-	1							SOCKET, High Mounted Stop Lamp
-11	L000 0168	1							BULB, 168
-12	55077 370AB-	2							CLIP, Lamp
13	5072 594AD	1							HOUSING, CHMSL
-14	5072 577AA-	1							WIRING, High Mounted Stop Lamp
-15	L000 0912	1							BULB, 912
16									SCREW, Tapping, 0.190-16-1.25, (NOT SERVICED) (Not Serviced)
17									NUT, Spring, M4.8x1.59, (NOT SERVICED) (Not Serviced)
18									LAMP, Fender Marker
	55077 458AA	2	3, 8			42, 62			Red
	55077 459AA	2	3, 8			42, 62			Amber
19	5086 509AA	1							LAMP BAR, Tailgate

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

Lamps Courtesy  
Figure 008-1115




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5JG55 TL2AA	1			61, 62				LAMP, Dome
		1			41, 42				Sun Visor without Illuminated Vanity Mirror & without On/Off Switch Front Dome
	5JG58 TL2AA	1			61, 62				Sun Visor without Illuminated Vanity Mirror & without On/Off Switch Front Dome
		1			41, 42				Sun Visor with Illuminated Vanity Mirror & with On/Off Switch Front Dome
2	5093 413AA	1			61, 62				LENS, Dome Lamp
		1			41, 42				Sun Visor without Illuminated Vanity Mirror & without On/Off Switch Front Dome
	5093 414AA	1			61, 62				Sun Visor without Illuminated Vanity Mirror & without On/Off Switch Front Dome
		1			41, 42				Sun Visor with Illuminated Vanity Mirror & with On/Off Switch Front Dome
-3	L000 0578	1			61, 62				BULB, 578
		1			41, 42				
-4	L000 0194	5							BULB, 194
5	55077 559AB	5							LAMP, Cab
6	5086 509AA	1							LAMP BAR, Tailgate
7	L000 0168	1							BULB, 168
8									SCREW, (NOT SERVICED) (Not Serviced)
9	J400 0141	10							NUT, Square, .286x.355
-10	5086 510AA-	1							WIRING, Tailgate
11	55077 458AA	2	3, 8		42, 62				LAMP, Fender Marker
	55077 459AA	2	3, 8		42, 62				Red
									Amber

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Lamps Courtesy  
Figure 008-1115




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12									BRACKET, Neutral Start & backup Lamp Mounting
	56049 014AA-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			EW0	DG8		
		1	1, 2, 3			EW0	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-13	55361 226AA-	1							LAMP, Ash Receiver
-14	5602 1441	1							LAMP, Underhood
-15	4897 446AA-	1							LENS, Lamp Module, Under hood lamp

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Bulbs & Sockets  
Figure 008-1195



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	L000 2057	1							BULB, 2057
-2	L000 0194	5							BULB, 194
-3	L000 1156	1							BULB, 1156
-4	L000 0168	1							BULB, 168
-5	L031 57NA	1							BULB, 3157A
-6									BULB, 37
	L000 0037	2			61, 62				Lighted Visor
		2			41, 42				Lighted Visor
-7	L000 0561	1							BULB, 561
-8									BULB, 578
	L000 0578	1			61, 62				Dome Lamp
		1			41, 42				Dome Lamp
-9									BULB, 212-2
	L002 1202	2			61, 62				Map Lamp
		2			41, 42				Map Lamp

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Wiring, Engine (Gas)  
Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Notes:


[EK0] = 3.7L Engine  
[EV0] = 4.7L Engine  
[EZ0] = 5.7L Engine  
[EM0] = 5.9L Engine  
[EW0] = 8.0L Engine  
[DBB] = All Manual Transmissions  
[DDX] = 5 Speed Manual Transmission (Heavy Duty)  
[DG0] = All Automatic Transmissions  
[DGP] = 4 Speed Automatic Transmission  
[DH3] = Electronic Shift-on-the Fly  
[DH5] = Electronic Shift-on-the Fly  
[DHE] = Manual Shift-on-the Fly

1	56051 003AD	1				EK0	DBB		WIRING, Engine [NAS] [NA1]
	56051 006AD	1				EK0	DG0		[NAS] [NA1]
	56051 111AD	1	1			EZ0	DG0		
	56051 112AD	1	6			EZ0	DG0		[DH5] [DHU]
	56051 556AD	1				EV0	DG0		[NAS] [NAA] [NA1] With [DH5] & [DHU]
	56051 958AD	1	7, 8		41, 42, 62	EZ0	DG0		Without [DH3]
		1	2, 3		41, 42, 62	EZ0	DG0		
	56051 959AD	1	7, 8		41, 42, 62	EZ0	DG0		[DH3]
	56051 960AD	1	7, 8		41, 42, 62	EZ0	DBB		Without [DH3]
		1	2, 3		41, 42, 62	EZ0	DBB		
	56051 961AD	1	7, 8		41, 42, 62	EZ0	DBB		[DH3]
	56051 962AD	1				EV0	DBB		[NAS] [NAA] [NA1]
	56051 965AD	1				EV0	DG0		[NAS] [NAA] [NA1] Without [DH5] & [DHU]
	56051 111AD	1	6			EZ0	DG0		Without [DH5] [DHU]
	5029 462AB	1				EWC			
-2	56051 042AC-	1				EZ0			WIRING, Fuel Module, Air Fuel Module Wiring
-3	4311 888AB-	1							STRAP, Ground, Engine to Plenum Cab to Box

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Wiring, Engine (Gas)  
Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56043 078AC-	1				EK0, EV0, EZ0			POWER DISTRIBUTION CENTER
4	56051 037AC	1				EK0, EV0, EZ0			
5	56051 038AC	1				ET0			COVER, Power Distribution Center
	5114 449AA	1				EK0, EV0, EZ0			
	5114 448AA	1				ET0			
-6	56051 075AB-	1	6, 7, 8						WIRING, Transfer Case Jumper, [DHU] [DH5] [DH3]
-7	56051 159AA-	1				EK0, EV0, EW0, EZ0			BRACKET, Engine Wiring
	56051 184AA-	1							[HCA]
-8	4848 779AC-	1				EWC			BRACKET, Wire Harness
	5037 356AB-	1				EWC			Intake Manifold
									Bracket wiring clip 1/4x1/4


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005



Wiring, Engine (Diesel)  
Figure 008-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[ETC] = 5.9L Cummins 24V Diesel Engine

[ETH] = 5.9L HO Cummins Turbo Diesel Engine

[DBB] = All Manual Transmissions

1	WIRING, Engine								
	5114 433AA	1				ETC	DG0		Cummins Tag # 3957295 up to 01/04/04
		1				ETH	DG0		Cummins Tag # 3965226 up to 01/04/04
	5114 431AA	1				ETC	DBB		Cummins Tag # 3965225 up to 01/04/04
		1				ETH	DBB		Cummins Tag # 3965225 up to 01/04/04
	5135 777AA	1				ETH	DG0		Cummins Tag # 3969687 after 01/04/04
	5135 779AA	1				ETH	DBB		Cummins Tag # 3969688 after 01/04/04
	5114 452AA	1				ETC	DBB		Cummins Tag # 3965109 up to 01/04/04
	5135 778AA	1				ETH	DG0		Cummins Tag # 3969692 after 01/04/04
	5135 780AA	1				ETH	DBB		Cummins Tag # 3969689 after 01/04/04
2	WIRING, Injector								
	5086 965AB	3				ETC	DBB		
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		
3	WIRING, Engine								
	5114 432AA	1				ETC	DG0		Cummins Tag # 3963769 up to 01/05/04
		1				ETH	DG0		Cummins Tag # 3963769 up to 01/05/04
	5114 452AA	1				ETC	DBB		Cummins Tag # 3965109 up to 01/05/04
		1				ETH	DBB		Cummins Tag # 3965109 up to 01/05/04
	5135 778AA	1				ETH	DG0		Cummins Tag # 3969692 after 01/05/04
	5135 780AA	1				ETH	DBB		Cummins Tag # 3969689 after 01/05/04


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Wiring, Engine (Diesel) Figure 008-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-4	WIRING, Transmission								
	56051 029AC-	1	6, 7, 8			ET0	DG8		[DH1] [DH5] [DHE] Up to 9/22/03
		1	1, 2, 3			ET0	DG8		Up to 9/22/03
	56051 030AC-	1	6, 7, 8			ET0	DG8		[DH3] Up to 9/22/03
	56051 031AC-	1	6, 7, 8			ET0	DDX,		[DH1] [DH5] [DHE] Up to 9/22/03
		1	1, 2, 3			ET0	DDX,		Up to 9/22/03
							DEE		
	56051 032AC-	1	6, 7, 8			ET0	DDX		[DH3] Up to 9/22/03
	56051 034AC-	1	6, 7, 8			ET0	DEE		[DH3] Up to 9/22/03
	56051 724AA-	1	7, 8		41, 42, 62	ET0	DG8		[DH1] 9/22/03 & After
		1	1, 2, 3			ET0	DG8		9/22/03 & After
	56051 725AA-	1	7, 8		41, 42, 62	ET0	DDX,		[DH1] 9/22/03 & After
		1	2, 3		41, 42, 62	ET0	DDX,		9/22/03 & After
							DEE		
	56051 726AA-	1	7, 8		41, 42, 62	ET0	DG8		[DH3] 9/22/03 & After
	56051 727AA-	1	7, 8		41, 42, 62	ET0	DDX		[DH3] 9/22/03 & After
	56051 728AA-	1	7, 8		41, 42, 62	ET0	DEE		[DH3] 9/22/03 & After
5	SCREW, Hex Head, M8x1.25x12								
	5011 818AA	9				ETC	DBB		
		9				ETC	DG0		
		9				ETH	DBB		
		9				ETH	DG0		
6	SCREW, Hex Head								
	5086 961AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
7	BOLT, Hex Head								
	4429 630	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
8	NUT								
	4429 316	2				ETC	DBB		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring, Engine (Diesel)  
Figure 008-1210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	4429 638	2				ETC	DG0		BOLT, Hex Head
		2				ETH	DBB		
		2				ETH	DG0		
		2				ETC	DBB		
10	4761 242	2				ETC	DG0		SCREW, Hex Head, M8x1.25x45
		2				ETH	DBB		
		2				ETH	DG0		
		2				ETH	DG0		
11	5011 846AA	2				ETC	DBB		CLIP
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
12	5086 963AA	1				ETC	DBB		BRACKET, Engine Wiring
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
13	5086 964AB	1				ETH	DBB		CLAMP
		1				ETH	DG0		
		6				ETC	DBB		
		6				ETC	DG0		
14	5114 409AA	6				ETH	DBB		CLIP
		6				ETH	DG0		
		6				ETH	DBB		
		6				ETH	DG0		
15	4429 634	1				ETC	DBB		SCREW, Hex Head Header Point, 24x.44
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
16		1				ETH	DBB		SCREW, Hex Head
		1				ETH	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Wiring, Engine (Diesel)  
Figure 008-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 957AA	3				ETC	DBB		
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		
-17									WIRING, Starter
	5114 422AA-	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
-18									CORD, Engine Block Heater
	5086 737AB-	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
19									WIRING, Engine
	5139 865AA	3				ETH	DBB		
		3				ETH	DG0		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

Wiring and Intake Heater Diesel  
Figure 008-1215


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5011 818AA	1				ETC	DBB		SCREW, Hex Head, M8x1.25x12
		1				ETC	DG0		
		1				ETH	DG0		
		1				ETH	DBB		
2	5086 961AA	1				ETC	DBB		SCREW, Hex Head
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
3	4429 316	2				ETC	DBB		NUT
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
4	4429 959	1				ETC	DBB		NUT, Tappet Cover
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
5	4882 110	1				ETC	DBB		SCREW, Hex Head, M8x1.25x16
		1				ETH	DBB		
		1				ETH	DG0		
		1				ETC	DG0		
6	5086 720AB	1				ETC	DBB		HEATER, Engine
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
7	5086 721AA	1				ETC	DBB		GASKET, Air Intake Connector
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
8	5135 781AA	1				ETH	DG0		WIRING, Air Intake Heater After 01/04/04
	5135 782AA	1				ETH	DBB		
	5086 722AB	1				ETC	DG0		
		1				ETH	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Wiring and Intake Heater Diesel  
Figure 008-1215

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5114 336AA	1				ETC	DBB		
		1				ETH	DBB		Up to 01/04/04



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Headlamp to Dash  
Figure 008-1305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes

[EK0] = 3.7L Engine  
[EV0] = 4.7L Engine  
[EZ0] = 5.7L Engine  
[EM0] = 5.9L Engine  
[EW0] = 8.0L Engine  
[ET0] = All 5.9L Turbo Diesel Engines  
[DH1] = Manual Shift-on-the Fly  
[DH3] = Electronic Shift-on-the Fly  
[DH5] = Electronic Shift-on-the Fly  
[DHE] = Manual Shift-on-the Fly  
[BRT] = 4 Wheel Anti-Lock Brakes (ABS)  
[BRR] = 4 Wheel Disc, Rear Anti-Lock Brakes  
[AHC] = Trailer Tow Prep Group  
[CUS] = Overhead Console with Trip/Compass  
[LNJ] = Fog Lamps

1	WIRING, Headlamp to Dash								
	56000 986AD	1				EK0, EV0			With [BRR] & with [DH3], [DH5] or [DHU]
	56000 987AD	1				EK0, EV0			With [BRT] & with [DH3], [DH5] or [DHU]
	56000 988AD	1				EK0, EV0			With [BRT], without [DH3], [DH5] or [DHU]
	56000 991AD	1				EK0, EV0			With [BRR], [AHC], without [DH3], [DH5] & [DHU]
	56000 993AD	1				EZ0			With [BRR], without [DH3], [DH5] or [DHU]
	56000 994AD	1				EZ0			With [BRR] & with [DH3], [DH5] or [DHU]
	56051 000AD	1				ET0	DG0		With [BRT] & with [DH3] or [DH5]
	56051 001AD	1				ET0	DG0		With [BRT], without [DH3] or [DH5]
	56051 222AD	1				ET0	DBB		With [BRT], without [DH3] or [DH5]
	56051 223AD	1				ET0	DBB		With [BRT] & with [DH3] or [DH5]
	56051 224AD	1				EZ0			With [BRT], without [DH3], [DH5] or [DHU] (Heavy Duty)
	56051 225AD	1				EZ0			With [BRT] & with [DH3], [DH5] or [DHU] (Heavy Duty)
	56051 131AC	1				EWC			With [BR5]
	56051 898AA	1				ET0	DG0		With [BRT], [XCK] without [DH3], [DH5] up to 03/19/04


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

## Headlamp to Dash Figure 008-1305

[illegible]


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**



Wiring Instrument Panel  
Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[CGS] = Side Airbag  
[CMA] = Heated Seat  
[GXM] = Keyless Entry Remote  
[GXX] = Sentry Key Theft Deterrent System  
[JPB] = Power Locks  
[JRD] = Power Driver Seat  
[NHN] = Electronic Control Throttle  
[NHM] = Speed Control  
[RCK] = Infinity (7 Speakers)  
[RDZ] = Audio Control Steering Wheel  
[SCF] = 4 Spoke Wheel Steering Wheel  
[SCV] = Leather Wrap Steering Wheel  
[XAP] = Adjustable Power Pedals  
[DH3] = Electronic Shift-on-the Fly  
[DH5] = Electronic Shift-on-the Fly


1	WIRING, Instrument Panel							
	5029 756AB	1	1, 6					[RDQ]
	5030 100AC	1	1, 6					[CMA], [RSP] [RDQ]
	56051 946AD	1						Without [JPB], [GXX], [XAP], [CMA], [RSP] or [RCK]
	56051 947AD	1						[JPB,GXX]
	56051 949AD	1						[JPB,XAP]
	56051 950AE	1						[RCK,JPB]
	56051 951AE	1						[RCK,RSP,JPB]
	56051 952AE	1						[CMA]
	56051 953AE	1						[CMA.RSP]
	56051 602AA	1						[CMA] After 01/04/04
	56051 603AA	1						[CMA.RSP] After 01/04/04
	56051 952AE	1						[CMA] Up to 01/04/04
	56051 953AE	1						[CMA.RSP] Up to 01/04/04
	56051 950AH	1						[RCK,JPB] After 03/17/04
	56051 952AH	1						[CMA,RCK] After 03/17/04
-2	WIRING, Steering Wheel							
	56049 424AF-	1						With [SCC]
	56049 423AF-	1						With [SCF] & [NHM]
		1						With [SCV], [NHM] & without [RDZ]
	56049 424AF-	1						With [RDZ], [SCV] & [NHM]
	56049 423AF-	1						With [SCF] & without [NHM]
3	POWER DISTRIBUTION CENTER							

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring Instrument Panel  
Figure 008-1405




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56051 037AC	1				EK0, EV0, EZ0 ET0			
-4	56051 038AC	1							BRACKET, Connector
	56045 653AA-	1					DG0		Instrument Panel Connector Bracket
		1					DBB		Instrument Panel Connector Bracket
		1					DD0, DEE		Instrument Panel Connector Bracket
		1							Instrument Panel Connector Bracket
	56051 136AA-	1				ET0			Instrument Panel Connector Bracket
-5	56051 075AB-	1	6, 7, 8						WIRING, Transfer Case Jumper, [DHU] [DH5] [DH3]
6	5134 118AA	1							BREAKER, Circuit, Power Window

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Wiring Body Front Figure 008-1505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Headliner, Serviced with Headliner, (NOT SERVICED) (Not Serviced)
2									WIRING, Front Door
	56051 932AB	2							Base
	56051 934AB	1							[JPB], Right
	56051 935AB	1							[JPB], Left
	56051 937AB	1							[JPB,LAS], Left
3									WIRING, Body
	56051 976AF	1			41, 42				Base
	56051 977AF	1			41, 42				[CGS]
	5030 450AC	1			61, 62				[RDQ]
	56051 133AC	1			61, 62				[RDQ,CGS]
	56051 970AF	1			61, 62				Base
	56051 971AF	1			61, 62				[CGS]
	56051 972AG	1			61, 62				[JPB,JRD,LSA]
	56051 973AG	1			61, 62				[CGS,JPB,JRD,LSA]
	56051 974AG	1			61, 62				[CMA]
	56051 975AG	1			61, 62				[CGS,CMA]
	56051 976AE	1			41, 42				
	56051 978AG	1			41, 42				[JPB,JRD,LSA]
	56051 979AG	1			41, 42				[CGS,JPB,JRD,LSA]
	56051 980AG	1			41, 42				[CMA]
	56051 981AG	1			41, 42				[CGS,CMA]
4									WIRING, Rear Door
	56051 930AA	2			41, 42				
	56051 931AA	2			41, 42				[JPB]
5	56051 096AA	1			41, 42				WIRING, Electric Back Light, [GFA]
6	56051 171AA	1							WIRING, Jumper, Heated Backlight Option
7	56051 176AB	1							WIRING, Underhood Lamp
8	56051 317AB	1							WIRING, Mirror Jumper


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Wiring Body Rear  
Figure 008-1510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Chassis
	56051 007AE	1	3, 8		62				[WLA]
	56051 008AE	1	3, 8		42				[WLA]
	56051 009AE	1	2, 3, 7, 8		42				[AHC]
	56051 010AE	1	2, 3, 7, 8		41, 62				
	56051 011AE	1	2, 3, 7, 8		42				
	56051 012AE	1	2, 3, 7, 8		41, 62				[AHC]
	56051 013AE	1	3, 8		62				[AHC,WLA]
	56051 014AE	1	3, 8		42				[AHC,WLA]
	56051 015AE	1	1, 6		61				
	56051 016AE	1	1, 6		41, 62				
	56051 017AE	1	1, 6		42				[AHC]
	56051 018AE	1	1, 6		42				
	56051 019AE	1	1, 6		61				[AHC]
	56051 020AE	1	1, 6		41, 62				[AHC]
	56051 099AB	1	2, 3, 7, 8		62				[XBC]
	56051 100AB	1	2, 3, 7, 8		41, 42				[XBC]
		1	2, 3, 7, 8		42				[XBC]
-2	56045 795AA-	1							WIRING, Trailer Tow, Includes 'E' Brake Pigtail
3	56038 366AB	1							CONNECTOR, 7 Way, Trailer Tow
4	55077 360AB	1							TAPPING PLATE, 7-Way Trailer Tow Connector Mounting Plate
-5	6034 912	4							SCREW, Pan Head, .19-16x.75, 7-Way Trailer Tow Connector Mounting Plate Attaching

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Wiring Seats Figure 008-1515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Seat
	5127 787AA	1			41, 42				[JTH], Left Seat
		1			61, 62				[JTH], Left Seat
2									WIRING, Power Seat
	5127 779AA	1			41, 42				[JTH,CMA], Left
	5127 781AA	1			61, 62				[JTH], Left
3									WIRING, Seat
	5127 786AA	1			61, 62				Right Seat
		1			41, 42				Right Seat
4									WIRING, Power Seat
	5127 778AA	1			41, 42				[CMA], Right Seat
	5127 780AA	1			41, 42				Right Seat
5									WIRING, Jumper
	5127 777AA	1			41, 42				Power sear, Left
		1			61, 62				Power sear, Left
6									WIRING, Seat
	5127 785AA	1			61, 62				For seat belt, Left
		1			41, 42				For seat belt, Left
7									WIRING, Jumper
	5127 760AA	1			41, 42				[CMA]
		1			61, 62				[CMA]
8									WIRING, Jumper
	5127 760AA	1			61, 62				[CMA], Armrest
		1			41, 42				[CMA], Armrest

## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[EM0] = All 5.9L 8 Cyl Gas Engines									
[EV0] = 4.7L Engine									
-1	5013 930AD-	1							WIRING PACKAGE, Underhood Connector Repair, For Electrical
									Connector Repair Information visit the World Wide Web at <a href="http://dto.vftis.com/mopar/disclaimer.asp">http://dto.vftis.com/mopar/disclaimer.asp</a> , Underhood Connector Reair Kit
-2	5073 039AA-	1				EK0, EV0	DBB		STRAP, Tie
		1							
		1				ET0 EWD	DG0		
-3	5014 757AD-	1							MANUAL, Connector Repair
-4	5019 912AA-	1							TOOL, Crimping
-5	5073 029AA-	1							WIRING KIT, Electric Repair, With Tool
-6	5093 098AA-	2				ETC	DBB		ISOLATOR Engine Control Module
		2				ETC	DG0		Engine Control Module
		2				ETH	DBB		Engine Control Module
		2				ETH	DG0		Engine Control Module
-7	5093 099AA-	2				ETC	DBB		ISOLATOR Engine Control Module
		2				ETC	DG0		Engine Control Module
		2				ETH	DBB		Engine Control Module
		2				ETH	DG0		Engine Control Module
-8	5093 100AA-	4				ETC	DBB		ISOLATOR Engine Control Module
		4				ETC	DG0		Engine Control Module
		4				ETH	DBB		Engine Control Module
		4				ETH	DG0		Engine Control Module
-9	5083 221AA-	1							WIRING KIT, 22 Way, Female, Radio Repair
-10	5102 399AA-	1							WIRING KIT, 4 Way, Female
-11	4364 375	1				EZ0			TUBE, Convolved

AR = Use as required   - = Non illustrated part   # = New this model year

Wiring Repair  
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3, 7, 8		41, 42, 62	EZA			
-12	5083 222AA-	1							WIRING KIT, 38 Way, Female Black
	5083 223AA-	1							Gray
	5083 224AA-	1							White
	5083 225AA-	1							Green
-13									INSULATOR, 8 Way
	5139 142AA-	1							Female
	5139 143AA-	1							Male

For Electrical Connector Repair Information visit  
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Bag Modules and Sensors  
Figure 008-1705

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56043 167AA	2							SENSOR, Side Airbag Impact
2									MODULE, Occupant Restraint
	56043 701AE	1	1, 6						[CGS]
	56043 702AF	1	2, 3, 7, 8		41, 42, 62				[CGS]
	56043 703AE	1	1, 6						
	56043 704AE	1	2, 3, 7, 8		41, 42, 62				




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Air Bags, Clock Spring, Switch  
Figure 008-1710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									AIR BAG, Side Curtain
	55350 932AE	1			61, 62				Right
	55350 933AE	1			61, 62				Left
	55350 934AE	1			41, 42				Right
	55350 935AE	1			41, 42				Left
2	56045 496AA	1							SWITCH, Passenger Airbag Disarm
3									AIR BAG, Passenger
	5JD13 WL5AC	1							[L5]
	5JD13 XDVAC	1							[DV]
4									AIR BAG, Driver
	5HM44 WL8AC	1							[L5]
	5HM44 XDVAC	1							[DV]
5									COVER, Air Bag Module
	YT70 WL8AA	1							[L5]
	YT70 XDVAA	1							[DV]
6	56049 461AA	1							CLOCKSPRING

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Spark Plugs, Cables, and Coil  
Figure 008-1905



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5135 171AA	1				EWC			CABLE PACKAGE, Ignition
2									SPARK PLUG
	SPRC1 2MCC4	8				EV0			
	SPZF R6F11G	6				EK0			
		10				EWD			
	SP0RC 12ECC	10				EWC			
3									CABLE, Ignition
	5029 644AA	1				EWC			Number 1
	5029 645AA	1				EWC			Number 3
	5029 646AA	1				EWC			Number 5
	5029 647AA	1				EWC			Number 7
	5029 648AA	1				EWC			Number 9
	5029 650AA	1				EWC			Number 2
	5029 651AA	1				EWC			Number 4
	5029 652AA	1				EWC			Number 6
	5029 653AA	1				EWC			Number 8
	5029 654AA	1				EWC			Number 10
4									COIL, Ignition
	56028 138AE	8				EV0			
		6				EK0			
	56029 098AA	1				EWC			6-SP
	56032 521AB	1				EWC			4-SP
-5	6034 526	8				EWC			SCREW AND WASHER
-6	56028 644AB-	1				EK0, EV0			CAPACITOR, Ignition
-7									O RING
	5072 382AA-	6				EK0			Ignition Coil
		8				EV0			Ignition Coil
-8	5037 104AB-	10				EWC			SHIELD, Heat, Spark Plug
-9	5245 237AB-	1				EWC			SEPERATOR, Ignition Cable
-10	6036 519AA-	14				EWC			STUD, Double Ended, Spark plug wire clips to head

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Spark Plugs and Wiring [5.7L]  
Figure 008-1910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56028 578AB	1				EZ0			CABLE PACKAGE, Ignition
2	SPRE1 4MCC4 16					EZ0			SPARK PLUG
3	56028 377AB	1				EZ0			CABLE, Ignition, Coil 6 to plug 1
4	56028 378AB	1				EZ0			CABLE, Ignition, Coil 3 tp plug 2
5	56028 379AB	1				EZ0			CABLE, Ignition, Coil 2 tp plug 3
6	56028 380AB	1				EZ0			CABLE, Ignition, Coil 7 to plug 4
7	56028 382AB	1				EZ0			CABLE, Ignition, Coil 8 to plu 5
8	56028 384AB	1				EZ0			CABLE, Ignition, Coil 1 to plug 6
9	56028 386AB	1				EZ0			CABLE, Ignition, Coil 4 to plug 7
10	56028 388AB	1				EZ0			CABLE, Ignition, Coil 5 to plug 8
11	56028 394AC	8				EZ0			COIL, Ignition
-12	6507 026AA-	16				EZ0			SCREW AND WASHER, Hex, Coil mounting
13	56028 656AA	1				EZ0			TRAY, Ignition Cable
14									CLIP, Ignition Wire
	5086 377AA	5				EZ0			Medium
	5086 378AA	2				EZ0			Small
	5086 379AA	3				EZ0			Large

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 08A

## Instrument Panel and Radios and Consoles




### GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
<b>Instrument Panel</b>	
Instrument Panel .....	Fig. 08A-110
<b>Instrument Panel Cluster</b>	
Instrument Cluster .....	Fig. 08A-210
<b>Radio, Antenna, and Speakers</b>	
Radio .....	Fig. 08A-310
Speakers .....	Fig. 08A-320
Antenna .....	Fig. 08A-330
<b>Consoles</b>	
Overhead Console .....	Fig. 08A-410
Floor Console .....	Fig. 08A-420

<b>08A-100</b> Instrument Panel	<b>08A-200</b> Instrument Panel Cluster	<b>08A-300</b> Radio, Antenna, and Speakers	<b>08A-400</b> Consoles

Instrument Panel  
Figure 08A-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
1	5GT31 WL8AA	1							COVER, Instrument Panel [L5] Clips Serviced in Assembly Only
	5GT31 XDVAA	1							[DV] Clips Serviced in Assembly Only
2									PANEL, Instrument, Deadner Pad, HEVAC Bracket, Defroster Duct, Glovebox, Airbag & I/Panel Lower Not Included)
	ZF26 1DVAA	1							[DV] Upper Instrument Panel, Base Panel, AC Ducts, Brake Handle Bracket, Speaker Bracket, Reinforcement & Demister Ducts Included
	ZF26 1L5AA	1							[L5] Upper Instrument Panel, Base Panel, AC Ducts, Brake Handle Bracket, Speaker Bracket, Reinforcement & Demister Ducts Included
-3	5080 596AA-	1							PANEL, Instrument, Base Instrument Panel (Black)
4	55056 146AA	1							REINFORCEMENT, Instrument Panel, Located Below Steering Column
-5	55350 873AF-	1				EK0, EV0, EW0, EZ0 ET0			INSULATION, Dash Panel
	55350 892AE-	1	2, 3, 7, 8		41, 42, 62				
-6	5080 588AA-	1							BRACKET, Instrument Panel HEVAC
	5080 597AA-	1							Park Brake Release Handle
7	WL85 1L5AA	1							HANDLE, Parking Brake [L5]
	WL85 XDVAA	1							[DV]

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Instrument Panel  
Figure 08A-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-8	5080 589AA-	1							PAD, Deadener, Fasteners Included (Pad not Serviced with Instrument Panel)
-9	5080 590AA-	1							DUCT, Defroster
10									PANEL, Instrument Upper
	WL86 1L5AA	1							[L5] Demister Grille Included)
	WL86 XDVA	1							[DV] Demister Grille Included)
-11									DUCT, Demister
	5080 598AA-	1							Right
	5080 599AA-	1							Left
12									GRILLE, Demister
	WL88 1L5AA	1							[L5], Right
	WL88 XDVA	1							[DV], Right
	WL89 1L5AA	1							[L5], Left
	WL89 XDVA	1							[DV], Left
13									OUTLET, Air, New for 2004 DR (One Outlet Only, Right Side)
	WP34 1L5AA	1							[L5] Passenger Airbag
	WP34 XDVA	1							[DV] Passenger Airbag
14									CLUSTER PACKAGE, CLUSTER (See 8A-230), (NOT SERVICED)
									(Not Serviced)
15	5GT15 1DVAE	1					DG0		CUPHOLDER, Instrument Panel [DV] Latch & Latch Spring Included (Automatic Transmission)
	5GT15 1L5AE	1					DG0		[L5] Latch & Latch Spring Included (Automatic Transmission)
-16	5080 679AA-	1					DG0		LATCH, Instrument Panel, Cupholder
-17	5080 680AA-	1					DG0		SPRING, Latch Return, Cupholder
18									COVER, Control Unit
	5GT23 WL5AA	1					DG0		[L5] AECM (Clips Included)
	5GT23 XDVA	1					DG0		[DV] AECM (Clips Included)
-19	6504 301	2							CLIP, Moulding
20	5GT17 DX9AA	1							BIN, Instrument Panel, Black Mat Included
-21	5080 650AA-	1							MAT, Instrument Panel, Bin Instrument Panel
22	5GT16 1L5AB	1					DBB		BIN, Storage [L5] with Manual Transmission (Located Below the I/Panel Center Bezel)

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Instrument Panel  
Figure 08A-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GT16 1DVAB	1					DBB		[DV] with Manual Transmission (Located Below the I/Panel Center Bezel)
-23	6504 485AB-	4							NUT, Plastic Snap-in
24	56045 702AB	1							SWITCH, Adjustable Pedals
25	5GV52 1DVAB	1							BEZEL, Instrument Panel, Center [DV] Outlets & Clips Included (Black)
	5GV52 1L5AB	1							[L5] Outlets & Clips Included (Black)
	5GV53 1DVAC	1							[JBM], [DV] Outlets & Clips Included
	5GV53 1L5AC	1							[JBM], [L5] Outlets & Clips Included
	YM11 XZAAA	1							[JBM,AGL]
	5KJ46 1DVAA	1							Solar Yellow
26	WP36 1DVAA	1							OUTLET, Air [DV] Instrument Panel Center (Black), Right
	WP36 1L5AA	1							[L5] Instrument Panel Center (Black), Right
	WP37 1DVAA	1							[DV] Instrument Panel Center (Black), Left
	WP37 1L5AA	1							[L5] Instrument Panel Center (Black), Left
-27	6504 067	4							CLIP, Hood
28	5GY91 WL5AA	1							BEZEL, Instrument Panel, Left [L5] Outlet & Clips
	5GY91 XDVAA	1							[DV] Outlet & Clips
29	WP33 WL5AA	1							OUTLET, Air [L5]
	WP33 XDVAA	1							[DV]
-30	6504 067	4							CLIP, Hood
31	5GZ93 WL8AC	1							BEZEL, Instrument Cluster [L5] Clips Included
	5GZ93 XDVAC	1							[DV] Clips Included
-32	6504 067	4							CLIP, Hood
33	5GY82 WL8AB	1							END CAP, Instrument Panel [L5], Right
	5GY82 XDVAB	1							[DV], Right
	5GY83 WL8AB	1							[L5], Left
	5GY83 XDVAB	1							[DV], Left

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Instrument Panel  
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34									COVER, Instrument Panel, Steering Column Opening [L5] Clips Included [DV] Clips Included
	5GT24 WL5AC	1							
	5GT24 XDVAC	1							
-35	6504 301	2							CLIP, Moulding
36									BEZEL, Instrument Panel, Left [L5] with Adjustable Pedals (Clips Included) [DV] with Adjustable Pedals (Clips Included) [L5] without Adjustable Pedals (Clips Included) [DV] without Adjustable Pedals (Clips Included)
	5HK92 WL5AB	1							
	5HK92 XDVAB	1							
	5HK93 WL5AB	1							
	5HK93 XDVAB	1							
-37	6504 301	2							CLIP, Moulding
38	55055 978AA	1							ADAPTER, A/C And Heater Unit
39	55056 045AA	1							ADAPTER, Defroster Duct
40									PLATE, Switch Opening [L5] Without Passenger Airbag Switch [DV] Without Passenger Airbag Switch
	5HC58 WL5AA	1							
	5HC58 XDVA	1							
41	6101 945	4							SCREW
42	6036 073AA	2							SCREW
43									SCREW, (NOT SERVICED) (Not Serviced)
44									SWITCH, Headlamp With Cargo Lamp & without Foglamp
	56045 536AC	1							
	56045 537AC	1							
-45									With Cargo Lamp & Foglamp PULLER, Fuse
	56021 922AA-	1				EK0, EV0, EWD, EZ0 ET0			
		1							
-46	56045 496AA-	1							SWITCH, Passenger Airbag Disarm
-47									BEZEL, Instrument Panel Switch [L5] Passenger Airbag Deactivation (English)
	5HD08 WL5AA-	1							


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Instrument Panel  
Figure 08A-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5HD08 XDVAA-	1							[DV] Passenger Airbag
									Deactivation (English)
	5HD09 WL5AA-	1							[L5] Passenger Airbag
									Deactivation (French)
	5HD09 XDVAA-	1							[DV] Passenger Airbag
									Deactivation (French)
-48	4685 164	1							COVER, Glove Box Lamp Hole
49	WL80 1L5AA	1							GLOVE BOX, Instrument Panel
	WL80 XDVAA	1							[L5] Latch & Bumpers Included
-50	4565 022	1							[DV] Latch & Bumpers Included
51	WL81 1L5AA	1							SWITCH AND LAMP, Glove Box
	WL81 XDVAA	1							LATCH, Glovebox
-52									[L5]
									[DV]
	5019 386AA-	2							BUMPER, Glove Box Door
	5080 591AA-	2							Glovebox Stop
									Glovebox Overslam
53	5080 593AA	1							STRIKER, Glove Box Door Latch
54	1AD68 1DVAA	1							PANEL, Instrument Lower
									Without [AGL], [DV] Panel Include
									3 Push-Nut & Bumpers (10/01/03
									& After)
									With [AGL], [DV] Panel Include 3
									Push-Nut & Bumpers (10/01/03 &
									After)
	1AD68 1L5AA	1							Without [AGL], [L5] Panel Include 3
									Push-Nut & Bumpers (10/01/03 &
									After)
	WL82 1DVAB	1							Without [AGL], [DV] , Power Outlet
									with Cap, Ring & Glovebox
									Striker (Up to 10/01/03)
	WL82 1L5AB	1							Without [AGL], [L5] Ash Receiver,
									Power Outlet with Cap, Ring &
									Glovebox Striker (Up to 10/01/03)
-55	4685 591	1							CAP, Cigar Lighter
-56	4793 554AB-	1							POWER OUTLET
-57	4685 591AB-	1							CAP, Power Outlet
-58	6034 833	3							CLIP, Push, .164-7.5
-59									ASH RECEIVER, Instrument Panel
	WL83 1L5AA-	1							[L5] Ash Receptacle Included
	WL83 XDVAA-	1							[DV] Ash Receptacle Included

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Instrument Panel  
Figure 08A-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-60	5080 772AA-	1							RECEPTACLE, Ash Receiver
61	YM10 XZAAB	1							AIR BAG, Passenger Outlet & Bezel Included (Satin Silver)
	5JD13 WL5AC	1							[L5] Outlet Included
	5JD13 XDVAC	1							[DV] Outlet Included
-62	4685 590	1							BASE, Cigar Lighter
-63	4685 536	1							KNOB AND ELEMENT, Cigar Lighter
-64	4793 555	1							RING, Cigar Lighter Mounting
65									LABEL, Air Bag Warning
	4595 748AA	1							English
	4595 749AA	1							Bilingual
-66	56045 634AA-	2							COVER, Switch Opening
67									BEZEL, Accessory Switch
	56045 624AA	1							With Heated Front Seat with [DH3] or [DH5]
	56045 639AA	1							With Heated Front Seat without [DH3] or [DH5]
	56051 052AA	1							Without Heated Front Seat and without [DH3] or [DH5]
-68									MAT, Storage Tray
	56045 623AA-	1							With Heated Front Seat without [DH3] or [DH5]
	56051 053AA-	1							Without Heated Front Seat with [DH3] or [DH5]
		1							With Heated Front Seat with [DHU]
-69	56021 909AA-	2							GROMMET, Body Wiring
-70	5159 991AA-	1							BADGE, Viper Club of America

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Instrument Cluster  
Figure 08A-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER, Complete Cluster
									Assembly w/Lens, Circuit Board, Odometer Knob, Bulbs & Gauges
	5029 819AD	1				EWC			[JA2,JCC]
	5029 820AD	1				EWC			[JA2,JDM]
		1				EWC			[JA2,JDP]
	56051 101AE	1				EK0, EV0, EW0,			[JAY,JCB,JPB]
						EZ0			
	56051 102AE	1				EK0, EV0, EW0,			[JAY,JDC]
						EZ0			
	56051 103AE	1				EK0, EV0, EW0,			[JAY,JCB]
						EZ0			
	56051 104AE	1				ET0			[JAY,JCB,JPB]
	56051 105AE	1				ET0			[JAY,JDC]
	56051 106AE	1				ET0			[JAY,JCB]
2									MASK AND LENS, Instrument Cluster
	4829 851AC	1				EK0, EV0, EW0, EZ0			
		1				ET0			
		1				EWC			
3									GAUGE, Speedometer, Serviced with Cluster Assembly, (NOT SERVICED) (Not Serviced)
4									GAUGE, Tachometer, Serviced with Cluster Assembly, (NOT SERVICED) (Not Serviced)
5									GAUGE, Temperature And Oil, Serviced with Cluster Assembly, (NOT SERVICED) (Not Serviced)
6									GAUGE, Fuel And Volt, Serviced with Cluster Assembly, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Instrument Cluster  
Figure 08A-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7									BOARD, Circuit, Serviced with Cluster Assembly, (NOT SERVICED) (Not Serviced)
-8	4827 989AA-	11				EK0, EV0, EW0, EZ0 ET0			BULB AND SOCKET
		11				EWC			
-9									KNOB, Odometer Reset, Serviced with Cluster Assembly, (NOT SERVICED) (Not Serviced)
-10	6101 945	4							SCREW, M4.2X1.70X15.00, Cluster Mounting
-11	5029 717AA-	1	1, 6						GAUGE, Located on 'A' Pillar SRT-10 Oil Temp (USA)
	5029 720AA-	1	1, 6						SRT-10 Oil Temp (Canada)
		1	1, 6						BRACKET
-12	5029 755AA-	1	1, 6						SRT-10 Oil Temp (USA)
		1	1, 6						SRT-10, Oil Temp (Canada)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Radio Figure 08A-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[RAZ] = AM/FM Cassette & CD									
[RBB] = AM/FM Cassette/CD Changer									
[RBY] = AM/FM Cassette/CD & CD Changer									
[RBK] = AM/FM/CD									
[RBP]=AM/FM Cassette/CD/CD Changer									
[RBQ] = AM/FM/CD (6 Disc)									
[RBU] = AM/FM Cassette & CD									
1	5091 605AB	1							RADIO, AM/FM with CD and Cassette, [RAZ]
2	5091 609AB	1							RADIO, AM/FM/Cassette With CD, [RBY]
3	5091 555AD	1							RADIO, AM/FM/Cassette With CD, [RBB]
4	5091 556AD	1							RADIO, AM/FM with CD and Equalizer, [RBK]
5	5091 979AB	1							RADIO, AM/FM with CD and Equalizer, [RBQ]
-6	56043 286AB-	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL, [RB4]
-7									STRAP, Ground
	56043 078AC-	1				EK0, EV0, EW0, EZ0			
	56043 290AA-	1				ET0			
	56029 062AC-	2				EZ0			
	5029 561AA-	1				EWC			
-8	6505 815AA-	1							SCREW, Ground Strap to Box Attaching
-9	56028 644AB-	1				EK0, EV0			CAPACITOR, Ignition
-10	4274 258	2							TAPE, Radio Connector, Foam
-11									SCREW AND WASHER, Hex Head, M8x1.25x20
	6102 085AA-	1				ET0			Ground Strap to Engine Attaching
		2				EK0, EV0, EZ0			Ground Strap to Engine Attaching
-12	5102 014AA-	1							WIRING, Rcvr to Radio
-13	5091 501AD-	1							COMPACT DISC, Navigation, [RB4]



## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

## Speakers Figure 08A-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[RCD] = Four Speaker System									
[RCK] = Six Speaker System (Infinity)									
[RCY] = Eight with subwoofer{Infinity}									
1									SPEAKER, 3.5"
	56043 083AE	2							[RCK] [RCY] Six Speaker System (Infinity)
		2							
2	56043 084AC	1							SPEAKER, Front, 2.25, [RCK] [RCY] Six Speaker System (Infinity)
3	6101 945	6							SCREW
4									SPEAKER, Front Door
	56040 953AA	2							[RCK] After 03/17/04
	5081 669AA	2							[RCK] Up to 03/17/04
5									SPEAKER, Door
	56043 385AA	2							[RCD] Four Speaker System
	56043 082AE	2							[RCK] [RCY] Six Speaker System (Infinity)
6	5082 450AB	2							SPEAKER, 6"X9", [RCD]
7									SCREW, 190-16X1.00, (NOT SERVICED) (Not Serviced)
8	6036 565AA	8							CLIP, Speaker
9									SPEAKER, 5.25"
	56043 085AC	2							[RCD] Four Speaker System
	56043 086AC	2							[RCK] [RCY] Six Speaker System (Infinity) Rear Door (Quad Cab) or Rear Storage Area (Club Cab)
10	5029 606AB	1							SPEAKER, Sub Woofer, [RCY]
-11	0153 754	8							SCREW, .190-16x1.00, Subwoofer attaching screw
-12	5029 640AB-	1							BRACKET, Speaker, [RCY]
-13	5127 610AA-	1							GRILLE, Speaker, [RCY]
14									AMPLIFIER, Radio
	5029 605AB	1	1			61			[RDQ] Up to 03/17/04
	56043 295AB	1							[RDQ] After 03/17/04
	56043 295AC	1							[RCK] Up to 04/28/04
	56043 136AG	1							[RCK,-CMA] Up to 04/28/04
		1							[RCK,CMA] After 04/14/04
	56043 295AC	1							[RCK] After 04/14/04
15	6506 150AA	3							SCREW, Hex Head, M6x1x20

### DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Antenna  
Figure 08A-330


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4685 574AE	1							MAST, Antenna
2	5269 593	1							CAP, Antenna Body
3									CABLE, Antenna
	56043 089AC	1							Antenna with Body [RDD]
	5080 594AA	1							Cable Extension to Radio
4	5600 7570	1							CAP NUT, Antenna
5	2860 332	1							PLUG, Anti-Rattle
6	5600 6990	1							PLUG, Sealing
7	56043 088AB	1							ADAPTER, Antenna
-8									HANDS FREE KIT, Cellular Phone
	8220 7772	1							Nokia 5000 & 6000 Series Model
	8220 7773	1							Nokia 3000 & 8000 Series Model (Except 8260 Model)
	8220 7774	1							Ericksson Models
	8220 7775	1							Motorola Models
	8220 7776	1							Samsung Model
	8220 7803	1							Nokia 8260 Model
	8220 7853	1							Pieker Acustic Model
-9	5102 013AB-	1							CABLE, Antenna, Satelite Radio
-10	82206 488AA-	1							RECEIVER, Satelite
-11	56043 276AB-	1							ANTENNA, Global Positioning, [RB4]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Overhead Console Figure 08A-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Overhead Console
	YQ17 TL2AA	1			61, 62				Lens & Bulbs Included with Housing (Beige)
		1			41, 42				Lens & Bulbs Included with Housing (Beige)
2									BULB, 212-2
	L002 1202	2			61, 62				
		2			41, 42				
3									LENS, Reading Lamp
	5073 070AA	1			61, 62				Right
		1			41, 42				Right
	5073 071AA	1			61, 62				Left
		1			41, 42				Left
4									BRACKET, Overhead Console
	5102 972AA	1			61, 62				
		1			41, 42				
5									MODULE, Overhead Console
	56049 706AA	1			61, 62				Without Universal Garage Door Opener
		1			41, 42				Without Universal Garage Door Opener
	56049 707AA	1			61, 62				With Universal Garage Door Opener
		1			41, 42				With Universal Garage Door Opener
6									WIRING, Overhead Console, Serviced with Housing Only, (NOT SERVICED) (Not Serviced)
7									CLIP, Console, Serviced with Housing Only, (NOT SERVICED) (Not Serviced)




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**



Floor Console  
Figure 08A-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:  
[DBB] = All Manual Transmissions  
[DG0] = All Automatic Transmissions

1	5GT26 1DVAB	1					DD0, DEE		CONSOLE, Floor [DV]
	5GT26 1L5AB	1					DD0, DEE		[L5]
	ZG78 1DVAA	1					DEC		[DEC][DV]
2	5GT28 WL5AA	1	6, 7, 8				DG0		BEZEL, Transfer Case [L5]
	5GT28 XDVAA	1	6, 7, 8				DG0		[DV]
3	5GT27 DX9AB	1	1, 2, 3				DBB		BIN, Floor Console Black
		1	6, 7, 8				DBB		Black
4	5029 726AA	2					DEC		MAT, Console Cup Holder, SRT 10
5	5HA80 DX9AA	1					DD0, DEE		MAT, Console Cup Holder Black, Right
	5HA81 DX9AA	1					DD0, DEE		Left
6	5HD65 DX9AC	1			41, 42				CUP HOLDER, Rear Seat, Black
7	5HF60 DX9AA	1					DD0, DEE		MAT, Floor Console Black
	5029 727AA	1					DEC		SRT 10
8									SCREW, 190-16X.70, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – 009

## Engine and Transmission Mounting


### GROUP 9 - Engine and Transmission Mounting


Illustration Title

Group-Fig. No.


#### Engine Mounting

Engine Mounting Front, 3.7L [EKG]	Fig. 009-110
Engine Mounting Rear, 3.7L [EKG]	Fig. 009-115
Engine Mounting Front, 4.7L [EVA] - 2WD	Fig. 009-120
Engine Mounting Front, 4.7L [EVA] - 4WD, 5.7L [EZA] 2WD/4WD	Fig. 009-125
Engine Mounting Rear, 4.7L [EVA] - 2WD	Fig. 009-130
Engine Mounting Rear, 4.7L [EVA] - 4WD	Fig. 009-135
Engine Mounting Rear, 5.7L [EZA] - 2WD	Fig. 009-140
Engine Mounting Rear, 5.7L [EZA] - 4WD	Fig. 009-145
Engine Mounting Front/Rear, 5.9LD [ETC, ETH] - 2WD/4WD	Fig. 009-155
Engine Mounting Front 8.3L [EWC]	Fig. 009-160
Transmission Rear, 8.3L [EWC]	Fig. 009-165



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--

Engine Mounting Front, 3.7L [EKG]  
Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EK0]= All 3.7L, 6 Cylinder Gas Engines


[EV0]= All 4.7L, 8 Cylinder Gas Engines

1	52020 601AD	1	1			EK0			INSULATOR, Engine Mount, Left
2	6503 699	8	1			EK0, EV0, EZ0			SCREW AND WASHER, Hex Head, M10x1.5x28
3	6507 608AA	2	1						SCREW AND WASHER, Hex Head
4									NUT, Hex Flange, M12x1.75, (NOT SERVICED) (Not Serviced)
5	52021 600AE	1	1			EK0			INSULATOR, Engine Mount
6	55366 020AA	1	1			EK0			SNUBBER, engine support, Right

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Engine Mounting Rear, 3.7L [EKG]  
Figure 009-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DDC]= 5 Speed Heavy Duty Manual Transmission									
[DG4]= Multi Speed Automatic Transmission 45RFE									
[DG0]= All Automatic Transmissions									
[EK0]= All 3.7L, 6 Cylinder Gas Engines									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
1	52020 853AB	1	1			EK0, EV0, EZ0	DG4, DGQ		BRACKET, Transmission Mount
2	52021 320AB	1	1			EK0, EV0, EZ0			BRACKET AND INSULATOR, Transmission Support
3	6033 358	3	1				DG0		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
4	52020 936AB	1	1			EK0, EV0	DDC		BRACKET, Transmission Mount
5									SCREW AND WASHER, Hex Head Locking, .437-14x1.25
	6033 358	3	1				DG0		
		2	1, 6				DDC		
		3	2, 3				DG4,		
							DGP		
		4	2, 3, 7, 8				DEE		
		2	2, 3, 7, 8				DDP, DDX		
6	6101 510	2	1				DDC		NUT, Flange Lock, M10x1.50
7	52021 320AB	1	1			EK0, EV0, EZ0			BRACKET AND INSULATOR, Transmission Support
8	6506 019AA	2							BOLT AND WASHER, Hex Head, M10x1.5x30
9	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Engine Mounting Front, 4.7L [EVA] - 2WD  
Figure 009-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EK0]= All 3.7L, 6 Cylinder Gas Engines									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
1	6503 699	8	1			EK0, EV0, EZ0			SCREW AND WASHER, Hex Head, M10x1.5x28
2	6507 608AA	2	1						SCREW AND WASHER, Hex Head
3	52020 603AC	1	1			EV0			INSULATOR, Engine Mount, Left Front
4	6502 585	2	1						NUT
5	52020 602AD	1	1			EV0			INSULATOR, Engine Mount, Right Front
6	55366 020AA	1	1			EV0			SNUBBER, engine support



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Engine Mounting Front, 4.7L [EVA] - 4WD, 5.7L [EZA] 2WD/4WD  
Figure 009-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes:

[DDC] = 5 Speed Heavy Duty Manual Transmission

[DGQ] = 5 Speed Automatic 5-45RF Transmission

[DG4] = Multi-Speed Automatic 45RF Transmission

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1	52020 564AC	1	6			EV0			BRACKET, Engine Mount Right
	52110 082AC	1	6			EZ0			Right
2	52110 053AC	1	6			EV0	DG4, DGQ		BRACKET, Engine Mount Left
	52110 084AC	1	6			EZ0	DG4, DGQ		Left
3	6101 557	4	6						BOLT AND WASHER, Hex Head, M12x1.75x80
4	6100 056	4	6						NUT AND WASHER, Hex, M12x1.75
5	6506 560AA	3	6			EV0, EZ0			SCREW AND WASHER, Hex Head
6	6500 158	8	6			EV0, EZ0			SCREW AND WASHER, Hex Head, M10x1.5x25, Engine Bracket To
									Block
7	6036 385AA	1	6			EV0	DDC		SCREW AND WASHER, Hex Head, .437-14x2.00, Pinion Nose Bracket to Transmission Outboard
8	6506 860AA	1	6			EV0	DDC		SCREW AND WASHER, Hex Head, M10x1.5x50, Pinion Nose Bracket to Transmission Inboard
9	6101 060	2	6			EV0, EZ0	DG4, DGQ		SCREW AND WASHER, Hex Head, M10x1.5x30, Pinion Nose Bracket to Transmission
10	6507 608AA	2	1						SCREW AND WASHER, Hex Head, Insulator to Frame
11	6502 585	2	1						NUT
		2	2, 3, 7, 8						
12	52020 605AC	1	6			EV0, EZ0			INSULATOR, Engine Mount Front Left
	52110 089AC	1	1			EZ0			Front Left


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Mounting Front, 4.7L [EVA] - 4WD, 5.7L [EZA] 2WD/4WD  
Figure 009-125




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6503 712	2	6						SCREW, Left Insulator to Axle
14	52020 604AD	1	6			EV0, EZ0			INSULATOR, Engine Mount, Front Right
15	6502 725	2	6						BOLT, Hex Flange, M12x1.75x90, Right Insulator to Axle
16									NUT, M12x1.75, (NOT SERVICED) (Not Serviced)
17	52110 055AF	1	6			EV0	DDC		BRACKET, Pinion Nose Bracket, Front Left
18									BRACKET, Engine Mount
	52021 138AA	1	2, 3, 7, 8			EZ0			Front Right
	52021 139AA	1	2, 3			EZ0			Front Left
	52021 163AA	1	7, 8			EZ0			Front Left
19	6503 699	8	2, 3, 7, 8			EZ0			SCREW AND WASHER, Hex Head, M10x1.5x28, Mounting Bracket to Engine
20	52021 713AB	2	2, 3, 7, 8			EZ0			INSULATOR, Engine Mount
21	6503 699	6	2, 3, 7, 8						SCREW AND WASHER, Hex Head, M10x1.5x28, Insulator to Mounting Bracket
22	52110 086AC	1	1			EZ0			INSULATOR, Engine Mount, Right Front
23	55366 020AA	1	1			EV0			SNUBBER, engine support

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Engine Mounting Rear, 4.7L [EVA] - 2WD  
Figure 009-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DDC]= 5 Speed Heavy Duty Manual Transmissions									
[DGT]= 4 Speed Automatic Transmission 46RE									
[DG4]= Multi Speed Automatic Transmission 45RFE									
[DG0]= All Automatic Transmissions									
[EK0]= All 3.7L, 6 Cylinder Gas Engines									
[EM0]= All 5.9L, 8 Cylinder Gas Engines									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
[EZA]= 'Magnum' 5.7L SMPI V8									
1	52020 853AB	1	1			EK0, EV0, EZ0	DG4, DGQ		BRACKET, Transmission Mount
2	6033 358	3	1				DG0		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
3	52855 231AA	1	1			EK0, EV0			BRACKET AND INSULATOR, Transmission Support
4	6506 019AA	2							BOLT AND WASHER, Hex Head, M10x1.5x30
5	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
6	52020 936AB	1	1			EK0, EV0	DDC		BRACKET, Transmission Mount
7	6033 358	2	1, 6				DDC		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
8	6101 510	2	1				DDC		NUT, Flange Lock, M10x1.50

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Engine Mounting Rear, 4.7L [EVA] - 4WD  
Figure 009-135



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes:  
[DDC] = 5 Speed Heavy Duty Manual Transmission  
[DGQ] = 5 Speed Automatic 5-45RF Transmission  
[EVO] = All 4.7L Engines  
[EZO] = All 5.7L 8 Cylinder Engines


1	52020 970AC	1	6			EVO	DDC		BRACKET, Transmission Mount
2	6033 358	2	1, 6				DDC		SCREW AND WASHER, Hex Head Locking, .437-14x1.25, Support Bracket to Insulator
3	52110 036AC	1	6			EVO			BRACKET AND INSULATOR, Transmission Support
4	6506 019AA	2							BOLT AND WASHER, Hex Head, M10x1.5x30
5	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
6	52020 546AB	1	6			EVO, EZO	DG4, DGQ		BRACKET, Transmission Mount
7	6503 699	4	6			EVO, EZO	DG4, DGQ		SCREW AND WASHER, Hex Head, M10x1.5x28

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Engine Mounting Rear, 5.7L [EZA] - 2WD  
Figure 009-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes:									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DGQ] = 5 Speed Automatic 5-45RF Transmission									
[DG0] = All Automatic Transmissions									
[DG4] = Multi-Speed Automatic 45RF Transmission									
[EK0] = All 3.7L V6 Engines									
[EV0] = All 4.7L Engines									
[EZ0] = All 5.7L 8 Cylinder Engines									
1	52020 853AB	1	1			EK0, EV0, EZ0	DG4, DGQ		BRACKET, Transmission Mount
2	52021 130AA 6033 358	1 3	2, 3 1				DGQ DG0		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
3									BRACKET AND INSULATOR, Transmission Support
	52021 320AB	1	1			EK0, EV0, EZ0			
4	52021 470AB 6506 019AA	1 2	2, 3, 7, 8						BOLT AND WASHER, Hex Head, M10x1.5x30
5	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
6	52021 103AA	1	2, 3, 7, 8				DDP, DDX		BRACKET, Transmission Mount
7	6033 358	2	2, 3, 7, 8				DDP, DDX		SCREW AND WASHER, Hex Head Locking, .437-14x1.25

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Engine Mounting Rear, 5.7L [EZA] - 4WD  
Figure 009-145



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes:

[DDP] = 5 Speed Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DGQ] = 5 Speed Automatic 5-45RF Transmission

[DG4] = Multi-Speed Automatic 45RF Transmission

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1	52020 546AB	1	6			EV0,	DG4,		BRACKET, Transmission Mount
	52021 131AA	1	7, 8			EZ0	DGQ		
						EZ0	DG4,		
							DGQ		
2									SCREW AND WASHER, Hex Head, M10x1.5x28
	6503 699	4	7, 8				DGQ		
		4	6			EV0,	DG4,		
						EZ0	DGQ		
3									BRACKET AND INSULATOR, Transmission Support
	52021 470AB	1	2, 3, 7, 8						
	52110 036AC	1	1, 6			EZ0			
4	6506 019AA	2							BOLT AND WASHER, Hex Head, M10x1.5x30
5	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
6	52021 103AA	1	2, 3, 7, 8				DDP,		BRACKET, Transmission Mount
							DDX		
7	6033 358	2	2, 3, 7, 8				DDP,		SCREW AND WASHER, Hex Head Locking, .437-14x1.25
							DDX		

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Mounting Front/Rear, 5.9LD [ETC, ETH] - 2WD/4WD  
Figure 009-155

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes: [DDX] = 5 Speed Heavy Duty Manual Transmission [DEE] = 6 Speed Heavy Duty Manual Transmission [DG8] = 4 Speed Automatic 48RE Transmission [ETC] = 5.9L Cummins 24 Valve Diesel Engine [ETH] = 5.9L High Output Cummins Turbo Diesel Engine									
1	52121 157AA	1	2, 3			ET0	DG8, DGP DG8		DAMPER, Mass
2	6033 358	3	2, 3						SCREW AND WASHER, Hex Head Locking, .437-14x1.25
3	52021 470AB	1	2, 3, 7, 8						BRACKET AND INSULATOR, Transmission Support
4	6506 019AA	2							BOLT AND WASHER, Hex Head, M10x1.5x30
5	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
6	52021 103AA	1	2, 3, 7, 8				DDP, DDX DEE		BRACKET, Transmission Mount
7	52021 129AA 6503 699	1 6	2, 3, 7, 8 2, 3, 7, 8			ET0			SCREW AND WASHER, Hex Head, M10x1.5x28
8	52021 105AA	1	7, 8			ET0, EW0	DG8, DGP		BRACKET, Transmission Mount
9	6503 699	6	2, 3, 7, 8						SCREW AND WASHER, Hex Head, M10x1.5x28
10	52021 135AA 52021 136AA	1 1	2, 3 2, 3, 7, 8			ET0 ET0			BRACKET, Engine Mount Front Left Front Right
11	52021 137AA 52021 712AA	1 2	7, 8 2, 3, 7, 8			ET0 ET0, EW0			INSULATOR, Engine Mount
12	6503 699	6	2, 3, 7, 8						SCREW AND WASHER, Hex Head, M10x1.5x28, Insulator to Mounting Bracket
13	6507 250AA	8	2, 3, 7, 8			ET0			SCREW, Hex Flange Head, Insulator to Block


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Engine Mounting Front 8.3L [EWC]  
Figure 009-160


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5037 422AA	1	1, 6			EWC			BRACKET, Engine Mount, Right
2	5037 423AA	1	1, 6			EWC			BRACKET, Engine Mount, Left
3	5037 424AA	1	1, 6			EWC			INSULATOR, Engine Mount, Right
4	5037 425AA	1	1, 6			EWC			INSULATOR, Engine Mount, Left
5	6101 962	4	1, 6			EWC			BOLT, Hex Flange Head
6	6502 697	4	1, 6			EWC			NUT, Hex Flange Lock, M12x1.75
7									SCREW, (NOT SERVICED) (Not Serviced)



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Transmission Rear, 8.3L [EWC]  
Figure 009-165

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5037 470AA	1	1			EWC	DEC		BRACKET, Transmission Mount
2	52110 036AC	1	1			EWC			BRACKET AND INSULATOR, Transmission Support
3	6501 596	2	1				DEC		SCREW AND WASHER, Hex Head, M10x1.5x45
4	6506 019AA	2	1				DEC		BOLT AND WASHER, Hex Head, M10x1.5x30



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 3.7L

## Engine 3.7L Six Cylinder

### GROUP 3.7L - Engine 3.7L Six Cylinder

Illustration Title

Group-Fig. No.

#### Cylinder Head

Cylinder Head 3.7L [EKG] ..... Fig. 3.7L-210

#### Cylinder Block

Cylinder Block 3.7L [EKG] ..... Fig. 3.7L-310

#### Crankshaft, Piston and Torque Converter

Crankshaft, Piston and Torque Converter 3.7L [EKG] ..... Fig. 3.7L-410

#### Camshafts & Valves

Camshaft And Valves, 3.7L [EKG] ..... Fig. 3.7L-510

#### Timing Belt and Cover

Timing Cover 3.7L [EKG] ..... Fig. 3.7L-610

Timing Chain And Guides, 3.7L [EKG] ..... Fig. 3.7L-620

#### Engine Oiling


Engine Oiling, 3.7L [EKG] ..... Fig. 3.7L-710









#### Manifolds

Manifolds 3.7L [EKG] ..... Fig. 3.7L-810


#### Crankcase Ventilation

Crankcase Ventilation 3.7L [EKG] ..... Fig. 3.7L-910



<b>3.7L-200</b> Cylinder Head	<b>3.7L-300</b> Cylinder Block	<b>3.7L-400</b> Crankshaft, Piston and Torque Converter	<b>3.7L-500</b> Camshafts & Valves
			
<b>3.7L-600</b> Timing Belt and Cover	<b>3.7L-700</b> Engine Oiling	<b>3.7L-800</b> Manifolds	<b>3.7L-900</b> Crankcase Ventilation
			

# Cylinder Head 3.7L [EKG] Figure 3.7L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Upper Gasket Package Contains: Cylinder Head and Cylinder Head Cover Gaskets, Intake and Exhaust Manifold Gaskets, Throttle Body Gasket, Valve Guide Seals, Access Hole O-Ring, Oil Fill Housing Gasket and Crankcase Vent Valve O-Rings									
Sales Codes									
[EK0] = All 3.7L 6 Cylinder Gas Engines									
-1									GASKET PACKAGE, Engine Upper, See Notes
	5135 792AA-	1				EK0	DBB		
		1				EK0	DG0		
2	53020 987AB	1				EK0			HEAD, Cylinder, Left
3	53020 988AB	1				EK0			HEAD, Cylinder, Right
4	6506 785AA	8				EK0			SCREW AND WASHER, Hex Head
5	6505 528AA	16				EK0			SCREW AND WASHER, Hex Head
6	5302 0989	2				EK0			GASKET, Cylinder Head, Left and Right
7	1122 532	2				EK0, EV0			DOWEL, Block To Clutch Housing
8									GASKET, Valve Cover
	5302 0991	1				EK0			Left
	5302 0992	1				EK0			Right
9	5302 0995	1				EK0			COVER, Cylinder Head, Left
10	5302 0996	1				EK0			COVER, Cylinder Head, Right
11									SCREW
	53021 309AA	5				EK0			Left
		4				EK0			Right
12									STUD, Serviced With Valve Cover, (NOT SERVICED) (Not Serviced)
13	4556 020	2				EK0			PLUG, Core, 1.25 Diameter, Water Jacket Core
14	6036 307AA	1				EK0			PLUG, Oil Gallery .25-18x.413, Rear of Head
15	6036 308AA	2				EK0			PLUG, [.375-18x.475], Water Jacket Vent
16	5302 1031	1				EK0, EV0			PLUG, Access Hole
17	5302 1032	1				EK0, EV0			O RING

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Cylinder Block 3.7L [EKG] Figure 3.7L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Lower Gasket Package contains: Front and Rear Crankshaft Seals, Oil Pick Up Tube Seal; Oil Pan, Chain Case and Water Pump Gaskets; Chain Case Cover and Oil Tube O-Rings

Sales Codes

[EK0] = All 3.7L 6 Cylinder Gas Engines

-1									GASKET PACKAGE, Engine Lower, See Notes
	5135 793AA-	1				EK0	DBB		
		1				EK0	DG0		
2	5103 475AA	1				EK0			BLOCK, Short
3									BEDPLATE, Serviced With Short Block, (NOT SERVICED) (Not Serviced)
4	1122 532	2				EK0,			DOWEL, Block To Clutch Housing
						EV0			
5	6034 804	8				EK0			PLUG, Core, 1.39 Diameter
6									BUSHING, Balance Shaft, Serviced In Short Block Only, (NOT SERVICED) (Not Serviced)
7	6034 804	8				EK0			PLUG, Core, 1.39 Diameter
8	6102 156AA	5				EK0			SCREW, Hex Flange Head, M8x1. 25x44
9	6506 187AA	2				EK0			STUD
10	6505 394AA	6				EK0			SCREW AND WASHER
11	6504 410	7				EK0			SCREW, Hex Head
12	4663 942	1				EK0			PLUG, Core, 1.50 Diameter
13	6036 307AA	3				EK0			PLUG, Cylinder Block Coolant Drain, [.25-18x.413]
14	6036 114AA	4				EK0,			PLUG, Pipe, Cylinder Block Oil Hole, [.50-14x.56]
						EV0			
15	53010 533AA	5				EK0			DOWEL


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Crankshaft, Piston and Torque Converter 3.7L [EKG] Figure 3.7L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: For Crankshaft Identification, Stamping Location and Bearing Information Refer to the Service Manual									
Sales Codes:									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
[EK0] = All 3.7L 6 Cylinder Gas Engines									
1	5019 316AA	6				EK0			PISTON PIN AND ROD, STD
2	6504 720	12				EK0			BOLT, Connecting Rod
3	5012 364AC	6				EK0			RING PACKAGE, Piston, Standard Size
4	5019 447AA	12				EK0			BEARING PACKAGE, Connecting Rod, Standard
5	6504 415	1				EK0, EV0			SCREW AND WASHER
6	53020 689AB	1				EK0, EV0			DAMPER, Crankshaft
7	53020 959AB	1				EK0			CRANKSHAFT
8									BEARING PACKAGE, Crankshaft, A Grade
	5066 733AA	2				EK0			[R] Crankshaft, Mains 1 and 4
	5066 734AA	2				EK0			[R] Crankshaft, Mains 2 and 3
	5066 735AA	2				EK0			[S] Crankshaft, Mains 1 and 4
	5066 736AA	2				EK0			[S] Crankshaft, Mains 2 and 3
	5066 737AA	2				EK0			[T] Crankshaft, Mains 1 and 4
	5066 738AA	2				EK0			[T] Crankshaft, Mains 2 and 3
	5066 739AA	2				EK0			[U] Crankshaft, Mains 1 and 4
	5066 740AA	2				EK0			[U] Crankshaft, Mains 2 and 3
9	5012 356AB	1				EK0, EV0			WASHER PACKAGE, Washer, Thrust
10									RING, Tone, Serviced with Crankshaft, (NOT SERVICED) (Not Serviced)
11	6504 480	3				EK0			SCREW, M6x1x25
12	53009 180AB	1				EK0, EV0, EZ0	DBB		BEARING, Pilot
13	5302 0788	1				EK0, EV0			SEAL, Crankshaft Bearing Oil
14	53020 688AB	1				EK0, EV0	DBB		FLYWHEEL


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Crankshaft, Piston and Torque Converter 3.7L [EKG]  
Figure 3.7L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	6504 398	8				EK0, EV0	DBB		SCREW
16	5210 4048	1				EK0, EV0	DG0		PLATE, Torque Converter Drive
17	6503 465	8				EK0	DG0		BOLT, Drive Plate and Flywheel
18	4736 582	1	1, 2, 3			EK0	DG4, DGQ		TORQUE CONVERTER
19	1949 765	4				EK0, EV0, EZ0	DG0		SCREW, Hex Head Header Point, .312-24x.44, Driveplate to Conv

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Camshaft And Valves, 3.7L [EKG] Figure 3.7L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EK0]= All 3.7L 6 Cylinder Gas Engines									
1	6505 034AA	8				EK0			SCREW, M6x1x40
2									CAP, Serviced With Head Only, (NOT SERVICED) (Not Serviced)
3	6036 473AA	1				EK0			WASHER
4	53021 203AB	1				EK0			CAMSHAFT, Engine, Left
5	53021 204AB	1				EK0			CAMSHAFT, Engine, Right
6	6100 902	1				EK0			DOWEL, M6x14
7	53021 913AA	12				EK0			ROCKER ARM, Valve
8	5302 1077	12				EK0			ADJUSTER, Valve Lash
9	4556 020	2				EK0			PLUG, Core, 1.25 Diameter
10	53020 987AB	1				EK0			HEAD, Cylinder, Left
11	53020 988AB	1				EK0			HEAD, Cylinder, Right
12	4536 513AB	24				EK0			LOCK, Valve Spring Retainer
13	4781 090AA	12				EK0			RETAINER, Valve Spring
14									SPRING, Valve
15	53021 775AA	6				EK0			Intake
	53021 873AA	6				EK0			After [12/17/02, Exhaust
									INSERT, Valve Guide, Serviced With Head Only, (NOT SERVICED) (Not Serviced)
16	53020 752AD	12				EK0			SEAL, Valve Guide
17	53021 916AA	6				EK0			VALVE, Exhaust, Standard, After [12/17/02]
18									SEAT, Exhaust Valve, Serviced With Head Only, (NOT SERVICED) (Not Serviced)
19	53020 747AB	6				EK0			VALVE, Intake, Standard
20									SEAT, Intake Valve, Serviced With Head Only, (NOT SERVICED) (Not Serviced)

## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Timing Cover 3.7L [EGK]  
Figure 3.7L-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes


[EK0] = All 3.7L 6 Cylinder Gas Engines

1	53021 238AB	1				EK0			COVER, Timing Belt
2									PIPE FITTING, Chain Case Cover, .375-18x2, Serviced with Cover, (NOT SERVICED) (Not Serviced)
3	6036 308AA	3				EK0			PLUG, Also serviced wih Cover
4	6035 854	2				EK0			FITTING, Y-Style, Also serviced wih Cover
5	53021 313AA	1				EK0			SEAL, Crankshaft Oil, Front, Also serviced wih Cover
6	53021 226AA	1				EK0			GASKET, Chain Case Cover, Also serviced wih Cover
7	53021 239AA	2				EK0			O RING, Also serviced wih Cover
8	6505 293AA	1				EK0, EV0			STUD
9	6507 776AA	3				EK0			SCREW, Hex Flange Head
10	6102 380AA	5				EK0, EV0			SCREW, Hex Flange Head
11	6102 381AA	5				EK0, EV0			SCREW, Hex Flange Head



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Timing Chain And Guides, 3.7L [EKG] Figure 3.7L-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EK0]= All 3.7L, 6 Cylinder Gas									
1	5019 423AC	1				EK0			TIMING DRIVE PACKAGE, Engine
2	5302 0681	1				EK0			TENSIONER, Chain, Primary
3	6504 471	1				EK0,			KEY, Woodruff
4	5302 0818	1				EV0			SHAFT, Balance
5	53021 291AD	1				EK0			SPROCKET, Camshaft, Right
6	6504 429	2				EK0,			SCREW AND WASHER, Hex
7	6101 452	1				EV0			SCREW AND WASHER, Hex Head, M8x1.25x20
8	6503 257	5				EK0			BOLT, Hex Head, M8x1.25x37.50
9	6506 028AA	2				EK0			SCREW
10	53021 249AA	1				EK0			TENSIONER, Chain Secondary, Right
	53021 250AA	1				EK0			Secondary, Left
11	53021 290AA	1				EK0			SPROCKET, Camshaft, Left
12	6102 111AA	2				EK0,			SCREW AND WASHER
						EV0			
13	6102 190AA	1				EK0			SCREW
14	5302 0835	1				EK0,			SHAFT, Idler
						EV0			
15	53021 298AB	1				EK0			SHAFT, Balance, Driver
16	53021 170AA	1				EK0			SPROCKET, Idler
17	5302 0679	1				EK0			SPROCKET, Crankshaft
18	53021 171AA	1				EK0			RETAINING RING, Idler
19	6504 370	1				EK0,			SCREW AND WASHER, Hex
						EV0			

## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Engine Oiling, 3.7L [EKG] Figure 3.7L-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Code

[EK0]= All 3.7L 6 Cylinder Gas Engine

[EV0]= All 4.7L Gas Engines


1	6100 932	1				EK0, EV0			BOLT, Hex
2	53032 389AC	1				EK0, EV0			CAP, Oil Filler
3	53032 126AA	1				EK0, EV0			BAFFLE, Oil Fill, None
4	5302 0890	1				EK0, EV0			HOUSING, Oil Fill
5	53032 800AA	1				EK0, EV0			VALVE, Crankcase Vent
-6	53031 711AA-	1				EK0, EV0			O RING
7	53020 889AB	1				EK0, EV0			GASKET, Oil Fill Housing
8	6505 504AA	4				EK0, EV0			SCREW
-9	6505 566AA-	1				EK0, EV0			STUD, Oil Filler Housing
10	6036 114AA	4				EK0, EV0			PLUG, Pipe
11	5302 0827	1				EK0, EV0			PUMP, Engine Oil
12	53021 636AC	1				EK0			INDICATOR, Engine Oil Level
13	53021 637AA	1				EK0			TUBE, Engine Oil Indicator
14	53021 144AA	1				EK0			O RING, Engine Oil Indicator
15	6102 050AA	1				EK0			SCREW, Hex Flange Head, M6.3 x 1.81 x 15.00
16	6504 810AA	1				EK0, EV0			SCREW AND WASHER, Hex
17	4868 672AA	1				EK0, EV0			SWITCH, Oil Pressure
18	5300 7563	1				EK0, EV0			CONNECTOR, Oil Filter
19	4781 452AA	1				EK0			FILTER, Engine Oil
20	53021 001AB	1				EK0			GASKET, Oil Pan
21	5302 0861	1				EK0, EV0			SEAL, Oil Pick Up Tube

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



### Engine Oiling, 3.7L [EKG] Figure 3.7L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	53021 776AA	1				EK0			TUBE, Oil Pickup
23	6102 046AA	1				EK0, EV0			SCREW AND WASHER
24	6502 756	2				EK0			NUT, Hex Lock, M8x1.25
25	53021 779AB	1				EK0			PAN, Engine Oil
26	6504 810AA	17				EK0			SCREW AND WASHER, Hex
27	6506 100AA	1				EK0			PLUG, Oil Drain
28	53032 515AB	1				EK0			TROUGH, Drip

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**



Manifolds 3.7L [EKG]  
Figure 3.7L-810

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes

[EK0] = All 3.7L 6 Cylinder Gas Engines

1	53031 080AF	1				EK0			MANIFOLD, Intake
2	6505 500AA	7				EK0			STUD
3	6505 499AA	1				EK0			SCREW
4	53010 310AB	6				EK0			SEAL, Intake Manifold
5									GASKET, Exhaust Manifold
	5303 1090	1				EK0			Right
	5303 1091	1				EK0			Left
6									MANIFOLD, Exhaust
	53032 418AC	1				EK0			Right
	53032 613AA	1				EK0			Left
7	6507 746AA	4				EK0			BOLT, Exhaust Manifold
8	6507 936AA	8				EK0			STUD, Exhaust Manifold


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankcase Ventilation 3.7L [EKG]  
Figure 3.7L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Code:

[EV0] = All 4.7L V-8 Engines

1	53031 133AE	1				EK0			TUBE, Crankcase Vent To Air Cleaner
2	53032 800AA	1				EK0, EV0			VALVE, Crankcase Vent
3	53031 711AA	1				EK0, EV0			O RING
4	53032 818AB	1				EK0, EV0			HOSE, Crankcase Vent Up to 8-25-2003
	53032 818AC	1				EK0, EV0			8-25-2003 and after
5	53030 850AB	2				EK0, EV0			BREATHER, Crankcase
-6	6035 854	2				EK0, EV0			FITTING, Y-Style, Cylinder Head

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual









Group – 4.7L  
Engine 4.7L Eight Cylinder

GROUP 4.7L - Engine 4.7L Eight Cylinder


Illustration Title Group-Fig. No.

<b>Cylinder Head</b>	
Cylinder Head, 4.7L, [EVA] .....	Fig. 4.7L-210
<b>Cylinder Block</b>	
Cylinder Block, 4.7L [EVA] .....	Fig. 4.7L-310
<b>Crankshaft, Pistons and Torque Converter</b>	
Crankshaft,Pistons, Bearings, Torque Converter And Flywheel [EVA] .....	Fig. 4.7L-410
<b>Camshafts and Valves</b>	
Camshaft And Valves, 4.7L [EVA] .....	Fig. 4.7L-510
<b>Timing Belt and Cover</b>	
Timing Cover, 4.7L [EVA] .....	Fig. 4.7L-610
Timing Chain And Guides, 4.7L [EVA] .....	Fig. 4.7L-620
<b>Engine Oiling</b>	
Engine Oiling 4.7L [EVA] .....	Fig. 4.7L-710
<b>Manifolds</b>	
Manifolds, Intake and Exhaust 4.7L .....	Fig. 4.7L-810
<b>Crankcase Ventilation</b>	
Crankcase Ventilation, 4.7L [EVA] .....	Fig. 4.7L-910



<b>4.7L-200</b> Cylinder Head	<b>4.7L-300</b> Cylinder Block	<b>4.7L-400</b> Crankshaft, Pistons and Torque Converter	<b>4.7L-500</b> Camshafts and Valves
			
<b>4.7L-600</b> Timing Belt and Cover	<b>4.7L-700</b> Engine Oiling	<b>4.7L-800</b> Manifolds	<b>4.7L-900</b> Crankcase Ventilation
			

Cylinder Head, 4.7L, [EVA]  
Figure 4.7L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Upper Gasket Package Contains: Cylinder Head and Cylinder Head Cover Gaskets, Intake and Exhaust Manifold Gaskets, Throttle Body Gasket, Valve Guide Seals, Access Hole O-Ring, Oil Fill Housing Gasket and Crankcase Vent Valve O-Rings									
Sales Codes									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
-1									GASKET PACKAGE, Engine Upper, See Notes
	5135 797AA-	1				EVA	DBB		
		1				EV0	DG0		
2									COVER, Cylinder Head
	53021 828AA	1				EV0			Black, Right
	53021 829AA	1				EV0			Black, Left
3									SCREW, Serviced in Cylinder Head Cover, (NOT SERVICED) (Not Serviced)
4									STUD, Serviced in Cylinder Head Cover, (NOT SERVICED) (Not Serviced)
5									GASKET, Valve Cover
	53021 842AA	1				EV0			Right
	53021 843AA	1				EV0			Left
6	53020 797AB	1				EV0			HEAD, Cylinder, Left
7	53020 798AB	1				EV0			HEAD, Cylinder, Right
8	53020 673AC	2				EV0			GASKET, Cylinder Head
9	6505 528AA	20				EV0			SCREW AND WASHER, Hex Head
10	6506 785AA	8				EV0			SCREW AND WASHER, Hex Head
11	5302 1031	1				EK0, EV0			PLUG, Access Hole
12	5302 1032	1				EK0, EV0			O RING
13	4556 020	2				EV0			PLUG, Core, 1.25 Diameter
14	6034 331	2				EV0			PLUG, Hex Socket, 3/8-18NPTx.475

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Cylinder Block, 4.7L [EVA]  
Figure 4.7L-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:  
Lower Gasket Package contains: Front and Rear Crankshaft Seals, Oil Pick Up Tube Seal, Oil Pan, Chain Case and Water Pump  
Gaskets,Chain Case Cover and Oil Tube O-Rings

SALES CODES:  
[EV0]= All 4.7L, 8 Cylinder Gas Engines

-1	5135 798AA-	1				EV0	DG0		GASKET PACKAGE, Engine Lower, See Notes
2	5101 957AB	1				EV0			BLOCK, Short
3	6034 804	10				EV0			PLUG, Core, 1.39 Diameter
4	6505 457AA	3				EV0			PIN
5	6036 114AA	4				EK0, EV0			PLUG, Pipe
6	8220 3640	1				EK0,			HEATER PACKAGE, Engine Block
						EV0			
7	56045 794AA	1				EK0, EV0			CORD, Engine Block Heater
8	53010 533AA	2				EV0			DOWEL
9	6034 366	2				EV0			SCREW
10	6505 457AA	3				EV0			PIN
11	6501 445	AR							O RING, Engine Block Heater
12	1122 532	2				EK0, EV0			DOWEL, Block To Clutch Housing




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankshaft,Pistons, Bearings, Torque Converter And Flywheel [EVA]  
Figure 4.7L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
[DGQ] = 5-Speed Automatic 5-45RF									
[EV0] = All 4.7L 8 Cylinder Gas Engines									
1									BEDPLATE, Serviced in Short Block Assembly, (NOT SERVICED) (Not Serviced)
2	6506 187AA	2				EV0			STUD
3	6102 047AA	6				EV0			SCREW, Hex Head, M8x1.25x50
4	6504 411	7				EV0			SCREW
5	6506 186AA	1				EV0			STUD
6	6504 410	5				EV0			SCREW, Hex Head
7	6505 394AA	7				EV0			SCREW AND WASHER
8	53021 387AA	1				EV0			CRANKSHAFT
9	5014 183AB	5				EV0			BEARING PACKAGE, Crankshaft, A Grade
10	5013 586AC	5				EV0			BEARING PACKAGE, Crankshaft, B Grade
11	5014 186AB	5				EV0			BEARING PACKAGE, Crankshaft, C Grade
12	5013 587AA	5				EV0			BEARING PACKAGE, Crankshaft, .025mm Undersize
13	5013 588AA	5				EV0			BEARING PACKAGE, Crankshaft, .25mm Undersize
14	5012 356AB	1				EK0, EV0			WASHER PACKAGE, Washer
15									TONE RING, Sensor, Serviced in Crankshaft Assembly, (NOT SERVICED) (Not Serviced)
16	6504 480	3				EV0			SCREW, M6x1x25
17	5302 0788	1				EK0, EV0			SEAL, Crankshaft Bearing Oil
18	53020 689AB	1				EK0, EV0			DAMPER, Crankshaft
19	6504 415	1				EK0, EV0			SCREW AND WASHER
20	5012 362AC	8				EV0			PISTON PIN AND ROD, STD
21	5012 364AC	8				EV0			RING PACKAGE, Piston, Standard Size

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankshaft,Pistons, Bearings, Torque Converter And Flywheel [EVA]  
Figure 4.7L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	5012 363AB	8				EV0			BEARING PACKAGE, Connecting Rod, Standard
23	6504 720	16				EV0			BOLT, Connecting Rod
24	5210 4048	1				EK0, EV0	DG0		PLATE, Torque Converter Drive
25	6503 465	8				EV0	DG0		BOLT, Drive Plate and Flywheel
26	4736 394AA	1				EV0	DGQ		TORQUE CONVERTER
27	1949 765	4				EK0, EV0,	DG0		SCREW, Hex Head Header Point, .312-24x.44
28	53020 688AB	1				EZ0 EK0, EV0	DBB		FLYWHEEL
29	2843 214	1				EK0,	DBB		GEAR, Flywheel Ring
30	53009 180AB	1				EV0 EK0, EV0, EZ0	DBB		BEARING, Pilot

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Camshaft And Valves, 4.7L [EVA]  
Figure 4.7L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
1	53021 159AC	1				EV0			CAMSHAFT, Engine, Left
2	53021 160AC	1				EV0			CAMSHAFT, Engine, Right
3	53021 161AA	1				EV0			PLUG, Camshaft
4									CAP, Serviced in Cylinder Head Assembly, (NOT SERVICED) (Not Serviced)
5									CAP, Serviced in Cylinder Head Assembly, (NOT SERVICED) (Not Serviced)
6	6505 034AA	10				EV0			SCREW, M6x1x40
7	4536 513AB	32				EV0			LOCK, Valve Spring Retainer
8	4781 090AA	16				EV0			RETAINER, Valve Spring
9	53020 749AC	16				EV0			SPRING, Valve
10	53020 752AD	16				EV0			SEAL, Valve Guide
11									GUIDE, Intake/Exhaust Valve, Standard Size, Serviced in Cylinder Head Assembly, (NOT SERVICED) (Not Serviced)
12									INSERT, Intake Valve, Serviced in Cylinder Head Assembly, (NOT SERVICED) (Not Serviced)
13									INSERT, Exhaust Valve, Serviced in Cylinder Head Assembly, (NOT SERVICED) (Not Serviced)
14	53020 747AB	8				EV0			VALVE, Intake, Standard
15	5302 0748	8				EV0			VALVE, Exhaust, Standard
16	5302 1077	16				EV0			ADJUSTER, Valve Lash
17	53020 742AB	16				EV0			ROCKER ARM, Valve

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Timing Cover, 4.7L [EVA]  
Figure 4.7L-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes

[EV0] = All 4.7L Gas Engines


1	53021 714AC	1				EV0			COVER, Timing Belt
2	6035 854	2				EV0			FITTING, Y-Style, Serviced with Cover
3	53021 313AA	1				EV0			SEAL, Crankshaft Oil, Front, Serviced with Cover
4	53021 226AA	1				EV0			GASKET, Chain Case Cover, Serviced with Cover
5	53021 239AA	2				EV0			O RING, Serviced with Cover
6	6034 331	3				EV0			PLUG, Hex Socket, 3/8-18NPTx.475, Serviced with Cover
7	6034 331	3				EV0			PLUG, Hex Socket, 3/8-18NPTx.475
8	6505 293AA	1				EK0, EV0			STUD
9	6507 776AA	3				EV0			SCREW, Hex Flange Head
10	6102 381AA	5				EK0, EV0			SCREW, Hex Flange Head
11	6102 380AA	5				EK0, EV0			SCREW, Hex Flange Head



DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Timing Chain And Guides, 4.7L [EVA] Figure 4.7L-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
1	5013 867AC	1				EV0			TIMING DRIVE PACKAGE, Engine
2	6504 429	2				EK0, EV0			SCREW AND WASHER, Hex
3	5302 0835	1				EK0, EV0			SHAFT, Idler
4	5013 868AB	1				EV0			SPROCKET, Idler
5	6504 370	1				EK0, EV0			SCREW AND WASHER, Hex
6	6102 111AA	2				EK0, EV0			SCREW AND WASHER
7	6504 440	2				EV0			SCREW
8	6503 257	6				EV0			BOLT, Hex Head, M8x1.25x37.50
9	6504 471	1				EK0, EV0			KEY, Woodruff
10									TENSIONER, Chain
	5302 0779	1				EV0			Right
	53021 168AA	1				EV0			
11	5302 0679	1				EV0			SPROCKET, Crankshaft
12	53021 393AA	1				EV0			SPROCKET, Camshaft, Right
13	5302 0938	1				EV0			SPROCKET, Camshaft, Left
14	6100 932	1				EK0, EV0			BOLT, Hex
15	53021 796AA	2				EV0			GUIDE, Timing Chain
16	5302 0681	1				EV0			TENSIONER, Chain, Primary


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Engine Oiling 4.7L [EVA] Figure 4.7L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EV0]= All 4.7L V-6 Engines									
1	53021 674AB	1				EV0			TUBE, Engine Oil Indicator
2	53021 673AB	1				EV0			INDICATOR, Engine Oil Level
3	6504 810AA	1				EK0,			SCREW AND WASHER, Hex
						EV0			
4	6101 802	1				EV0			NUT
5	53021 144AA	1				EV0			O RING, Engine Oil Indicator
6	5281 090	1				EV0			FILTER, Engine Oil
7	5300 7563	1				EK0,			CONNECTOR, Oil Filter
						EV0			
8	5302 0827	1				EK0,			PUMP, Engine Oil
						EV0			
9	6100 932	1				EK0,			BOLT, Hex
						EV0			
10	5302 0890	1				EK0,			HOUSING, Oil Fill
						EV0			
11	53020 889AB	1				EK0,			GASKET, Oil Fill Housing
						EV0			
12	53032 126AA	1				EK0,			BAFFLE, Oil Fill, None
						EV0			
13	53032 389AC	1				EK0,			CAP, Oil Filler
						EV0			
14	53020 678AC	1				EV0			PAN, Engine Oil
15	6504 810AA	1				EK0,			SCREW AND WASHER, Hex
						EV0			
16	6505 889AA	1				EV0			STUD
17	53020 675AE	1				EV0			GASKET, Oil Pan
18	5302 0828	1				EV0			TUBE, Oil Pickup
19	6102 046AA	1				EK0,			SCREW AND WASHER
						EV0			
20	5302 0861	1				EK0,			SEAL, Oil Pick Up Tube
						EV0			
21	6502 756	3				EV0			NUT, Hex Lock, M8x1.25
22	6505 504AA	4				EK0,			SCREW
						EV0			
-23	6505 566AA-	1				EK0,			STUD
						EV0			
24	6506 100AA	1				EV0			PLUG, Oil Drain

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Manifolds, Intake and Exhaust 4.7L  
Figure 4.7L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:

Sales Codes:

[EV0]= All 4.7L V-8 Engines

1	53013 403AD	1				EV0			MANIFOLD, Intake, Plug 53032410AB Required for NGC Applications
-2	53032 410AB-	1				EV0			PLUG, Intake Manifold
3	53010 310AB	8				EV0			SEAL, Intake Manifold
4	6507 598AA	1				EV0			STUD
5	6507 433AA	2				EV0			SCREW, Hex Flange Head
6	6507 434AA	8				EV0			STUD, Double Ended, Intake Manifold To Head
7									MANIFOLD, Exhaust
	53030 808AD	1				EV0			Right
	53030 809AC	1				EV0			Left
8									GASKET, Exhaust Manifold
	5303 0812	1				EV0			Right
	5303 0813	1				EV0			Left
9	6507 746AA	8				EV0			BOLT, Exhaust Manifold
10	6507 814AA	4				EV0			STUD, Exhaust Manifold
11	6507 936AA	4				EV0			STUD, Exhaust Manifold
-12	4669 657	1				EV0			CAP, Vacuum Port, Intake Manifold


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankcase Ventilation, 4.7L [EVA]  
Figure 4.7L-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Code

[EK0]= All 3.7L 6 Cylinder Gas Engines

1	53030 850AB	2				EK0, EV0			BREATHER, Crankcase
2	53032 800AA	1				EK0, EV0			VALVE, Crankcase Vent
3	5302 0890	1				EK0, EV0			HOUSING, Oil Fill
4	6505 504AA	3				EK0, EV0			SCREW
5	53032 126AA	1				EK0, EV0			BAFFLE, Oil Fill, None
6									HOSE, Crankcase Vent
	53032 818AB	1				EK0, EV0			Up to 8-25-2003
	53032 818AC	1				EK0, EV0			8-25-2003 and after
7	53032 617AD	1				EV0			TUBE, Crankcase Vent To Intake Manifold

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Group – 5.7L  
Engine 5.7L Eight Cylinder

GROUP 5.7L - Engine 5.7L Eight Cylinder


Illustration Title Group-Fig. No.

<b>Cylinder Head</b>	
Cylinder Head 5.7L [EZA] .....	Fig. 5.7L-210
<b>Cylinder Block</b>	
Cylinder Block 5.7L [EZA] .....	Fig. 5.7L-310
<b>Crankshaft, Pistons and Torque Converter</b>	
Crankshaft, Pistons and Torque Converter 5.7L [EZA] .....	Fig. 5.7L-410
<b>Camshafts and Valves</b>	
Camshaft and Valves 5.7L [EZA] .....	Fig. 5.7L-510
<b>Timing Belt and Cover</b>	
Timing Cover and Related Parts 5.7L [EZA] .....	Fig. 5.7L-610
<b>Engine Oiling</b>	
Engine Oiling 5.7L [EZA] .....	Fig. 5.7L-710
<b>Manifolds</b>	
Manifolds, Intake and Exhaust 5.7L [EZA] .....	Fig. 5.7L-820
<b>Crankcase Ventilation</b>	
Crankcase Ventilation .....	Fig. 5.7L-910



<b>5.7L-200</b> Cylinder Head	<b>5.7L-300</b> Cylinder Block	<b>5.7L-400</b> Crankshaft, Pistons and Torque Converter	<b>5.7L-500</b> Camshafts and Valves
<b>5.7L-600</b> Timing Belt and Cover	<b>5.7L-700</b> Engine Oiling	<b>5.7L-800</b> Manifolds	<b>5.7L-900</b> Crankcase Ventilation

Cylinder Head 5.7L [EZA]  
Figure 5.7L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Gasket Kit Contains: 1 Valve Cover Gasket and 4 Spark Plug Well Gaskets									
SALES CODES:									
[EZ0] = All 5.7L, 8 Cylinder Gas Engines									
1	53021 599AE	2				EZ0			COVER, Cylinder Head
2	5114 179AA	2				EZ0			GASKET KIT, Rocker Cover, See
Notes									
3	53021 569AC	8				EZ0			GASKET, Spark Plug Well
4	53021 609BA	1				EZ0			HEAD, Cylinder, Left
-5	53021 608BA-	1				EZ0			HEAD, Cylinder, Right
6									GASKET, Cylinder Head
	53021 620AE	1				EZ0			Right
	53021 621AE	1				EZ0			Left
7	6506 861AA	6				EZ0			SCREW, Hex Flange Head
8	6507 007AA	6				EZ0			STUD, Double Ended
9	6507 366AA	8				EZ0			STUD, Double Ended
10	6506 694AA	20				EZ0			SCREW AND WASHER, Hex Head, M12x1.5x135.0, Primary
11	6506 334AA	10				EZ0			SCREW AND WASHER, Hex Head, M8x1.25x45.0, Secondary
-12	4556 020	2				EZ0			PLUG, Core, 1.25 Diameter
-13	56029 062AC-	2				EZ0			STRAP, Ground

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Cylinder Block 5.7L [EZA]  
Figure 5.7L-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Long Block includes: Short block components plus Complete Heads with Covers, Intake Manifold with Fuel Rail, Chain Case Cover, Oil Pump

Sales Codes

[EZA] = 5.7L Magnum V-8

[EZ0]= All 5.7L, 8 Cylinder Gas Engines

1									BLOCK, Short
	5134 413AA	1	1, 6			EZ0	DG0		
		1	2, 3			EZ0	DG0		
		1	2, 3			EZ0	DBB		
		1	7, 8			EZ0	DG0		
		1	7, 8			EZ0	DBB		
-2									BLOCK, Long
	5142 306AA-	1	2, 3			EZ0	DBB		
		1	7, 8			EZ0	DBB		
		1	1, 6			EZ0	DG0		
3	53032 221AA	4				EZA			PLUG, Cylinder Block, Multiple Displacement Solenoid
4	6034 331	2				EZ0			PLUG, Hex Socket, 3/8-18NPTx.475
-5	5086 009AB-	1				EZ0			BEARING KIT, Camshaft, Standard
6	6036 307AA	2				EZ0			PLUG
7	6036 286AA	1				EZ0			PLUG, Cylinder Block
8	6036 417AA	4				EZ0			PLUG, Cylinder Block
9	5240 849	4				EZ0			DOWEL
10	1122 532	2				EZ0			DOWEL, Block To Clutch Housing
11	56029 215AA	1				EZ0			HEATER, Engine Block
12	56045 762AA	1				EZ0			CORD, Engine Block Heater
13	6102 001	1				EZ0			BOLT AND WASHER, M6x12


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Crankshaft, Pistons and Torque Converter 5.7L [EZA]  
Figure 5.7L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;

SALES CODES:

[DBB]= All Manual Transmissions

[DG0]= All Automatic Transmissions

[EZ0]= All 5.7L 8 Cylinder Gas Engines

1	5086 002AA	8				EZ0			RING PACKAGE, Piston, Standard Size
2	5086 010AB	4				EZ0			PISTON PIN AND ROD Right
	5086 011AB	4				EZ0			Left
3	6506 335AA	8				EZ0			SCREW, Hex Flange Head
4	5086 003AA	8				EZ0			BEARING PACKAGE, Connecting Rod, Standard
5	6506 340AA	1				EZ0			SCREW AND WASHER
6	53021 303AA	1				EZ0			DAMPER, Crankshaft
7	53021 302AA	1				EZ0			CRANKSHAFT
-8									CRANKSHAFT TONE RING, Sensor, Serviced With Crankshaft Assembly, (NOT SERVICED) (Not Serviced)
-9	6504 480	3				EZ0			SCREW, M6x1x25, Serviced With Crankshaft Assembly, Target Ring
10	5083 993AA	5				EZ0			BEARING PACKAGE, Crankshaft, A Grade
-11	5083 994AA-	5				EZ0			BEARING PACKAGE, Crankshaft, B Grade
-12	5083 995AA-	5				EZ0			BEARING PACKAGE, Crankshaft, C Grade
-13	5083 979AA-	1				EZ0			WASHER PACKAGE, Washer
14	53021 335AC	1				EZ0			RETAINER, Crankshaft Rear Oil Seal
15	53021 339AB	1				EZ0			GASKET, Rear Crankshaft Oil Seal, Also Serviced In Retainer Package
16	5203 466	2				EZ0			PIN, Dowel, Also Serviced In Retainer Package, Rear Oil Seal Retainer
17	53021 338AB	1				EZ0			SEAL, Crankshaft Bearing Oil, Also Serviced In Retainer Package
18	6506 342AA	5				EZ0			SCREW, Hex Flange Head


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankshaft, Pistons and Torque Converter 5.7L [EZA]  
Figure 5.7L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	53009 180AB	1				EK0, EV0, EZ0	DBB		BEARING, Pilot
20	4736 587AA	1	1, 2, 3			EZ0	DGQ		TORQUE CONVERTER
		1	6			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
21	5210 4048	1				EZ0	DG0		PLATE, Torque Converter Drive
22	6503 465	8				EZ0	DG0		BOLT, Drive Plate and Flywheel
23	1949 765	4				EK0, EV0, EZ0	DG0		SCREW, Hex Head Header Point, .312-24x.44
24	6507 697AA	10				EZ0			SCREW AND WASHER, Hex, M8x1. 25x45.0
25	6506 272AA	10				EZ0			SCREW, Hex Flange Head, M12x1. 75x91.2
-26	6506 333AA-	1				EZ0			STUD, Double Ended, Bearing Cap
27									CAP, Serviced With Short Block Assembly, (NOT SERVICED) (Not Serviced)
28	53021 562AA	1				EZ0	DBB		FLYWHEEL
29	2843 214	1				EZ0	DBB		GEAR, Flywheel Ring
30	6504 398	8				EZ0	DBB		SCREW, M10x1.0x26.0

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Camshaft and Valves 5.7L [EZA]  
Figure 5.7L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes;									
SALES CODES:									
[EZ0] = All 5.7L, 8 Cylinder Gas Engines									
1	53021 730AC	1				EZ0			CAMSHAFT, Engine
-2	6507 663AA-	1				EZ0			PLUG
3	53021 550AA	8				EZ0			VALVE, Intake, Standard
4	53021 551AA	8				EZ0			VALVE, Exhaust, Standard
5	53021 552AA	2				EZ0			ROCKER ARM, Intake
6	53021 553AA	2				EZ0			ROCKER ARM, Exhaust
7	53021 676AA	16				EZ0			RETAINER, Valve Spring
8	53021 580AB	16				EZ0			SPRING, Valve
9	53021 578AA	16				EZ0			SEAL, Valve Guide
10	53010 515AA	32				EZ0			LOCK, Valve Spring Retainer
-11	6507 072AA-	10				EZ0			SCREW, Hex Flange Head, Rocker Shaft Mounting
12	53021 556AA	8				EZ0			PUSH ROD, Valve, Intake
13	53021 557AA	8				EZ0			PUSH ROD, Valve, Exhaust
14	53021 721AA	4				EZ0			YOKE, Tappet Aligning
15	53021 720AA	4				EZ0			TAPPET, Hyd. Roller
16	6507 067AA	4				EZ0			SCREW, Hex Flange Head

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Timing Cover and Related Parts 5.7L [EZA]  
Figure 5.7L-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;									
SALES CODES:									
[EZ0] = All 5.7L, 8 Cylinder Gas Engines									
1	53021 323AF	1				EZ0			COVER, Timing Case
2	53021 521AC	1				EZ0			GASKET, Chain Case Cover
3	53021 585AB	1				EZ0			SEAL, Crankshaft Oil, Front
-4	6506 343AA-	1				EZ0			STUD
5	6506 697AA	3				EZ0			BUSHING, Timing Cover
6	6506 268AA	1				EZ0			SCREW AND WASHER, Hex
7	6506 270AA	4				EZ0			SCREW AND WASHER, Hex
-8	6506 269AA-	1				EZ0			SCREW AND WASHER, Hex
9	53021 581AB	1				EZ0			TIMING DRIVE KIT, Engine
-10	6507 479AA-	3				EZ0			SCREW AND WASHER, Hex
11	6506 397AA	1				EZ0			KEY, Woodruff
-12	6507 480AA-	1				EZ0			SCREW AND WASHER, Hex, Cam Sprocket
13	6506 332AA	2				EZ0			PIN, Dowel, Timing Cover
14	53021 582AD	1				EZ0			TENSIONER, Belt

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Engine Oiling 5.7L [EZA] Figure 5.7L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes;									
SALES CODES:									
[EZ0] = All 5.7L 8 Cylinder Gas Engines									
1	53021 321AB	1				EZ0			INDICATOR, Engine Oil Level
2	53021 322AB	1				EZ0			TUBE, Oil Gauge
3	6506 407AA	2				EZ0			BOLT
4	53021 144AA	1				EZ0			O RING, Engine Oil Indicator
5	5281 090	1				EZ0			FILTER, Engine Oil
6									CONNECTOR, Oil Filter Adapter
	4104 511AB	1	1, 2, 3, 6			EZ0			
		1	7, 8			EZ0			
7	53021 610AE	1	7, 8			EZ0			ADAPTER, Oil Filter
-8	53021 661AC-	1	7, 8			EZ0			SEAL, Outer
-9	53021 660AC-	1	7, 8			EZ0			SEAL, Inner
-10	6102 041AA-	3	7, 8			EZ0			SCREW
11	53021 622AD	1				EZ0			PUMP, Engine Oil
12	6101 383	4				EZ0			SCREW AND WASHER, Hex Head, M8x1.25x55
13									HOUSING, Oil Fill, Serviced With Intake Manifold Assembly, (NOT SERVICED) (Not Serviced)
14	53032 372AB	1				EZ0			CAP, Oil Filler
15	53021 334AF	1				EZ0			PAN, Engine Oil
16	6505 889AA	3				EZ0			STUD
17	6506 407AA	18				EZ0			BOLT
18	53021 568AE	1				EZ0			GASKET, Oil Pan
19	53021 522AC	1				EZ0			TUBE, Oil Pickup
20	6102 046AA	1				EZ0			SCREW AND WASHER
21	5302 0861	1				EZ0			SEAL, Oil Pick Up Tube
22	6502 756	1				EZ0			NUT, Hex Lock, M8x1.25
23	6506 100AA	1				EZ0			PLUG, Oil Drain

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

**Manifolds, Intake and Exhaust 5.7L [EZA]  
Figure 5.7L-820**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes;

SALES CODES:

[EZ0] = All 5.7L, 8 Cylinder Gas Engines


1									MANIFOLD, Exhaust
	53032 198AE	1				EZ0			Right
	53032 197AE	1				EZ0			Left
2									GASKET, Exhaust Manifold
	53032 098AD	1				EZ0			Right
	53032 097AD	1				EZ0			Left
3	6507 813AA	9				EZ0			STUD, Exhaust Manifold
4	6507 746AA	8				EZ0			BOLT, Exhaust Manifold
5	53032 208AG	2				EZ0			SHIELD, Exhaust Manifold
6	6505 316AA	8				EZ0			NUT
7	6504 968AA	8				EZ0			NUT, J
8	5103 499AA	1				EZ0			MANIFOLD PACKAGE, Intake
9									MANIFOLD, Intake, Serviced in Package, (NOT SERVICED) (Not Serviced)
10	53032 382AA	8				EZ0			SEAL, Intake Manifold
-11	53032 383AA-	1				EZ0			SEAL, Throttle Body to Intake
12	6506 725AA	10				EZ0			SCREW, Hex Flange Head
-13	53032 384AB-	2				EZ0			SEAL, PCV
14	53032 772AA	1				EZ0			PAD, Engine

**DODGE RAM (DR)**


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Crankcase Ventilation  
Figure 5.7L-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:									
SALES CODES;									
[EZ0] = All 5.7L, 8 Cylinder Gas Engines									
1	53032 531AE	1				EZ0			VALVE, Crankcase Vent
2									HOSE, Crankcase Vent
	53032 786AA	1				EZ0			Up to 8-25-2003 (LD), 8-08-2003 (HD)
	53032 811AA	1				EZ0			8-25-2003 (LD), 8-08-2003 (HD) and after
3	53032 384AB	2				EZ0			SEAL, PCV

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

# Group – 8.3L



## Engine 8.3L Ten Cylinder [EWC]










X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code
Last digit of model year	Satellite S Trenton T Toluca K	Engine  Usage Pass Car PC		Last 8 Digits of VIN

# Group – 8.3L

## Engine 8.3L Ten Cylinder [EWC]

<b>8.3L-900</b> Crankcase Ventilation 	<b>8.3L-1100</b> Oil Cooler 		
--	--	--	--

<b>8.3L-100</b> Engine Identification	<b>8.3L-200</b> Cylinder Head	<b>8.3L-300</b> Cylinder Block	<b>8.3L-400</b> Crankshaft, Piston and Torque Converter										
<table><tr><td>X Model Year</td><td>X Manufacturing Plant</td><td>XXXXX Component Code/Usage</td><td>XXXX Month/Day</td><td>XXXXXXXX Serial Code</td></tr><tr><td>Last digit of model year</td><td>Satellite S Trenton T Toluca K</td><td>Engine  3.3L - 3.8L Usage Pass Car PC Truck T</td><td></td><td>Last 8 Digits of VIN</td></tr></table>	X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code	Last digit of model year	Satellite S Trenton T Toluca K	Engine  3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN			
X Model Year	X Manufacturing Plant	XXXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code									
Last digit of model year	Satellite S Trenton T Toluca K	Engine  3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN									
<b>8.3L-500</b> Camshafts & Valves	<b>8.3L-600</b> Timing Belt and Cover	<b>8.3L-700</b> Engine Oiling	<b>8.3L-800</b> Manifolds										
													





GROUP 8.3L - Engine 8.3L Ten Cylinder [EWC]

Illustration Title	Group-Fig. No.
<b>Engine Identification</b>	
I.D. Location 8.3L [EWC] . . . . .	Fig. 8.3L-110
<b>Cylinder Head</b>	
Cylinder Head and Covers 8.3L [EWC] . . . . .	Fig. 8.3L-210
<b>Cylinder Block</b>	
Block, Cylinder 8.3L [EWC] . . . . .	Fig. 8.3L-310
<b>Crankshaft, Piston and Torque Converter</b>	
Crankshaft and Pistons 8.3L [EWC] . . . . .	Fig. 8.3L-410
<b>Camshafts &amp; Valves</b>	
Camshafts and Valves 8.3L [EWC] . . . . .	Fig. 8.3L-510
<b>Timing Belt and Cover</b>	
Timing Belt and Cover 8.3L [EWC] . . . . .	Fig. 8.3L-610
<b>Engine Oiling</b>	
Engine Oiling 8.3L [EWC] . . . . .	Fig. 8.3L-710
<b>Manifolds</b>	
Manifolds, Intake and Exhaust 8.3L [EWC] . . . . .	Fig. 8.3L-810
<b>Crankcase Ventilation</b>	
Crankcase Ventilation 8.3L [EWC] . . . . .	Fig. 8.3L-910
<b>Oil Cooler</b>	
Oil Cooler 8.3L [EWC] . . . . .	Fig. 8.3L-1110



I.D. Location 8.3L [EWC]  
Figure 8.3L-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Engine ID is located on the left bank at the rear of the block just below the head

NOTE: Sales Code

[EWC] = 8.3L V10 SFI Engine


1

LABEL, Engine Identification, (NOT  
SERVICED) (Not Serviced)

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Cylinder Head and Covers 8.3L [EWC] Figure 8.3L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

## NOTE:

### SALES CODES:

[EWC] = 8.3L V10 SFI Engine

-1	5086 534AA-	1	1, 2, 3			EWC	DBB		GASKET PACKAGE, Engine Upper, Includes,Cylinder Head Gasket, Valve Cover Gasket, Intake and Exhaust Manifold Gasket, Throttle Body Gasket and Thermostat Gasket.
2	5037 156AD	1				EWC			COVER, Cylinder Head Right
	5037 155AE	1				EWC			Left
3	6035 666	15				EWC			SCREW, Hex Flange Head, .25-20x1.00
4	6506 855AA	1				EWC			STUD, Double Ended
5	4648 832AA	1				EWC			CAP, Oil Filler
6	5037 157AB	1				EWC			GASKET, Valve Cover
7	5037 064AF	2				EWC			HEAD, Cylinder
8	6035 471	24				EWC			BOLT, Cylinder Head
9	6035 666	12				EWC			SCREW, Hex Flange Head, .25-20x1.00
10	4763 749	2				EWC			GASKET, Cylinder Head


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Block, Cylinder 8.3L [EWC]  
Figure 8.3L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

SALES CODES:

[EWC] = 8.3L V10 SFI Engine

-1	5086 535AC-	1	1, 2, 3			EWC	DBB		GASKET PACKAGE, Engine Lower
2	5135 748AA	1				EWC			BLOCK, Short
3	J400 5149	4				EWC			DOWEL, Oil Pump, Cylinder Head To Block
4	5245 055	2				EWC			DOWEL, Front Cover
-5	5245 058	4				EWC			DOWEL, Rear Oil Seal Retainer
6	6034 804	1				EWC			PLUG, Core, 1.39 Diameter, Front Crank Cavity
-7	6036 543AA-	1				EWC			PLUG, Pipe, [.125-27x.310], Oil Gallery
-8	4663 941	1				EWC			PLUG, Core, 1.00 Diameter, Water Jacket
9	4429 678	2				EWC			PIN, Dowel, Flywheel Housing
-10	6036 549AA-	8				EWC			STUD, [.50-13x.312-18x5.67]
-11									BOLT, Bearing Cap
	6035 470	12				EWC			[.375-16x2.25]
	6035 665	4				EWC			[.50-13x4.25]
12	6036 308AA	10				EWC			PLUG


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Figure 8.3L-410**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
SALES CODES:									
[EWC] = 8.3L V10 SFI Engine									
1	5037 226AB	1				EWC	DBB		FLYWHEEL
2	2843 214	1				EWC	DBB		GEAR, Flywheel Ring
3	5037 549AA	1				EWC			CRANKSHAFT, Metric Threads
4	6035 811	8				EWC	DBB		BOLT, Hex Head, .437-20x1.50
5	6035 666	8				EWC			SCREW, Hex Flange Head, .25-20x1.00, Rear Seal Retainer
6	5037 053AB	1				EWC			RETAINER, Crankshaft Rear Oil Seal
7	5037 300AA	1				EWC			SEAL, Rear Main Crankshaft
8	5037 056AB	1				EWC			GASKET, Rear Oil Seal Retainer
9	5086 003AA	20				EWC			BEARING PACKAGE, Connecting Rod, Standard
-10	5093 019AA-	20				EWC			BEARING KIT, Connecting Rod, .025 mm U/S
-11	5093 020AA-	20				EWC			BEARING KIT, Connecting Rod, .25 mm U/S
12	5135 749AA	5				EWC			PISTON PIN AND ROD, STD Left
	5135 750AA	5				EWC			Right
-13	5136 167AA-	5				EWC			PISTON PIN AND ROD, .010" O/S Left
	5136 168AA-	5				EWC			Right
-14	5136 169AA-	5				EWC			PISTON PIN AND ROD, .020" O/S Left
	5136 170AA-	5				EWC			Right
15	5037 004AA	10				EWC			BOLT, Connecting Rod, Also serviced in Piston Assembly
16	4883 681AA	AR	1, 2, 3			EWC	DBB		BEARING PACKAGE, Crankshaft Standars, +.030 inch Outside Diameter
	4883 682AA	AR	1, 2, 3			EWC	DBB		[-.001 inch Undersize, +.030 inch Outside Diameter]
	4883 683AA	AR	1, 2, 3			EWC	DBB		[-.002 inch Undersize, +.030 inch Outside Diameter]
	4883 684AA	AR	1, 2, 3			EWC	DBB		[-.010 inch Undersize, +.030 inch Outside Diameter]
-17									BEARING PACKAGE, Crankshaft, Standard, Main Bearing

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

# Crankshaft and Pistons 8.3L [EWC] Figure 8.3L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4723 536AB-	AR				EWC			[1,2,4,5,6] Magenta standard
	4723 538AB-	AR				EWC			[1,2,4,5,6] White standard
	4723 541AB-	AR				EWC			[1,2,4,5,6] Orange standard
-18	5096 020AA-	AR	1, 2, 3			EWC	DBB		BEARING PACKAGE, Crankshaft, .009" U/S, Main Bearing
-19	5096 022AA-	AR	1, 2, 3			EWC	DBB		BEARING PACKAGE, Crankshaft, .010" U/S, Main Bearing
-20	5096 024AA-	AR	1, 2, 3			EWC	DBB		BEARING PACKAGE, Crankshaft, .011" U/S, Main Bearing
21									BEARING PACKAGE, Crankshaft, Thrust Bearing
	4883 685AA	AR	1, 2, 3			EWC	DBB		Standards, +.030 inch Outside Diameter
	4883 686AA	AR	1, 2, 3			EWC	DBB		[-.001 inch Undersize, +.030 inch Outside Diameter]
	4883 687AA	AR	1, 2, 3			EWC	DBB		[-.002 inch Undersize, +.030 inch Outside Diameter]
	4883 688AA	AR	1, 2, 3			EWC	DBB		[-.010 inch Undersize, +.030 inch Outside Diameter]
-22									BEARING PACKAGE, Crankshaft Thrust, Standard Size, Thrust Bearing
	4723 537AB-	AR				EWC			[3] Magenta standard
	4723 540AB-	AR				EWC			[3] White standard
	4723 542AB-	AR				EWC			[3] Orange standard
-23	5096 021AA-	AR	1, 2, 3			EWC	DBB		BEARING PACKAGE, Crankshaft thrust, .009" U/S, Thrust Bearing
-24	5096 023AA-	AR	1, 2, 3			EWC	DBB		BEARING PACKAGE, Crankshaft thrust, .010" U/S, Thrust Bearing
-25	5096 025AA-	AR	1, 2, 3			EWC	DBB		BEARING PACKAGE, Crankshaft thrust, .011" U/S, Thrust Bearing
26									CAP, Serviced in Block, (NOT SERVICED) (Not Serviced)
27	6034 749	1				EWC			KEY, Crankshaft Sprocket
28	5037 551AA	1				EWC			DAMPER, Crankshaft
29	6506 340AA	1				EWC			SCREW AND WASHER [M14x1.5x102.0]
		1				EZ0			[M14x1.5x102.0]
30	6035 470	12				EWC			BOLT, Bearing Cap, [.375-16x2.25]
31	6035 665	4				EWC			BOLT, Bearing Cap, [.50-13z4.25]

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Figure 8.3L-410**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
32	6036 549AA	8				EWC			STUD, [.50-13x.312-18x5.67]
33	53009 181AB	1				EWC			BEARING, Pilot
34	5086 536AA	1	1, 2, 3			EWC	DBB		PISTON RING SET, COMPLETE ENGINE, STD.
-35	5086 537AA-	1	1, 2, 3			EWC	DBB		PISTON RING SET, COMPLETE ENGINE, .010" O/S
-36	5086 538AA-	1	1, 2, 3			EWC	DBB		PISTON RING SET, COMPLETE ENGINE, .020" O/S

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

Camshafts and Valves 8.3L [EWC]  
Figure 8.3L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

SALES CODES:

[EWC] = 8.3L V10 SFI Engine

1	5037 241AA	10				EWC			ROCKER ARM AND PIVOT, Valve, Includes Pedestal
2	6036 425AA	20				EWC			SCREW, [.375-16x2.125]
3	3300 3521	40				EWC			LOCK, Valve Spring Retainer
4	4483 745	20				EWC			RETAINER, Valve Spring
5	5004 032AA	20				EWC			SPRING, Valve
6	5004 031AA	20				EWC			SEAT, Valve Spring
7	5300 9886	10				EWC			SEAL, Valve Guide, Intake
8	5300 9887	10				EWC			SEAL, Valve Guide, Exhaust
9	5037 232AB	10				EWC			VALVE, Intake, Standard
10	4763 748	10				EWC			VALVE, Exhaust, Standard
11	0141 195	1				EWC			DOWEL, .25x.62
12	5004 042AA	20				EWC			TAPPET, Hyd. Roller
13	5037 057AA	1				EWC			CAMSHAFT, Engine
14	5093 027AA	1				EWC			CAMSHAFT, Engine, .002" O/S Journal
15	5093 028AA	1				EWC			CAMSHAFT, Engine, .003" O/S Journal
16	5093 030AA	1				EWC			CAMSHAFT, Engine, .030" O/S Journal
17	5037 069AA	20				EWC			PUSH ROD, Valve
18	5037 068AA	10				EWC			YOKE, Tappet Aligning
19	0181 065	10				EWC			BOLT, Hex Head, .25-20x1.00

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Timing Belt and Cover 8.3L [EWC]  
Figure 8.3L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

SALES CODES:

[EWC] = 8.3L V10 SFI Engine

1	0220 800	2				EWC			SCREW, Hex Head, .312-18x.75
2	5245 359	1				EWC			PLATE, Camshaft Thrust
3	5086 533AA	1	1, 2, 3			EWC	DBB		CHAIN PACKAGE, Timing, Contains Timing Chain and Gears
4	0154 261	3				EWC			BOLT
5	6034 749	1				EWC			KEY, Crankshaft Sprocket
6	5037 067AC	1				EWC			GASKET, Chain Case Cover
7	0154 934AA	3				EWC			SCREW AND WASHER
8	5245 135	1				EWC			SEAL, Timing Case Cover
9	5037 036AH	1				EWC			COVER, Timing Case
10	6034 248	8				EWC			BOLT


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Engine Oiling 8.3L [EWC] Figure 8.3L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[EWC] = 8.3L V10 SFI Engine									
1	5037 047AA	1				EWC			CAP, Oil Pressure Relief Valve
2	5037 046AB	1				EWC			SPRING, Oil Pressure Relief Valve
3	5037 045AB	1				EWC			PLUNGER, Oil Pressure Relief Valve
4	5037 036AE	1				EWC			COVER, Timing Case
5	5245 525AC	1				EWC			ROTOR SET, Oil Pump
6	5037 048AC	1				EWC			COVER, Engine Oil Pump
7	6034 475	8				EWC			SCREW, Torx Head, .25-20x.75
8	5037 411AD	1				EWC			INDICATOR, Engine Oil Level
9	5037 410AC	1				EWC			TUBE, Engine Oil Indicator
10	5037 412AB	1				EWC			PICKUP, Engine Oil
11	6035 666	1				EWC			SCREW, Hex Flange Head, .25-20x1.00
12	0152 472	2				EWC			NUT, Hex Flange Lock, .312-18
13	6032 920	1				EWC			SEAL, Oil Pick Up Tube
14	5281 090	1				EWC			FILTER, Engine Oil
15	4104 511AB	1				EWC			CONNECTOR, Oil Filter Adapter
16	5037 316AC	1				EWC			CONNECTOR, Engine Oil Cooler
17	5037 163AC	1				EWC			GASKET, Oil Pan
18	5037 413AC	1				EWC			PAN, Engine Oil
19	6035 666	20				EWC			SCREW, Hex Flange Head, .25-20x1.00
20	4763 738	1				EWC			SEAL, Drain Plug
21	4763 739	1				EWC			PLUG, Oil Drain
22	5037 158AD	1				EWC			TRAY, Windage
23	0152 472	6				EWC			NUT, Hex Flange Lock, .312-18

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Manifolds, Intake and Exhaust 8.3L [EWC]  
Figure 8.3L-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:  
Manifold Assembly Includes: Manifold with Vacuum Nipples; Fuel Rail with Clips, Injectors and O-Rings; Throttle Body with Gasket, AIS Motor and O-Ring; Brackets for Wiring and Accelerator Cables; MAP Sensor and Attaching Hardware to the Manifold  
SALES CODES:

[EWC] = 8.3L V10 SFI Engine									
-1	5037 417AB-	1				EWC			MANIFOLD ASSEMBLY, Intake, See Notes, Limited Stock
2	5037 192AD	1				EWC			MANIFOLD, Intake, Includes Vacuum Nipples
3	5037 217AB	2				EWC			GASKET, Intake Manifold
4	6035 666	2				EWC	DBB		SCREW, Hex Flange Head, .25-20x1.00
5	5037 195AC	2				EWC			GASKET, Exhaust Manifold
6									MANIFOLD, Exhaust
	5037 122AB	1				EWC			Right
	5037 123AB	1				EWC			Left
7	6034 808	6				EWC			STUD, .312-18/.312-24x4.00
8	5037 246AA	2				EWC			SHIELD, Exhaust Manifold
9	6034 856	6				EWC			NUT AND WASHER, Hex Nut-E Teeth Washer, .312-24
10	6034 806	14				EWC			SCREW AND WASHER, Hex Head, .312-18x3.125

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Crankcase Ventilation 8.3L [EWC]  
Figure 8.3L-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

SALES CODES:

[EWC] = 8.3L V10 SFI Engine


1	5037 306AD	1				EWC			HARNESS, PCV
2	5037 308AD	1				EWC			HARNESS, CCV To Air Cleaner
-3	6033 369	3				EWC			CLAMP, Hose, PCV Harness
4	5037 336AA	1				EWC			FILTER, Crankcase Vent, Cylinder Head Cover



DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Oil Cooler 8.3L [EWC]  
Figure 8.3L-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 412AA	1	1			EWC			COOLER, Engine Oil, Assembly
2	5290 014AD	1	1			EWC			COOLER, Engine Oil
3									BRACKET, Oil Cooler, Serviced in Assembly, (NOT SERVICED) (Not Serviced)
4	5037 316AC	2	1			EWC			CONNECTOR, Engine Oil Cooler
5	6503 771	3	1			EWC			SCREW, Hex Flange Head, M6x1x23
6	6104 725AA	3	1			EWC			NUT, Dust -Purchased in Line Assy.
7	5290 411AB	1	1			EWC			LINE, Oil Cooler Inlet
8	5290 410AB	1	1			EWC			LINE, Oil Cooler Outlet


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 5.9LD

## Engine 5.9L Six Cylinder (Diesel)

3	1	2	3	4	5	6
Model Year	1994	1995	1996	1997	1998	1999
Unit	1	2	3	4	5	6
Unit	1	2	3	4	5	6
Unit	1	2	3	4	5	6
Unit	1	2	3	4	5	6
Unit	1	2	3	4	5	6


5.9LD-100



# Group – 5.9LD

## Engine 5.9L Six Cylinder (Diesel)

5.9LD-1100  
Oil Cooler




<b>5.9LD-200</b> Cylinder Head	<b>5.9LD-300</b> Cylinder Block	<b>5.9LD-400</b> Crankshaft, Piston and Torque Converter	<b>5.9LD-500</b> Camshafts & Valves
<b>5.9LD-600</b> Timing Belt and Cover	<b>5.9LD-700</b> Engine Oiling	<b>5.9LD-800</b> Manifolds	<b>5.9LD-900</b> Crankcase Ventilation

GROUP 5.9LD - Engine 5.9L Six Cylinder (Diesel)

Illustration Title	Group-Fig. No.
<b>Cylinder Head</b>	
Cylinder Head Covers 5.9L Diesel (ETC,ETH) . . . . .	Fig. 5.9LD-210
Cylinder Head and Rocker Housing 5.9L Diesel [ETC, ETH] . . . . .	Fig. 5.9LD-220
<b>Cylinder Block</b>	
Cylinder Block, 5.9L Diesel (ETC,ETH) . . . . .	Fig. 5.9LD-310
<b>Crankshaft, Piston and Torque Converter</b>	
Crankshaft and Piston, 5.9L Diesel (ETC,ETH) . . . . .	Fig. 5.9LD-410
Flywheel and Torque Converter 5.9L Diesel (ETC,ETH) . . . . .	Fig. 5.9LD-420
<b>Camshafts &amp; Valves</b>	
Camshaft and Valves 5.9L Diesel [ETC,ETH] . . . . .	Fig. 5.9LD-510
<b>Timing Belt and Cover</b>	
Timing Gear and Cover 5.9L Diesel [ETC, ETH] . . . . .	Fig. 5.9LD-610
<b>Engine Oiling</b>	
Engine Oiling 5.9L Diesel [ETC, ETH] . . . . .	Fig. 5.9LD-710
<b>Manifolds</b>	
Intake and Exhaust Manifolds 5.9L Diesel [ETC ETH] . . . . .	Fig. 5.9LD-810
<b>Crankcase Ventilation</b>	
Crankcase Ventilation 5.9L Diesel [ETC,ETH] . . . . .	Fig. 5.9LD-910
<b>Oil Cooler</b>	
Engine Oil Cooler, 5.9L Diesel (ETC,ETH) . . . . .	Fig. 5.9LD-1110
Oil Lines, 5.9L Diesel (ETC,ETH) . . . . .	Fig. 5.9LD-1115



# Cylinder Head Covers 5.9L Diesel (ETC,ETH) Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

SALES CODES:

[ ETC ] = 5.9L Cummins 24 Valve Diesel

[ ETH ] = 5.9L HO Cummins Turbo Diesel

[ DBB ] = Manual Transmission

[ DGO ] = All Automatic Transmissions

-1									GASKET KIT, Cylinder Head Overhaul
	5093 228AA-	1				ETC			
		1				ETH			
2	5014 704AB	1				ETC	DGO		CAP, Oil Filler
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
3	5083 148AA	1				ETC	DGO		O RING
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
4									SCREW, Hex Head, M8x1.25x50, Up to 11-10-03
	4429 633	6				ETC	DBB		
		6				ETC	DGO		
		6				ETH	DBB		
		6				ETH	DGO		
5	5086 953AA	6				ETC	DGO		O RING, Up to 11-10-03
		6				ETC	DBB		
		6				ETH	DGO		
		6				ETH	DBB		
6									ISOLATOR, Valve Cover, 12-10-03 and after
	5140 308AA	6				ETH	DGO		
		6				ETH	DBB		
7	5086 955AA	1				ETC	DGO		COVER, Cylinder Head
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
8									COVER, Breather Cover

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Cylinder Head Covers 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 956AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
9									SCREW, Hex Head
	5086 957AA	3				ETC	DBB		
		3				ETH	DG0		
		3				ETH	DBB		
		1				ETC	DG0		
10									GASKET, Valve Cover
	5086 954AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Cylinder Head and Rocker Housing 5.9L Diesel [ETC, ETH] Figure 5.9LD-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ ETC ] = 5.9L Cummins 24 Valve Diesel									
[ ETH ] = 5.9L HO Cummins Turbo Diesel									
[ DBB ] = Manual Transmission									
[ DGO ] = All Automatic Transmissions									
1									SCREW, Hex Head Header Point, 24x.44
	4429 096	5				ETC	DGO		
		5				ETC	DBB		
		5				ETH	DGO		
		5				ETH	DBB		
2									BOLT, Hex Head, M8
	4638 665	2				ETC	DGO		
		2				ETC	DBB		
		2				ETH	DGO		
		2				ETH	DBB		
3									HOUSING, Engine Cover
	5101 850AA	1				ETC	DGO		
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
4									GASKET, GASKET
	5114 418AA	1				ETC	DGO		
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
5									SCREW, Hex Flange Head
	4638 666	2				ETC	DGO		
		2				ETC	DBB		
		2				ETH	DGO		
		2				ETH	DBB		
6									BRACKET, Engine Lift
	5086 830AA	1				ETC	DGO		
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
7									SCREW, Water Inlet, M10x1.5x25
	4429 460	3				ETC	DGO		
		3				ETC	DBB		

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

# Cylinder Head and Rocker Housing 5.9L Diesel [ETC, ETH] Figure 5.9LD-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5086 831AA	3				ETH	DG0		BRACKET, Engine Lift
		3				ETH	DBB		
		1				ETC	DG0		
		1				ETC	DBB		
9	5011 403AA	1				ETH	DG0		SCREW
		1				ETH	DBB		
		26				ETC	DG0		
		26				ETC	DBB		
10	5114 415AA	1				ETC	DG0		HEAD, Cylinder
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
11	5135 783AA	1				ETH	DG0		Up to 01-04-04 Up to 01-04-04 After 01-04-04 After 01-04-04 GASKET, Cylinder Head
		1				ETH	DBB		
		1				ETC	DG0		
		1				ETC	DBB		
12	5016 559AB	1				ETC	DBB		PLUG, Expansion
		1				ETH	DG0		
		1				ETH	DBB		
		7				ETC	DG0		
13	5017 786AA	7				ETC	DBB		PLUG, Expansion
		7				ETC	DBB		
		7				ETH	DG0		
		7				ETH	DBB		
14	4429 735	1				ETC	DG0		PLUG, Expansion
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
15		13				ETC	DG0		PLUG, Expansion
		13				ETC	DBB		
		13				ETH	DG0		
		13				ETH	DBB		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Head and Rocker Housing 5.9L Diesel [ETC, ETH]  
Figure 5.9LD-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 605AA	11				ETC	DG0		
		11				ETC	DBB		
		11				ETH	DG0		
		11				ETH	DBB		
16									PLUG, Expansion
	5016 558AA	2				ETC	DG0		
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Cylinder Block, 5.9L Diesel (ETC,ETH) Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ ETC ] = 5.9L Cummins 24 Valve Diesel									
[ ETH ] = 5.9L HO Cummins Turbo Diesel									
[ DBB ] = Manual Transmission									
[ DGO ] = All Automatic Transmissions									
-1									GASKET KIT, Cylinder Head Overhaul
	5093 228AA-	1				ETC			
		1				ETH			
-2									GASKET KIT, Lower Engine Set
	5093 229AA-	1				ETC			
		1				ETH			
3									BLOCK, Short
	5093 537AA	1				ETC	DGO		
		1				ETC	DBB		
	5093 539AA	1				ETH	DGO		
		1				ETH	DBB		
4									ENGINE, Short, With [XCK] Sales Code Only
	5140 911AA	1				ETH	DBB		With Federal Or Export Emissions
		1				ETH	DBB		With California Emissions
5									DOWEL, Ring
	4429 343	2				ETC	DGO		
		2				ETC	DBB		
		2				ETH	DGO		
		2				ETH	DBB		
6									PLUG, Expansion
	4429 958	5				ETC	DGO		
		5				ETC	DBB		
		5				ETH	DGO		
		5				ETH	DBB		
7									PLUG, Expansion
	5093 058AA	3				ETC	DGO		
		3				ETC	DBB		
		3				ETH	DGO		
		3				ETH	DBB		
8									PLUG, Expansion
	4429 956	4				ETC	DGO		
		4				ETC	DBB		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Block, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5086 938AA	4				ETH	DG0		PLUG, Threaded
		4				ETH	DBB		
		2				ETC	DG0		
		2				ETC	DBB		
10	5101 847AA	2				ETH	DG0		INSERT
		2				ETH	DBB		
		1				ETC	DG0		
		1				ETC	DBB		
11	5003 614AA	1				ETH	DG0		PLUG, Expansion
		1				ETH	DBB		
		2				ETC	DG0		
		2				ETC	DBB		
12	4429 068	2				ETC	DG0		DOWEL, Block To Clutch Housing
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
13	5018 294AB	2				ETH	DBB		CAP
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
14	5093 063AB	1				ETH	DBB		PLATE, PLATE
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DBB		
15	4429 460	11				ETC	DG0		SCREW, Water Inlet, M10x1.5x25
		11				ETC	DBB		
		11				ETH	DG0		
		11				ETH	DBB		
16	5093 062AA	1				ETC	DG0		SCREW
		1				ETC	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Cylinder Block, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DG0		
		1				ETH	DBB		
17	5003 615AA	14				ETC	DG0		BOLT, Hex Head
		14				ETC	DBB		
		14				ETH	DG0		
		14				ETH	DBB		
18	4429 955	2				ETC	DG0		PLUG, Expansion
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
19									BUSHING, Camshaft
	5003 617AA	2				ETC	DG0		
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
	4429 342	1				ETC	DG0		Oversized Intermediate
		1				ETC	DBB		Oversized Intermediate
		1				ETH	DG0		Oversized Intermediate
		1				ETH	DBB		Oversized Intermediate
	4429 368	1				ETC	DG0		Oversized Front
		1				ETC	DBB		Oversized Front
		1				ETH	DG0		Oversized Front
		1				ETH	DBB		Oversized Front
20									DOWEL
	5101 848AA	2				ETC	DG0		
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
21									PIN, Crankshaft Gear
	4429 483	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
22									CORD, Engine Block Heater
	5086 737AB	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
23									HEATER, Engine Block

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

**BODY**

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


**ENGINE**

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

**TRANSMISSION**

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

**Cylinder Block, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 619AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
24									PLUG, Expansion
	5003 605AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
25									PLUG, Pipe
	4429 369	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
26									SLEEVE, Cylinder Block
	4429 166	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
27									CAP
	5093 057AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-28									KIT, Block Hardware
	5093 059AA-	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
29									JET, Piston Oil Cooler
	5003 606AB	6				ETC	DG0		
		6				ETC	DBB		
	5093 848AA	6				ETH	DG0		Up to 01-04-04
		6				ETH	DBB		Up to 01-04-04
	5135 821AA	6				ETH	DG0		After 01-04-04
		6				ETH	DBB		After 01-04-04
-30									SCREW, Hex Head, M8x1.25x12
	5011 818AA-	6				ETC	DG0		
		6				ETC	DBB		
	5102 126AA-	6				ETH	DG0		Up to 01-04-04

**DODGE RAM (DR)**

**SERIES**

H = SLT

L = ST

**LINE**

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

**BODY**

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

**ENGINE**

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

**TRANSMISSION**

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual



Cylinder Block, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6				ETH	DBB		Up to 01-04-04
	5102 126AB-	6				ETH	DG0		After 01-04-04
		1				ETH	DBB		After 01-04-04



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Crankshaft and Piston, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: [ETH] Engines After 01-04-04 will only service standard size Piston & Ring Assemblies and Ring Kits

Sales Codes:

[ ETC ] = 5.9L Cummins 24 Valve Diesel

[ ETH ] = 5.9L HO Cummins Turbo Diesel

[ DBB ] = Manual Transmission

[ DGO ] = All Automatic Transmissions


1									CRANKSHAFT
	5102 117AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DBB		
		1				ETH	DG0		
2									GEAR, Crankshaft
	5086 726AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
3									PIN, Crankshaft Gear
	4429 483	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
4									BEARING KIT, Crankshaft, Standard
	5086 734AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-5									BEARING KIT, Crankshaft, .25mm Oversize
	4429 271	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-6									BEARING KIT, Crankshaft, .50mm Oversize
	4429 272	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-7									BEARING KIT, Crankshaft, .75mm Oversize

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Crankshaft and Piston, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 273	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-8									BEARING KIT, Crankshaft, 1.00mm Oversize
	4429 274	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
9		1				ETH	DBB		BEARING, Crankshaft Thrust, .50 mm U/S
	5012 552AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-10									BEARING, Crankshaft Thrust, 1.00 mm U/S
	5012 551AA-	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
11		1				ETH	DBB		SLEEVE, Wear
	5011 935AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
12									SLEEVE KIT, Wear
	4897 876AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
13									BEARING, Connecting Rod, STD.
	5102 123AA	6				ETC	DG0		Lower
		6				ETC	DBB		Lower
		6				ETH	DG0		Lower
		6				ETH	DBB		Lower
	4429 175AB	6				ETC	DG0		Upper
		6				ETC	DBB		Upper
		6				ETH	DG0		Upper

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Crankshaft and Piston, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6				ETH	DBB		Upper
-14									BEARING, Connecting Rod, .25 mm U/S
	4429 171	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-15									BEARING, Connecting Rod, .50 mm U/S
	4429 172	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-16									BEARING, Connecting Rod, .75 mm U/S
	4429 173	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-17									BEARING, Connecting Rod, 1.00 mm U/S
	4429 174	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
18									ROD, Connecting
	5102 120AA	6				ETC	DG0		
		6				ETC	DBB		
		6				ETH	DG0		
		6				ETH	DBB		
19									SCREW, Connecting Rod, 24x.44
	5114 414AA	2				ETC	DG0		
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
20									BUSHING, Also Serviced In Rod
	5018 176AB	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Crankshaft and Piston, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	PISTON AND RINGS, Diesel Engine, Standard Size								
	5093 117AB	6				ETC	DG0		
		6				ETC	DBB		
	5093 118AB	6				ETH	DG0		Up to 01-04-04
		6				ETH	DBB		Up to 01-04-04
	5139 059AA	6				ETH	DG0		After 01-04-04
		6				ETH	DBB		After 01-04-04
-22	PISTON AND RINGS, Diesel Engine, .50MM Oversize, See Notes								
	5086 888AA-	6				ETC	DG0		
		6				ETC	DBB		
	5086 892AA-	6				ETH	DG0		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
		6				ETH	DBB		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
-23	PISTON AND RINGS, Diesel Engine, 1.00MM Oversize, See Notes								
	5086 890AA-	6				ETC	DG0		
		6				ETC	DBB		
	5086 891AA-	6				ETH	DG0		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
		6				ETH	DBB		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
24	RING KIT, Piston, Standard								
	5086 885AB	6				ETC	DG0		
		6				ETC	DBB		
		6				ETH	DG0		
		6				ETH	DBB		
-25	RING KIT, Piston, .50MM Oversize, See Notes								
	5086 886AA-	1				ETC	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Crankshaft and Piston, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETC	DBB		
		1				ETH	DG0		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
		1				ETH	DBB		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
-26									RING KIT, Piston, 1.00MM Oversize, See Notes
	5086 887AA-	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
		1				ETH	DBB		Oversized Pistons And Rings On [ETH] Engine Can Only Be Used With A Production Date Of 01-04-04 Only Or Before.
27									RING, Piston Pin
	5003 650AA	12				ETC	DG0		
		12				ETC	DBB		
		12				ETH	DG0		
		12				ETH	DBB		
28									PIN, Piston
	5015 706AA	6				ETC	DG0		
		6				ETC	DBB		
		6				ETH	DG0		
		6				ETH	DBB		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Flywheel and Torque Converter 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

SALES CODES:

[ ETC ] = 5.9L Cummins 24 Valve Diesel  
[ ETH ] = 5.9L HO Cummins Turbo Diesel  
[ DBB ] = Manual Transmission  
[ DGO ] = All Automatic Transmissions

1	4429 630	2				ETC	DGO		BOLT, Hex Head
		2				ETC	DBB		
		2				ETH	DGO		
		2				ETH	DBB		
2	5086 757AA	1				ETC	DGO		SEAL
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
3	5086 755AA	1				ETC	DGO		HOUSING, Rear Main Seal
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
4	5114 027AA	1				ETC	DGO		SEAL
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
5	4429 678	2				ETC	DGO		PIN, Dowel
		2				ETC	DBB		
		2				ETH	DGO		
		2				ETH	DBB		
6	4429 638	6				ETC	DGO		BOLT, Hex Head
		6				ETC	DBB		
		6				ETH	DGO		
		6				ETH	DBB		
7	4761 248	8				ETC	DGO		BOLT, Flywheel Housing
		8				ETC	DBB		
		8				ETH	DGO		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Flywheel and Torque Converter 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8				ETH	DBB		
8	5086 758AB	1				ETC	DG0		ADAPTER, Transmission Automatic
		1				ETC	DBB		Five Speed Manual
	5086 761AB	1				ETH	DBB		Six Speed Manual
9	5086 759AA	1				ETC	DG0		COVER, Flywheel Housing
		1				ETC	DBB		
		1				ETH	DG0		
10		1				ETH	DBB		GASKET, Rear Cover
	5086 754AA	1				ETC	DG0		
		1				ETC	DBB		
11		1				ETH	DG0		WASHER, Flat
		1				ETH	DBB		
	6501 681	8				ETC	DBB		
12		8				ETH	DBB		SCREW, Hex Head, M12x1.25x34.00
	6501 680	8				ETC	DBB		
		8				ETH	DBB		
13	5015 624AA	1				ETC	DBB		FLYWHEEL
	5018 079AB	1				ETH	DBB		
14		1				ETC	DBB		GEAR, Ring
	4429 903	1				ETH	DBB		
15		1				ETC	DBB		BEARING, Pilot
	52107 562AB	1				ETH	DBB		
16		8				ETC	DG0		SCREW, Cap
	4429 522	8				ETH	DG0		
17		1				ETC	DG0		PLATE, Drive Plate Backing
	4798 968	1				ETH	DG0		
18		1				ETC	DG0		PLATE, Torque Converter Drive
	5015 709AA	1				ETH	DG0		
19	6033 439	6				ET0	DG0		BOLT, Hex Head, .37-24x.55


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Flywheel and Torque Converter 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	52118 868AB	1				ET0	DG0		CONVERTER, Torque

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Camshaft and Valves 5.9L Diesel [ETC,ETH] Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ ETC ] = 5.9L Cummins 24 Valve Diesel									
[ ETH ] = 5.9L HO Cummins Turbo Diesel									
[ DBB ] = Manual Transmission									
[ DGO ] = All Automatic Transmissions									
1	5093 116AA	12				ETC	DGO		SCREW
		12				ETC	DBB		
		12				ETH	DGO		
		12				ETH	DBB		
2	5016 647AA	12				ETC	DGO		SHAFT, Rocker Arm
		12				ETC	DBB		
		12				ETH	DGO		
		12				ETH	DBB		
3	4882 108	1				ETC	DGO		NUT, Hex
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
4	5011 431AB	6				ETC	DGO		ROCKER ARM, Intake
		6				ETC	DBB		
		6				ETH	DGO		
		6				ETH	DBB		
-5									BALL, Rocker Arm, (NOT SERVICED) (Not Serviced)
-6									RETAINER, Rocker Arm Socket, (NOT SERVICED) (Not Serviced)
-7									SOCKET, Rocket Arm, (NOT SERVICED) (Not Serviced)
8	5011 432AB	6				ETC	DGO		ROCKER ARM, Exhaust
		6				ETC	DBB		
		6				ETH	DGO		
		6				ETH	DBB		
9	5011 899AB	6				ETC	DGO		SCREW, Rocker Lever Adjusting
		6				ETC	DBB		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Camshaft and Valves 5.9L Diesel [ETC,ETH] Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5011 403AA	6				ETH	DG0		SCREW
		6				ETH	DBB		
		26				ETC	DG0		
		26				ETC	DBB		
11	5011 892AA	26				ETH	DG0		PUSH ROD, Valve
		26				ETH	DBB		
		12				ETC	DG0		
		12				ETC	DBB		
12	5011 477AA	12				ETH	DG0		VALVE, Crosshead
		12				ETH	DBB		
		12				ETC	DG0		
		12				ETC	DBB		
13	5114 421AA	12				ETH	DG0		SUPPORT, Rocker Arm
		12				ETH	DBB		
		6				ETC	DG0		
		6				ETC	DBB		
14	5086 736AA	6				ETH	DBB		TAPPET, Valve
		12				ETC	DG0		
		12				ETC	DBB		
		12				ETH	DG0		
15		12				ETH	DBB		GEAR, Camshaft, Serviced with Camshaft, (NOT SERVICED) (Not Serviced)
		12				ETH	DBB		
		12				ETH	DBB		
		12				ETH	DBB		
16	5093 139AB	1				ETC	DG0		CAMSHAFT, Includes Camshaft Gear
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
17	4429 332	1				ETC	DG0		KEY, Woodruff
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Camshaft and Valves 5.9L Diesel [ETC,ETH] Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5086 893AA	1				ETH	DBB		SUPPORT, Camshaft Thrust
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
19	4429 227	1				ETH	DBB		SCREW, Cap, .437-20x1.812
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
20	5011 879AA	2				ETH	DG0		VALVE, Intake, Standard
		2				ETH	DBB		
		1				ETC	DG0		
		1				ETC	DBB		
21	5011 877AA	1				ETH	DG0		VALVE, Exhaust, Standard
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DBB		
22									INSERT, Intake Valve, Serviced in Head, (NOT SERVICED) (Not Serviced)
23									INSERT, Exhaust Valve, Serviced in Head, (NOT SERVICED) (Not Serviced)
24	5086 861AA	12				ETC	DG0		SEAL, Valve Guide, Intake
		12				ETC	DBB		
		12				ETH	DG0		
		12				ETH	DBB		
25	5086 862AA	12				ETC	DG0		SEAL, Valve Guide, Exhaust
		12				ETC	DBB		
		12				ETH	DG0		
		12				ETH	DBB		
26	5011 441AA	24				ETC	DG0		SPRING, Valve
		24				ETC	DBB		

## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Camshaft and Valves 5.9L Diesel [ETC,ETH] Figure 5.9LD-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27	5011 455AA	24				ETH	DG0		RETAINER, Valve Spring
		24				ETH	DBB		
		24				ETC	DG0		
		24				ETC	DBB		
28	5011 878AA	24				ETH	DG0		LOCK, Valve Spring Retainer
		24				ETH	DBB		
		48				ETC	DG0		
		48				ETC	DBB		
		48				ETH	DG0		
		48				ETH	DBB		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Timing Gear and Cover 5.9L Diesel [ETC, ETH]  
Figure 5.9LD-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes:

[ ETC ] = 5.9L Cummins 24 Valve Diesel

[ ETH ] = 5.9L HO Cummins Turbo Diesel

[ DBB ] = Manual Transmission

[ DGO ] = All Automatic Transmissions


1	4429 958	5				ETC	DGO		PLUG, Expansion
		5				ETC	DBB		
2	5017 753AA	5				ETH	DGO		SCREW, Cap
		5				ETH	DBB		
		5				ETC	DGO		
		5				ETH	DBB		
3	5086 814AA	1				ETC	DGO		COVER, Timing Belt
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
		1				ETH	DBB		
4	5086 723AA	1				ETC	DGO		CASE, Front
		1				ETC	DBB		
		1				ETH	DBB		
	5139 070AA	1				ETH	DGO		Up to 01-04-04
		1				ETH	DBB		Up to 01-04-04
-5	5086 724AA-	1				ETH	DGO		After 01-04-04
		1				ETH	DBB		After 01-04-04
		1				ETH	DGO		After 01-04-04
		1				ETH	DBB		After 01-04-04
6	5086 727AA	1				ETC	DGO		PIN, Crankshaft Gear
		1				ETC	DBB		
		1				ETH	DGO		
7	5093 070AA	1				ETC	DGO		RING, Tone
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DGO		

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Timing Gear and Cover 5.9L Diesel [ETC, ETH]  
Figure 5.9LD-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
8	5086 735AA	1				ETC	DG0		DAMPER, Crankshaft
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
9	4429 857	4				ETC	DG0		SCREW, Hex Head Push Rod Point, 24x.44
		4				ETC	DBB		
		4				ETH	DG0		
		4				ETH	DBB		
10	4882 109	10				ETC	DG0		SCREW, Hex Head
		10				ETC	DBB		
		10				ETH	DG0		
		10				ETH	DBB		
11	5012 290AA	1				ETC	DG0		SEAL, Front Main Crankshaft
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
12	5086 853AA	1				ETC	DG0		SEAL
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
13	5086 850AA	1				ETC	DG0		COVER, Engine Block
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
14	4638 665	7				ETC	DG0		BOLT, Hex Head, M8
		7				ETC	DBB		
		7				ETH	DG0		
		7				ETH	DBB		
15	4429 445	2				ETC	DG0		BOLT, Hex Head, M8
		2				ETC	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



### Figure 5.9LD-610


2	ETH	DG0
2	ETH	DBB



**September 19, 2005**



# Engine Oiling 5.9L Diesel [ETC, ETH] Figure 5.9LD-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ ETC ] = 5.9L Cummins 24 Valve Diesel									
[ ETH ] = 5.9L HO Cummins Turbo Diesel									
[ DBB ] = Manual Transmission									
[ DGO ] = All Automatic Transmissions									
1	5086 845AA	1				ETC	DG0		PUMP, Engine Oil
		1				ETC	DBB		
2		1				ETH	DG0		SCREW, Hex Head Header Point, 24x.44
		1				ETH	DBB		
	4429 677	4				ETC	DG0		
		4				ETC	DBB		
		4				ETH	DG0		
		4				ETH	DBB		
3	5086 856AA	1				ETC	DG0		GASKET, Oil Suction Pipe
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
4	4429 631	2				ETC	DG0		SCREW, Hex Head
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
5	4429 460	2				ETC	DG0		SCREW, Water Inlet, M10x1.5x25
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
6	5086 857AA	1				ETC	DG0		PICKUP, Engine Oil
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
7	5086 854AA	1				ETC	DG0		GASKET, Oil Pan
		1				ETC	DBB		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Oiling 5.9L Diesel [ETC, ETH]  
Figure 5.9LD-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5086 855AA	1				ETH	DG0		PAN, Engine Oil
		1				ETH	DBB		
		1				ETC	DG0		
		1				ETC	DBB		
9	5080 631AA	1				ETH	DG0		PLUG, Oil Drain
		1				ETH	DBB		
		1				ETC	DG0		
		1				ETC	DBB		
10	4761 331	32				ETC	DG0		SCREW, Hex Flange Head
		32				ETC	DBB		
		32				ETH	DG0		
		32				ETH	DBB		
11	5086 843AB	1				ETC	DG0		INDICATOR, Engine Oil Level
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
12	4882 110	1				ETH	DBB		SCREW, Hex Head, M8x1.25x16
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
13	4429 316	1				ETH	DBB		NUT, M6x1.0
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
14	5086 844AA	1				ETC	DG0		TUBE, Engine Oil Indicator
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
15	5017 783AA	1				ETC	DG0		SEAL, O-Ring
		1				ETC	DBB		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Figure 5.9LD-710**


[illegible]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Intake and Exhaust Manifolds 5.9L Diesel [ETC ETH]  
Figure 5.9LD-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ ETC ] = 5.9L Cummins 24 Valve Diesel									
[ ETH ] = 5.9L HO Cummins Turbo Diesel									
[ DBB ] = Manual Transmission									
[ DGO ] = All Automatic Transmissions									
1	4638 761	4				ETC	DGO		BOLT, Hex Head, M8x1.25x80
		4				ETC	DBB		
		4				ETH	DGO		
		4				ETH	DBB		
2	5086 828AA	1				ETC	DGO		CONNECTOR, Air Intake
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
3	5086 721AA	1				ETC	DGO		GASKET, Air Intake Connector
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
4	5086 720AB	1				ETC	DGO		HEATER, Engine
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
5	5012 557AA	7				ETC	DGO		SCREW, Cap
		7				ETC	DBB		
		7				ETH	DGO		
		7				ETH	DBB		
6	5086 935AA	2				ETC	DGO		LOCK, Exhaust Manifold
		2				ETC	DBB		
		2				ETH	DGO		
		2				ETH	DBB		
7	5015 717AA	12				ETC	DGO		SPACER, Exhaust Manifold
		12				ETC	DBB		
		12				ETH	DGO		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

**Intake and Exhaust Manifolds 5.9L Diesel [ETC ETH]  
Figure 5.9LD-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		12				ETH	DBB		
8	5086 934AA	1				ETC	DG0		MANIFOLD, Exhaust
		1				ETC	DBB		
		1				ETH	DG0		Up to 01-04-04
	5135 788AA	1				ETH	DBB		Up to 01-04-04
		1				ETH	DG0		After 01-04-04
		1				ETH	DBB		After 01-04-04
9									SCREW, Fuel Tube Cap
	4638 695	7				ETC	DG0		
		7				ETC	DBB		
		7				ETH	DG0		
		7				ETH	DBB		
10	5093 090AA	1				ETC	DG0		COVER, Intake Manifold
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
11	5086 829AA	1				ETC	DG0		GASKET, Intake Manifold Cover
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
12	5015 719AA	6				ETC	DG0		GASKET, Exhaust Manifold
		6				ETC	DBB		
		6				ETH	DG0		Up to 01-04-04
		6				ETH	DBB		Up to 01-04-04
	5135 789AA	6				ETH	DG0		After 01-04-04
		6				ETH	DBB		After 01-04-04
13	5014 169AA	5				ETC	DG0		SCREW
		5				ETC	DBB		
		5				ETH	DG0		
		5				ETH	DBB		
-14	5086 931AA-	1				ETC	DG0		SHIELD, Heat
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
-15									NUT, Hex Flange, M10x1.5

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Figure 5.9LD-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 862	4				ETC	DG0		
		4				ETC	DBB		
		4				ETH	DG0		
		4				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Crankcase Ventilation 5.9L Diesel [ETC,ETH]  
Figure 5.9LD-910**


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Engine Cover
	5093 067AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
2									BOLT, Hex Head
	4429 638	2				ETC	DG0		
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
3									O RING
	5093 068AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
4									TUBE, Breather
	5093 066AB	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
5									CLIP
	5114 409AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
6									SCREW, Hex Head
	5086 961AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
7									TUBE, Oil Drain
	5093 069AA	1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
8									STRAP, Canister
	5018 186AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DG0		
		1				ETH	DBB		
9									NUT, Tappet Cover

**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



### Figure 5.9LD-910

4429 959	1	ETC	DG0
	1	ETC	DBB
	1	ETH	DG0
	1	ETH	DBB




DODGE RAM (DR)			
SERIES	LINE	BODY	ENGINE
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8
			ETC = 5.9LD V6
			ETH = 5.9LD V6 HO
			EWA = 8.0L V10 MPI
			TRANSMISSION
			DGT = 4 Spd. Auto.(46RE)
			DDC = 5 Spd. HD Manual (3500)
			DDP,DDX = 5 Spd. Manual (4500)
			DGQ,DG4 = Multi-Speed Auto.(45RFE)
			DG8 = 4 Spd. Auto.(48RE)
			DEE = 6 Spd. Manual (5600)
			DGP = 4 Spd. Auto.(47RE)
			DEC = 5 Spd. Manual

**AR = Use as required    - = Non illustrated part    # = New this model year**

**September 19, 2005**



Engine Oil Cooler, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

SALES CODES:

[ ETC ] = 5.9L Cummins 24 Valve Diesel

[ ETH ] = 5.9L HO Cummins Turbo Diesel

[ DBB ] = Manual Transmission


[ DGO ] = All Automatic Transmissions

1	4429 445	13				ETC	DGO		BOLT, Hex Head, M8
		13				ETC	DBB		
		13				ETH	DGO		
		13				ETH	DBB		
2	4429 619	2				ETC	DGO		PLUG, Pipe
		2				ETC	DBB		
		2				ETH	DGO		
		2				ETH	DBB		
3	5086 832AA	1				ETC	DGO		PLUG, Pipe
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
4	5086 833AA	1				ETC	DGO		PLUNGER, Oil Pressure Regulator
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
5	5086 836AB	1				ETC	DGO		HEAD, Oil Filter
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
6	4429 355	1				ETC	DGO		ADAPTER, Oil Filter
		1				ETC	DBB		
		1				ETH	DGO		
		1				ETH	DBB		
7	5086 826AA	1				ETC	DGO		SCREW, Hex Flange Head
		2				ETC	DBB		
		1				ETH	DGO		

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Engine Oil Cooler, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-1110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
8	4761 985	1				ETC	DG0	SPRING, Oil Pressure Relief Valve	
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
9	4797 726AB	1				ETC	DG0	VALVE, Oil Pressure Relief	
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
10	5003 647AA	1				ETC	DG0	O RING, Oil Cooler	
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
11	5114 411AA	1				ETC	DG0	COOLER, Engine Oil	
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
		1				ETC	DG0	GASKET, Oil Cooler	
12	5086 835AA	1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB	Up to 01-04-04	
		1				ETH	DG0	Up to 01-04-04	
		1				ETH	DG0	After 01-04-04	
		1				ETH	DBB	After 01-04-04	
13	5086 834AA	1				ETC	DG0	GASKET, Oil Cooler	
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
		1				ETC	DG0	FILTER, Engine Oil	
14	5083 285AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DG0		
		1				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Oil Lines, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes

[ETC] = 5.9L Cummins 24 Valve Diesel

[ETH] = 5.9L HO Cummins Turbo Diesel

[DBB] = Manual Transmissions

[DGO] = All Automatic Transmissions

1	5086 951AA	1				ETC	DG0		HOSE, Turbocharger Feed
		1				ETC	DBB		
2	5011 921AA	1				ETH	DG0		O RING, Turbo Oil Drain Tube
		1				ETH	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
3	5011 922AB	2				ETC	DG0		FITTING, Oil Feed Line
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
4	5016 648AA	1				ETC	DG0		O RING, Turbo Oil Drain Tube
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
5	5086 949AA	1				ETC	DG0		GASKET, Oil Drain Plug
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
6	5086 948AA	2				ETC	DG0		CLAMP
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
7	3931 827	1				ETC	DG0		TUBE, Turbo Oil Drain
		1				ETC	DBB		
		1				ETH	DG0		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Oil Lines, 5.9L Diesel (ETC,ETH)  
Figure 5.9LD-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DBB		
8	5011 924AA	1				ETC	DG0		O RING, Turbo Oil Drain Tube
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
9	5086 952AA	1				ETC	DG0		HOSE, Turbo Oil Drain
		1				ETC	DBB		
		1				ETH	DG0		
		1				ETH	DBB		
10	4429 630	2				ETC	DG0		BOLT, Hex Head
		2				ETC	DBB		
		2				ETH	DG0		
		2				ETH	DBB		
11	5086 950AA	1				ETC	DG0		TUBE, Turbo Oil Drain
		1				ETC	DBB		
		1				ETH	DG0		Up to 1-04-04
		1				ETH	DBB		Up to 1-04-04
	5135 786AA	1				ETH	DG0		After 01-04-04
		1				ETH	DBB		After 01-04-04


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



# Group – 011

## Exhaust


### GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
<b>Exhaust System</b>	
Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO],All 8.3 Gas [EWC] . . . . .	Fig. 011-110
<b>Heat Shields</b>	
Heat Shields, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L [ETO] 8.3L [EWC] . . . . .	Fig. 011-210



<b>011-100</b> Exhaust System	<b>011-200</b> Heat Shields		
			

**Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO],All 8.3 Gas [EWC]  
Figure 011-110**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes [EK0]= All 3.7L, 6 Cylinder Gas Engines [ETO]= All 5.9L, Turbo Diesel [EV0]= All 4.7L, 8 Cylinder Gas Engines [EZO]=All 5.7L Gas [EWO]=All 8.0 Gas For Service of the Borla Exhaust Please call Borla at 1 877-462-6752									
1	6034 246	4				EK0,			BOLT, Hex Head, .375-16x.75
						EV0,			
						EZO			
		6	1, 6		61	EWC			
2	55366 000AA	4				EK0,			NUT, Hex Flange Lock
						EV0,			
						EZO			
3	52110 325AB	1	1, 6			EZO			PIPE AND CONVERTER, Exhaust
	52110 486AA	1	1, 6			EK0,			With Pipe
						EV0			
	52121 291AA	1	2, 3, 7, 8		41, 42, 62	EZO			With Pipe
4	52103 454AD	1	1, 6		42	EV0			PIPE, Exhaust Extension
	52103 541AB	1	2, 3, 7, 8		42	ETO			
	52110 198AD	1	1, 6		41, 62	EK0,			
						EV0			
	52110 323AB	1	1, 6		41, 62	EZO			
	52110 324AB	1	1, 6		42	EZO			
	52103 525AE	1	2, 3, 7, 8		42	EZO			
	52121 124AA	1	2, 3, 7, 8		41, 62	EZO			
	52121 601AA	1	2, 3, 7, 8		42	ETO			[XCK]
5	6034 246	4				EK0,			BOLT, Hex Head, .375-16x.75
						EV0,			
						EZO			
6	55366 000AA	4				EK0,			NUT, Hex Flange Lock
						EV0,			
						EZO			
7	55366 000AA	4				EK0,			NUT, Hex Flange Lock
						EV0,			
						EZO			

**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO],All 8.3 Gas [EWC]  
Figure 011-110**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6034 246	4				EK0, EV0, EZ0			BOLT, Hex Head, .375-16x.75
9	5290 600AB	1	1, 6			EWC			CONVERTER, Catalytic Right
	5290 601AB	1	1, 6			EWC			Up to 08/22/03, Left With Y Pipe
	52018 191AC	1	2, 3, 7, 8		41, 42, 62	ET0			After 08/22/03
	5290 601AC	1	1, 6			EWC			
	52121 210AA	1	2, 3, 7, 8		41, 42, 62	ET0			
10	52103 718AB	1				EK0, EV0, EZ0			INSULATOR, Exhaust
11	52103 717AB	3 3	1, 6 1, 6			EWC EK0, EV0, EZ0			INSULATOR, Exhaust
12	5201 8623	1	2, 3, 7, 8		41, 42, 62	EZ0			CLAMP, Exhaust
	5201 8532	1	2, 3, 7, 8		41, 42, 62	ET0			Tail pipe
	52103 592AA	1	2, 3, 7, 8		41, 42, 62	ET0			Exhaust pipe to convertor
	52103 596AC	1	2, 3, 7, 8		41, 42, 62	ET0			Exhaust pipe to turbo outlet
	52110 201AA	1 1	1, 6 1, 6		42 41, 62	EV0 EK0, EV0			
	52110 216AA	4 1	1, 6 1, 6		61	EWC EZ0			Muffler inlet and outlet 2.25 in. diameter
	52110 327AA	1	1, 6		41, 62	EZ0			Convertor to exhaust extension
	52121 285AA	1	2, 3, 7, 8		41, 42, 62	ET0			Exhaust pipe to turbo outlet [XCK]
-13	52021 594AA-	1 1 1	1 1 1		41 41 42		DG0 DBB		ROD, Exhaust Pipe Support

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO],All 8.3 Gas [EWC]  
Figure 011-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1		61				
		1	1		62				
		1	8		42				
		1	8		62				
		1	8		41				
		1	2		41		DG0		
		1	3		41		DG0		
		1	2		41		DBB		
		1	3		41		DBB		
		1	3		42				
		1	2		62				
		1	6		41				
		1	6		42				
		1	6		61				
		1	6		62				
		1	7		41				
		1	7		62				
14		1	7		42				MUFFLER, Exhaust, See Group1for Borla Dual Exhaust Daytona Package
	55366 752AA	1	1, 6			EV0			
	55366 753AA	1	1, 6			EZ0			
	52103 510AE	1	2, 3, 7, 8		41, 42, 62	EZ0			
	52103 512AE	1	2, 3, 7, 8		41, 42, 62	ET0			Without XCK
	52121 604AA	1	2, 3, 7, 8		41, 42, 62	ET0			With XCK
	5290 502AB	1	1, 6		61	EWC			
	55366 105AA	1	1			EK0			
15									PIPE, Tail After 08/22/03
	5290 338AF	1	1		61	EWC			
	55366 750AB	1	1, 6			EV0			
	5290 338AC	1	1		61	EWC			Up to 08/22/03
	55366 751AA	1	1, 6			EZ0			
16									TAILPIPE, Exhaust
	52103 513AC	1	2, 3, 7, 8		41, 42, 62	EZ0			

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Exhaust System, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO],All 8.3 Gas [EWC]  
Figure 011-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52103 515AD	1	2, 3, 7, 8		41, 42, 62	ET0			
	52103 471AD	1	1, 6			EK0			
	52121 603AA	1	2, 3, 7, 8		41, 42, 62	ET0			[XCK]
-17	52121 291AA-	1	2, 3, 7, 8		41, 42, 62	EZ0			PIPE AND CONVERTER, Exhaust
	52110 325AB-	1	1, 6			EZ0			
-18	52103 595AB-	1	2, 3, 7, 8		41, 42, 62	ET0	DDX, DEE		BRACKET, Exhaust, Manifold Pipe
-19	52103 504AB-	1	2, 3, 7, 8		41, 42, 62	ET0			PIPE, Exhaust, To Manifold
	52121 600AA-	1	2, 3, 7, 8		41, 42, 62	ET0			[XCK]
-20	52121 201AB-	1	2, 3, 7, 8		41, 42, 62	ET0			PIPE, Exhaust
-21	5290 416AB-	1	1		61	EWC			HANGER, Exhaust
-22	5290 518AA-	6	1, 6		61	EWC			NUT, Cage type, Exhaust pipe flange
-23									BUSHING, Exhaust Hanger
	5208 5085	1	2, 3, 7, 8		41, 42, 62	ET0	DDX, DEE		
		1	2, 3, 7, 8		41, 42, 62	ET0	DG8, DGP		
-24	6505 954AA-	6	1, 6		61	EWC			SCREW, Hex Head Pilot Point, M8x1.25x65.00, Exhaust Manifold To y Pipe

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Heat Shields, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L [ETO] 8.3L [EWC]  
Figure 011-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;Sales Codes									
[EK0]= All 3.7L, 6 Cylinder Gas Engines									
[ETO]= All 5.9L, 8.0 Gas Engines									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
1									SHIELD, Heat
	55275 778AB	1				EK0, EV0, EW0, EZ0			Front, Upper Right
	55275 779AC	1				EK0, EV0, EW0, EZ0			Front, Upper Left
	55276 889AA	1				EW0			Front, Upper Right
2	55275 554AC	1			41, 42	EK0, EV0, EW0, EZ0			SHIELD, Heat Right, Rear Upper
	55276 243AC	1			61, 62	EK0, EV0, EW0, EZ0			Rear Right
	55276 956AA	1	1, 6			EW0, EZ0 EK0, EV0, EW0, EZ0			Left, Rear Upper
3									NUT, M5X1.60, (NOT SERVICED) (Not Serviced)
4	6036 237AA	4				EK0, EV0, EW0, EZ0			SCREW
-5	52121 148AA-	1	2, 3, 7, 8		42, 62	EK0, EV0, EW0, EZ0			SHIELD, Heat
		1	2, 3, 7, 8		42, 62	EZ0 ETO			


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Heat Shields, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L [ETO] 8.3L [EWC]  
Figure 011-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55366 063AA-	1	1, 6			EK0, EV0, EZ0			SHIELD, Exhaust Manifold
-6	5037 246AA-	2				EWC			
	53032 208AG-	2				EZ0			



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 013

## Frames and Bumpers

### GROUP 13 - Frames and Bumpers

Illustration Title

Group-Fig. No.

#### Frames

Frame

Fig. 013-140

#### Front Bumper and Fascia

Bumper, Front

Fig. 013-230

Bumper, Front, Sport and SRT

Fig. 013-235

#### Rear Bumper and Fascia

Rear Bumper and Licence Plate Attaching

Fig. 013-310

#### Body Hold Down


Body Hold Down And Front End Mounting






Fig. 013-520

#### Trailer Tow


Hitch, Towing

Fig. 013-610



<div>013-100</div> <div>Frames</div> <div></div>	<div>013-200</div> <div>Front Bumper and Fascia</div> <div></div>	<div>013-300</div> <div>Rear Bumper and Fascia</div> <div></div>	<div>013-500</div> <div>Body Hold Down</div> <div></div>
<div>013-600</div> <div>Trailer Tow</div> <div></div>			

Frame  
Figure 013-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RAIL PACKAGE, Front
	5083 922AA	1	1, 6		41, 42, 61, 62				Right
	5083 923AA	1	1, 6		41, 42, 61, 62				Left
2									FRAME ASSEMBLY, Chassis
	52021 555AG	1	2		62				
	52021 557AG	1	2		41				[DG0]
	52021 559AG	1	2		41				[DBB]
	52021 554AG	1	2		42				
	52022 447AC	1	3		41				[DG0]
	52022 449AC	1	3		41				[DBB]
	52022 444AD	1	3		42				
	52022 445AD	1	3		62				
	52021 553AG	1	7		42				
	52021 556AG	1	7		62				
	52021 558AG	1	7		41				
	52022 443AE	1	8		42				
	52022 446AE	1	8		62				
	52022 448AD	1	8		41				
	52122 100AA	1	1		61				
	52122 101AA	1	1		62				
	52122 102AA	1	1		41				[DG0]
	52122 103AA	1	1		42				
	52122 104AA	1	1		41				[DBB]
	52122 105AA	1	6		61				
	52122 106AA	1	6		62				
	52122 107AA	1	6		41				
	52122 108AA	1	6		42				
	5290 810AB	1	1		61				[DEC]
	52121 297AA	1	7		62				[XEE]
	52121 298AA	1	8		41				[XEE]
	52121 299AA	1	7		41				[XEE]
3									FRAME, Rear Sub-Assembly
	5135 941AA	1	1		61				
		1	6		61				
		1	1		41				
		1	6		41				
	5135 942AA	1	1		62				
		1	6		62				

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

**Frame**  
**Figure 013-140**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1		42				
		1	6		42				
4	5073 587AA	1	1		41				CROSSMEMBER, Transmission
		1	1		42				Curved
		1	1		42				Curved
		1	1		61				Curved
		1	1		62				Curved
	5073 587AB	1	1		61				Straight
		1	1		62				Straight
		1	1		41				Straight
		1	1		42				Straight
	5073 588AA	1	6		41				
		2	6		41				
		1	6		61				
		1	6		62				
	5135 677AA	1	2		62				
		1	2		42				
		1	2		41				
		1	3		62				
		1	3		42				
		1	3		41				
		1	7		62				
		1	7		42				
		1	7		41				
		1	8		62				
		1	8		42				
		1	8		41				
5									CROSSMEMBER, Front Frame
	52021 334AC	1	6						
	5073 586AA	2	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
6									BRACKET, Brake Hose
	52010 064AA	1	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
		1	2		41				
		1	2		42				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Frame  
 Figure 013-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2		62				
		1	3		41				
		1	3		42				
		1	3		62				
		1	6		41				
		1	6		42				
		1	6		61				
		1	6		62				
		1	7		41				
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
7		1	8		62				BRACKET, Shock Mounting
	5083 156AA	1	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
		1	6		41				
		1	6		42				
		1	6		61				
		1	6		62				
	52020 681AB	1	2		41				
		1	2		42				
		1	2		62				
		1	3		41				
		1	3		62				
		1	7		41				
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
-8		1	8		62				BRACKET, Torsion Bar
	52021 562AA-	1	6		41				Right
		1	6		42				Right
		1	6		61				Right
		1	6		62				Right
	52021 563AA-	1	6		41				Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Frame  
Figure 013-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-9	52020 844AA-	1	6		42				Left
		1	6		61				Left
		1	6		62				Left
		1	1		41				BRACKET, Fuel Tank
		1	1		42				
		1	1		61				
		1	1		62				
		1	2		41				
		1	2		42				
		1	2		62				
		1	3		41				
		1	3		42				
		1	3		62				
		1	6		41				
		1	6		42				
-10	52020 846AA-	1	6		61				
		1	6		62				
		1	7		41				
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
		1	8		62				BRACKET, Parking Brake Cable
		1	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
		1	6		41				
		1	6		42				
		1	6		61				
-11	52021 593AA-	1	1		41				ROD, Exhaust Pipe Support
		2	1		42				Front
		2	1		61				Front
		2	1		62				Front
		1	2		41				Front
		1	2		42				Front
		1	2		42				Front

**DODGE RAM (DR)**

**SERIES**

H = SLT

L = ST

**LINE**

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

**BODY**

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

**ENGINE**

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

**TRANSMISSION**

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)


DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual



**Frame**  
**Figure 013-140**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2		62				Front
		1	3		41				Front
		1	3		42				Front
		1	3		62				Front
		1	6		41				Front
		2	6		42				Front
		1	6		61				Front
		2	6		62				Front
		1	7		41				Front
		1	7		42				Front
		1	7		62				Front
		1	8		41				Front
		1	8		42				Front
52021 594AA-		1	8		62				Front
		1	1		41				Inner
		1	1		42				Inner
		1	1		61				Inner
		1	1		62				Inner
		1	2		41				Inner
		1	2		42				Inner
		1	2		62				Inner
		1	3		41				Inner
		1	3		42				Inner
		1	3		62				Inner
		1	6		41				Inner
		1	6		42				Inner
		1	6		61				Inner
		1	6		62				Inner
		1	7		41				Inner
		1	7		42				Inner
		1	7		62				Inner
		1	8		41				Inner
		1	8		42				Inner
52021 596AA-		1	8		62				Inner
		1	1		41				Center
		1	1		42				Center
		1	1		61				Center
		1	1		62				Center
		1	2		41				Center
		1	2		42				Center

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Frame  
 Figure 013-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2		62				Center
		1	3		41				Center
		1	3		42				Center
		1	3		62				Center
		1	6		41				Center
		1	6		42				Center
		1	6		61				Center
		1	6		62				Center
		1	7		41				Center
		1	7		42				Center
		1	7		62				Center
		1	8		41				Center
		1	8		42				Center
52121 079AA-		1	8		62				Center
		1	2		42				Extension
		1	3		42				Extension
		1	7		42				Extension
52121 082AA-		1	8		42				Extension
		1	2		41				Front Muffler Support
		1	2		42				Front Muffler Support
		1	2		62				Front Muffler Support
		1	3		41				Front Muffler Support
		1	3		42				Front Muffler Support
		1	3		62				Front Muffler Support
		1	7		41				Front Muffler Support
		1	7		42				Front Muffler Support
		1	7		62				Front Muffler Support
		1	8		41				Front Muffler Support
		1	8		42				Front Muffler Support
52121 083AA-		1	8		62				Front Muffler Support
		1	2		41				Muffler Rear
		1	2		42				Muffler Rear
		1	2		62				Muffler Rear
		1	3		42				Muffler Rear
		1	3		41				Muffler Rear
		1	3		62				Muffler Rear
		1	7		41				Muffler Rear
		1	7		42				Muffler Rear
		1	7		62				Muffler Rear
		1	8		41				Muffler Rear

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Frame  
Figure 013-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12		1	8		42				Muffler Rear
		1	8		62				Muffler Rear
									BRACKET, Vapor Canister
	52021 675AB-	1	1		61				
	52021 680AB-	1	1		41				
		1	1		42				
		1	1		62				
		1	2		41				
		1	2		42				
		1	2		62				
		1	3		41				
		1	3		42				
-13		1	3		62				
	52021 675AB-	1	6		61				
	52021 680AB-	1	6		41				
		1	6		42				
		1	6		62				
		1	7		41				
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
		1	8		62				
		1	8		62				
-14	6502 696	4							NUT, Hex Flange Lock, M10x1.5
									NUT, Hex Flange Lock, M12x1.75
	6502 697	2	1, 2, 3, 6						
		4	6						
		1	7, 8		41, 42,				
					62				
	15	6504 863AA	4	6					SCREW, Hex Flange Head, M12x1.75x89.50
	-16								STUD, Double Ended
	6507 267AA-	1	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
-15		1	2		41				
		1	2		42				
		1	2		62				
		1	3		41				
		1	3		42				
		1	3		62				
		1	3		41				
		1	3		42				
		1	3		62				
		1	3		41				
		1	3		42				
		1	3		62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Frame**  
**Figure 013-140**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		42				
		1	3		62				
		1	6		41				
		1	6		42				
		1	6		61				
		1	6		62				
		1	7		41				
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
		1	8		62				
-17									SCREW, Hex Flange Head
	6507 268AA-	1	1		41				
		1	1		42				
		1	1		61				
		1	1		62				
		1	2		41				
		1	2		42				
		1	2		62				
		1	3		41				
		1	3		42				
		1	3		62				
		1	6		41				
		1	6		42				
		1	6		61				
		1	6		62				
		1	7		41				
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
		1	8		62				
18	55276 324AB	4							ISOLATOR, Frame To Body
-19									SCREW, Hex Head
	6506 501AA-	4	2		41				
		4	2		42				
		4	2		62				
		4	3		41				
		4	7		41				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**Frame**  
**Figure 013-140**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20	5205 8224	4	7		42				CUP, Jounce Bumper
		4	7		62				
		2	7		41				
		2	7		42				
		2	7		62				
		2	8		41				
		2	8		42				
-21	52021 692AB-	2	8		62				BRACKET, Spring
		1	8		41				
		1	8		42				
	52021 693AB-	1	8		41				Auxiliary Right Front
		1	8		42				
		1	8		62				
	52021 694AB-	1	8		41				Auxiliary Right Front
		1	8		42				
		1	8		62				
	52021 695AB-	1	8		41				Auxiliary Left Front
		1	8		42				
		1	8		62				
	52121 030AB-	1	8		41				Auxiliary Left Front
		1	8		42				
		1	8		62				
	52121 033AB-	1	8		41				Auxiliary Right Rear
		1	8		42				
		1	8		62				
	52121 030AB-	1	8		41				Auxiliary Right Rear
		1	8		42				
		1	8		62				
	52121 033AB-	1	8		41				Auxiliary Left Rear
		1	8		42				
		1	8		62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

# Bumper, Front Figure 013-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FASCIA, Front, Primed
	5073 001AC	1							[MBP] Paint as Required
	5073 002AC	1							[MCM] Paint as Required
2	55077 355AC	1							FASCIA, Front Bumper, [MCL]
3									BUMPER, Front
	55077 103AB	1	2, 3, 7, 8		41, 42, 62				Chrome
	5JQ48 ZSPAA	1							Painted
	55077 103AB	1	1, 6						[LNJ]
		1	1, 6						[-LNJ]
4									AIR DAM
	55077 337AC	1	1, 6						
		1	2, 3, 7, 8		41, 42, 62				
5									BRACKET, Front Bumper Side
	55077 208AA	1							Right
	55077 209AA	1							Left
6									SHIELD, Bumper
	55077 234AD	1							Right,Without Fog Lamp
	55077 235AC	1							Left,Without Fog Lamp
7									BRACKET, Front Bumper Side
	55077 378AC	1							Right
	55077 379AC	1							Left
8	3420 1686	2							BOLT, Hex Flange Head, M12x1. 18x35
9	6504 790	12							BOLT, Square Neck, M12x1.75x30.5
10	6101 678	4							NUT, Hex, M12x1.75
11	6502 625	4							SCREW AND RETAINER, Round Head, M6.35x25.4, M12
12									BRACKET, Fascia
	55077 504AE	1							Right
	55077 505AE	1							Left
13									BRACKET, Bumper
	55077 220AC	1	1, 6						[-XEA], Right
	55077 221AC	1	1, 6						[-XEA], Left
	55077 230AC	1	1, 6						[XEA], Right
	55077 231AC	1	1, 6						[XEA], Left
	55077 314AE	1	2, 3, 7, 8		41, 42, 62				[-XEA], Right


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Bumper, Front  
Figure 013-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55077 315AE	1	2, 3, 7, 8		41, 42, 62				[-XEA], Left
	55077 316AF	1	2, 3, 7, 8		41, 42, 62				[XEA], Right
	55077 317AF	1	2, 3, 7, 8		41, 42, 62				[XEA], Left
14	6507 166AA	2	1, 6						PLATE, Bumper Bracket Attach
15	6507 667AA	2	2, 3, 7, 8		41, 42, 62				BOLT AND RETAINER, Hex Head
16	55077 342AC	1							STEP PAD, Front Fascia
17									SCREW AND WASHER, Truss Head, M6-1.00x30.00, (NOT SERVICED) (Not Serviced)
18	55077 896AC	1							PANEL, Front Bumper
	55077 630AA	1	2, 3, 7, 8		41, 42, 62				Air Close Out Without Tow Hooks [XEA], Right
	55077 631AA	1	2, 3, 7, 8		41, 42, 62				Without Tow Hooks [XEA], Left
	55077 840AA	1	2, 3, 7, 8		41, 42, 62				With Tow Hooks [XEA]
19	52020 586AB	1	1, 6						HOOK, Tow Right
	52020 587AB	1	2, 3, 7, 8		41, 42, 62				Left
20	55077 238AD	1	1, 6						BEZEL, Fog Lamp Right
	55077 239AC	1	1, 6						Left
-21	55077 158AE-	1							BRACKET, License Plate
-22	5134 739AA-	1							BRACKET KIT, License Plate, Rumble Bee & Hemi Sport
23	6101 755	6	1, 6						SCREW AND WASHER, Hex Head, M10x1.5x53


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Bumper, Front, Sport and SRT Figure 013-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 001AC	1							FASCIA, Front, Primed
	5030 101AA	1							[MBP]
									[MLH]
2	55077 214AB	1	1, 6						BEAM, Front Bumper
		1	2, 3, 7, 8		41, 42, 62				
3	55077 504AE	1							BRACKET, Fascia Right
	55077 505AE	1							Left
4									SCREW AND WASHER, Truss Head, M6-1.00x30.00, 06503698, (NOT SERVICED) (Not Serviced)
5	55077 208AA	1							BRACKET, Front Bumper Side Right
	55077 209AA	1							Left
6	55077 222AA	1	1, 6						SUPPORT, Front Fascia
-7	5029 625AB-	1							RETAINER, Fascia, Upper Center
8	55077 374AC	1							BRACKET, Support Front Right
	55077 375AC	1							Left
9	55077 342AC	1							STEP PAD, Front Fascia
10	6502 625	4							SCREW AND RETAINER, Round Head, M6.35x25.4
11									SCREW AND WASHER, Truss Head, M6-1.00x30.00, 06503698, (NOT SERVICED) (Not Serviced)
12	6507 166AA	2	1, 6						PLATE, Bumper Bracket Attach
13	55077 220AC	1	1, 6						BRACKET, Bumper Right
	55077 221AC	1	1, 6						Left
14	6101 678	4							NUT, Hex, M12x1.75
-15	55077 158AE-	1							BRACKET, License Plate [MDA-MLH]
	5029 500AA-	1							[MDA+MLH]
16	55077 632AA	1	2, 3, 7, 8		41, 42, 62				PANEL, Front Bumper Without Tow Hooks [XEA], Right
	55077 633AA	1	2, 3, 7, 8		41, 42, 62				Without Tow Hooks [XEA], Left

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Bumper, Front, Sport and SRT  
Figure 013-235




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55077 841AA	1	2, 3, 7, 8		41, 42, 62				With Tow Hooks [XEA]
-17	55077 898AC	1							Air Close out EXTENSION, Bumper
	YX18 TZZAA-	1							SRT, Right,Upper
	YX19 TZZAA-	1							SRT, Left,Upper
18	5029 611AA	1							PANEL, Underbody Front, Belly Pan
19	5029 612AA	2							BRACKET, Belly Pan, Rear
20									AIR DUCT, Brake Cooling
	5290 808AB	1	1						Right
	5290 809AB	1	1						Left
21	6101 718	6							SCREW AND WASHER, Oval Head, M6x1x25
22	6502 871	5							RETAINER
23									GRILLE, Front Bumper
	YX64 XXXAA	1							[MLH], Right
	YX65 XXXAA	1							[MLH], Left
-24	5134 739AA-	1							BRACKET KIT, License Plate, [AM5, AM6], Front

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Rear Bumper and Licence Plate Attaching Figure 013-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Rear
	55077 107AF	1							[MBF] Chrome
	5073 625AC	1							[MBQ,MBZ] Primed
	5029 511AA	1							[ML9]
-2									FASCIA, Rear
	5JR38 TZZAB-	1							[ML9], Right
	5JR39 TZZAB-	1							[ML9], Left
	5JR41 TZZAB-	1							[ML9], Center
3									BRACKET, Bumper
	55077 704AA	1							Right
	55077 705AA	1							Left
	5029 742AA	1							[ML9], Right
	5029 743AA	1							[ML9], Left
	55077 358AB	1							[MBQ,MBZ], Right
	55077 359AB	1							[MBQ,MBZ], Left
4	6502 696	4	1			61			NUT, Hex Flange Lock, M10x1.5
5	6506 830AA	2							RETAINER
-6									BRACKET, License Plate
	3738 921	1							[XBC]
	55077 158AE-	1							[MDA]
7									BOLT AND RETAINER, M10X1.
									50X34.50, (NOT REQUIRED)
8	55077 361AD	1							PLUG, Wire Access Hole
9									NUT, U Multi Thread, (NOT SERVICED) (Not Serviced)
10	55077 340AC	1							STEP PAD, Rear Bumper, Black
11	6507 391AA	8							BOLT, square neck
12	6502 979	8							NUT AND WASHER, Hex, M10x1.5
13									RIVET, Blind Bulb, [.250x.475], (NOT SERVICED) (Not Serviced)
14									HITCH, Trailer, Refer To Trailer Hitch Picture, (NOT REQUIRED)
-15	55077 311AB-	1							PLUG, Trailer Hitch
16									FASCIA, Rear
	5JR38 TZZAB	1							Right,Outer
	5JR39 TZZAB	1							Left,Outer
	5JR41 TZZAA	1							Center
17									PIN, Push, M6.3x20.5
	ZV95 DX8AA	8							[X8][ML9]
	ZV95 PR4AA	8							[R4][ML9]
	ZV95 WS2AA	8							[S2][ML9]

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

## BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

## ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


## TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear Bumper and Licence Plate Attaching  
Figure 013-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18									LAMP, License Plate
	55077 291AE	1							Left
	55077 292AE	1							Right
19	5029 482AA	6							BRACKET
20	0152 493	2							NUT
21	5029 480AA	2							BRACKET, Front Bumper Side
22									RIVET, Blind, .250x.375/.562, (NOT SERVICED) (Not Serviced)
23									SCREW, .19-16x1.00, (NOT SERVICED) (Not Serviced)
24	55077 370AB	2							CLIP, Lamp

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Figure 013-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 749AB	8			41, 42				INSULATOR, Body Hold Down
2	55276 252AB	2							CUSHION, Body Hold Down
3	55276 255AB	2							CUSHION, Body Hold Down
4	55276 259AC	2							CUSHION, Body Hold Down
5	55276 257AB	2			41, 42				CUSHION, Body Hold Down
6									BOLT, Hex Flange Head, M12x1.75x95.50
	6501 557	6			61, 62				
		8			41, 42				
-7									SCREW AND WASHER, Hex Flange Head, M12x1.75x45, Box Hold Down
	6506 948AA-	6			41, 61				
		8			42, 62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

Hitch, Towing  
Figure 013-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RECEIVER KIT, Trailer Tow
	52110 367AC	1	2, 3, 7, 8		41, 42, 62				Without [AHC], Class III [XFJ]
	52110 373AC	1	2, 3, 7, 8		41, 42, 62				With [AHC], Class IV [XFH]
		1	1, 6						With [AHC], Class IV [XFH]
2									NUT, Hex Flange Lock, M10x1.5
	6502 696	4	1		61				
		4	1		42				
3									BOLT, Hex Head, M14 x 2.00 x 120. 00
	6508 014AA	4	1, 6						
		6	2, 3, 7, 8		41, 42, 62				
4	6502 817	2	2, 3, 7, 8		41, 42, 62				LOCK NUT, M14-2.00, Hitch to Frame
-5	55077 311AB-	1							PLUG, Trailer Hitch
6									BRACKET, Bumper to Frame Rail
	55077 704AA	1							Right
	55077 705AA	1							Left
7	6507 219AA	4							BOLT AND WASHER, Hex Head, M10x1.5x30


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




# Group – 014









Fuel



# Group – 014

Fuel

<b>014-900</b> Air Intake System	<b>014-1000</b> Speed Control	<b>014-1100</b> Accelerator Pedal	
			


<b>014-100</b> Tank, Fuel	<b>014-200</b> Fuel Tank Filler Tube	<b>014-300</b> Fuel Lines	<b>014-400</b> Fuel Rail
			
<b>014-500</b> Fuel Pump and Sending Unit	<b>014-600</b> Throttle Body	<b>014-700</b> Throttle Controls	<b>014-800</b> Air Cleaner
			

GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
<b>Tank, Fuel</b>	
Fuel Tank, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO] 8.3L [EWC] . . . . .	Fig. 014-110
<b>Fuel Tank Filler Tube</b>	
Fuel Filler Tube, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 5.9 Diesel [ETO] 8.3L [EWC] . . . . .	Fig. 014-210
<b>Fuel Lines</b>	
Fuel Lines, Front, 3.7L [EKG], 4.7L [EVA], 5.7 [EZA] 8.3L [EWC] . . . . .	Fig. 014-310
Fuel Lines, Rear, 3.7L [EKG], 4.7L [EVA], 5.7L [EZA], 5.9 [ET0] 8.3L [EWC] . . . . .	Fig. 014-315
Air Fuel Control . . . . .	Fig. 014-320
<b>Fuel Rail</b>	
Fuel Rail, 3.7L [EKG], 4.7L [EVA], 5.7L [EZA] 8.3 [EWC] 5.9 Diesel [ET0] . . . . .	Fig. 014-410
<b>Fuel Pump and Sending Unit</b>	
Fuel Module, 3.7L [EKG], 4.7L [EVA], 5.7 [EZA] 5.9 Diesel [ET0] 8.3L [EWC] . . . . .	Fig. 014-510
Fuel Injection Pump 5.9 Diesel . . . . .	Fig. 014-515
Injection Plumbing 5.9 Diesel . . . . .	Fig. 014-520
Fuel Pump Transfer Conversion . . . . .	Fig. 014-525
<b>Throttle Body</b>	
Throttle Body, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 8.3L [EWC] . . . . .	Fig. 014-610
Turbocharger, 5.9L Diesel . . . . .	Fig. 014-620
<b>Throttle Controls</b>	
Throttle Controls, 3.7L [EKG], 4.7L[ EV0], 5.9 Diesel [ETO] 5.7L [EZA] 8.3L [EWC] . . . . .	Fig. 014-710
<b>Air Cleaner</b>	
Air Cleaner, 3.7L [EKG], 4.7L [EVA] 5.7 [EZA] 5.9L Diesel [ETO] 8.3 [EWC] 5.7L [EZA] . . . . .	Fig. 014-810
<b>Air Intake System</b>	
Air Intake System, . . . . .	Fig. 014-910
Duct Air cooler . . . . .	Fig. 014-920
<b>Speed Control</b>	
Speed Control, All Engines . . . . .	Fig. 014-1010
<b>Accelerator Pedal</b>	
Accelerator Pedal 3.7L [EKG], 4.7L [EVA] 5.9L [ETO] 5.7L [EZA] . . . . .	Fig. 014-1110
Pedal Brake,Power Adjustable . . . . .	Fig. 014-1120



Fuel Tank, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO] 8.3L [EWC]  
Figure 014-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EK0]= All 3.7L, 6 Cylinder Gas Engines

[ET0]= All 5.9L, 8 .0 Gas Engines

[EV0]= All 4.7L, 8 Cylinder Gas Engines

[EWO]=All 8.0 Gas Engine

1	52102 527AA	1							STRAP, Fuel Tank, Front
2	52102 522AA	1							STRAP, Fuel Tank
	52102 671AA	1	2, 3, 7, 8		41				Rear
3	6502 337	2							NUT, M10x1.5
4	52102 585AF	1	2, 3, 7, 8		41	ET0			TANK, Fuel
	52121 149AC	1	2, 3, 7, 8		42, 62	EW0,			[NFU]
						EZ0			[NFV]
	52102 505AF	1	2, 3, 7, 8		41	EW0,			[NFU]
						EZ0			
	52102 588AF	1	2, 3, 7, 8		42, 62	ET0			[NFV]
	52113 589AC	1	1, 6		41, 61	EK0,			[NFW]
						EVA,			
						EZ0			
	52113 613AC	1	1, 6		42, 62	EK0,			[NFV]
						EVA,			
						EZ0			
	55366 067AB	1	1, 6		41	EK0,			[NFU]
						EV0,			
						EZ0			
5	52102 625AA	1	1, 6		42, 62	EK0,			SHIELD, Heat
						EV0,			
						EW0,			
						EZ0			
	52102 626AA	1	1, 6		41, 61	EK0,			
						EV0,			
						EZ0			
	52121 148AA	1	2, 3, 7, 8		42, 62	EK0,			
						EV0,			
						EW0,			
						EZ0			
		1	2, 3, 7, 8		42, 62	ET0			
	52102 524AB	1			41				
6									NUT, Fuel Pump Module

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)


DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Fuel Tank, 3.7L [EKG], 4.7L [EV0], 5.7L [EZA] 5.9L Diesel [ETO] 8.3L [EWC]  
Figure 014-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55366 299AA	1	1, 6		41, 61	EK0, EVA, EZ0			
		1	1, 6		42, 62	EK0, EVA, EZ0			
7									BOLT, Retainer, (NOT SERVICED) (Not Serviced)
-8									PAD, Fuel Tank
	52121 165AA-	1	2, 3, 7, 8		41	EW0, EZ0			
		1	2, 3, 7, 8		41	ET0			
-9	52121 253AA-	1				ET0			STRAP, Ground
-10	52110 282AA-	1	1, 6		41	EK0, EV0, EZ0			RING, Lock, Fuel Module
-11									SCREW, Hex Flange Head
	6508 083AA-	1	7		41				Fuel tank strap
		1	8		41				Fuel tank strap
		1	7		62				Fuel tank strap
-12									TUBE, Fuel Vapor Recirculation
	55366 012AA-	1	1, 6		41, 61	EK0, EV0, EWC, EZ0			
	55366 013AA-	1	1, 6		42, 62	EK0, EV0, EZ0			
-13	52121 265AA-	1	6, 7, 8						SKID PLATE, Fuel Tank
-14	52022 046AC-	1	6, 7, 8						CROSSMEMBER, Skid Plate
-15	6507 342AA-	10	6, 7, 8						SCREW, M8x1.25x30

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Fuel Filler Tube, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 5.9 Diesel [ETO] 8.3L [EWC]  
Figure 014-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes;									
[EZO]= All 5.7L, 6 Cylinder Gas Engines									
[ET0]= All 5.9L, 8 Cylinder Gas Engines									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
1									CAP, Fuel Filler
	5278 632AE	1							
	5290 145AC	1				EWC			
2									HOUSING, Fuel Filler, Service in Item #3, (NOT SERVICED) (Not Serviced)
3									TUBE, Fuel Filler
	52102 594AB	1	2, 3, 7, 8		41, 42, 62	ET0			
	52121 251AA	1				EW0, EZ0			
	52121 252AA	1				ET0			
	52113 581AC	1	1, 6			EK0, EV0, EZ0			
	52102 554AC	1	2, 3, 7, 8		41, 42, 62	EW0, EZ0			
4									HOSE, Fuel Filler
	52102 596AA	1	2, 3, 7, 8		41	ET0			
	52102 662AA	1	2, 3, 7, 8		42, 62	ET0			
	52102 663AA	1	2, 3, 7, 8		42, 62	EW0, EZ0			
	52110 305AA	1	1, 6		41, 61	EK0, EV0, EZ0			
		1	1, 6		41, 61	EWC			
	52110 306AA	1	1, 6		42, 62	EK0, EV0, EZ0			
	52102 514AA	1	2, 3, 7, 8		41	EW0, EZ0			
5									HOSE, Fuel Filler
	52028 970AA	1	2, 3, 7, 8		41	ET0			
	52028 971AA	1	2, 3, 7, 8		42, 62	ET0			
	52102 517AA	1	2, 3, 7, 8		41	EW0, EZ0			

**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Fuel Filler Tube, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 5.9 Diesel [ETO] 8.3L [EWC]  
Figure 014-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52102 764AA	1	2, 3, 7, 8		42, 62	EW0,			
6	6505 322AA	2				EZ0 ET0, EW0, EZ0			CLAMP, Hose
7	6504 998AA	2				ET0			CLAMP, Fuel Filler Pipe
-8	4682 676	1							TETHER, Fuel Filler Cap
-9	52013 230AA-	1	2, 3, 7, 8		41, 42, 62	ET0			CLIP, Fuel Tube
-10									GASKET, Filler Tube Housing
	5210 2306	1	2, 3, 7, 8		41, 42, 62	EW0, EZ0			
		1	1, 6			EK0, EV0, EZ0 EWC			
-11									STRAP, Ground
	52121 253AA-	1				EW0, EZ0			
		1				ET0			
-12									TUBE, Fuel Vapor Recirculation
	55366 012AA-	1	1, 6		41, 61	EK0, EV0, EWC, EZ0			
	55366 013AA-	1	1, 6		42, 62	EK0, EV0, EZ0			

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Fuel Lines, Front, 3.7L [EKG], 4.7L [EVA], 5.7 [EZA] 8.3L [EWC]  
Figure 014-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note Sale Code: [EKO]=All 3.7L 6 CyC Gas Engines [ETO]= All 5.9L 8 CYC Gas Engines [EVO]= All 4.7L 8 CYC Gas Engines [EWO]=All 8.0 Gas									
1									BUNDLE, Fuel Line
	52102 824AD	1	2, 3, 7, 8		41, 42, 62	EZA			
	52110 252AA	1	1, 6			EKO, EVO			
	5290 343AB	1	1, 6			EWC			
	52110 255AD	1	1, 6			EZO			
-2									CLIP, Fuel Line
	5212 7788	2	2, 3, 7, 8		41, 42, 62	EWO			
		2	2, 3, 7, 8		41, 42, 62	EZA			
		2	1, 6			EKO, EVO			
		2	1, 6			EZO			
3									SCREW, Hex Head, .375-16x1.5
	6022 266	4					DBB		
		4				EKG, EVO, EWO, EZO	DG0		
4									BRACKET, Fuel Line Engine
	52110 315AB	1	1, 6			EKO, EVO, EZA	DG4, DGQ		
	52110 316AB	1	6			EKO, EVO	DDC		Front Bundle
	55366 286AA	1	1			EKO, EVO	DDC		Front Bundle

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Fuel Lines, Rear, 3.7L [EKG], 4.7L [EVA], 5.7L [EZA], 5.9 [ET0] 8.3L [EWC]  
Figure 014-315




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;Sales Codes									
[EK0]= All 3.7L, 6 Cylinder Gas Engines									
[ETO]= All 5.9L, Turbo Diesel									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
[EWO] =All 8.0L Gas Engine									
1	52110 239AA	1	1, 6		61	EK0, EV0, EZ0			TUBE, Fuel Supply
	52110 242AA	1	1, 6		62	EK0, EV0, EZ0			
	52110 245AA	1	1, 6		41	EK0, EV0, EZ0			
	52110 248AA	1	1, 6		42	EK0, EV0, EZ0			
	5086 752AA	1				ETC	DG0		Export
		1				ETH	DBB		
	5086 753AA	1				ETC	DG0		Federal
		1				ETH	DBB		Federal
	52102 605AB	1	2, 3, 7, 8		41	ET0			Chassis Supply - 140"
	52102 609AC	1	2, 3, 7, 8		62	ET0			Chassis Supply - 140"
	52102 613AB	1	2, 3, 7, 8		42	ET0			Chassis Supply - 160"
	5290 372AC	1	1, 6		61	EWC			
	52102 702AC	1	2, 3, 7, 8		41	EZA			
		1	2, 3, 7, 8		41	EWO			
	52102 706AC	1	2, 3, 7, 8		62	EWO			
	52102 710AC	1	2, 3, 7, 8		42	EWO			
		1	2, 3, 7, 8		42	EZA			
2	52102 551AC	1	2, 3, 7, 8		42	EWO			TUBE, Fuel Vapor
		1	2, 3, 7, 8		42	EZA			
	52102 559AC	1	2, 3, 7, 8		62	EZA			
		1	2, 3, 7, 8		62	EWO			
	52102 560AC	1	2, 3, 7, 8		41	EZA			
		1	2, 3, 7, 8		41	EWO			

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Lines, Rear, 3.7L [EKG], 4.7L [EVA], 5.7L [EZA], 5.9 [ET0] 8.3L [EWC]  
Figure 014-315




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52110 240AA	1	1, 6		61	EK0, EV0, EZ0			
	52110 243AA	1	1, 6		62	EK0, EV0, EZ0			
	52110 249AA	1	1, 6		42	EK0, EV0, EZ0			
	5290 945AA	1	1, 6		61	EWC			
	55366 205AA	1	1, 6		41	EK0, EV0, EZ0			
3									CLIP, Fuel Bundle
	52113 956AA	2	2, 3, 7, 8		41	EZA			
		2	2, 3, 7, 8		62	EZA			
		2	2, 3, 7, 8		41	EW0			
		2	2, 3, 7, 8		42	EW0			
		2	2, 3, 7, 8		62	EW0			
		2	2, 3, 7, 8		42	EZA			
		2	2, 3, 7, 8		62	ET0			
		2	2, 3, 7, 8		42	ET0			
		2	2, 3, 7, 8		41	ET0			
	5290 454AA	1	1, 6		61	EWC			4 way 3/8
	52110 278AA	1	1, 6		61	EK0, EV0, EZ0			4 Way
		2	1, 6		62	EK0, EV0, EZ0			4 Way
		2	1, 6		41	EK0, EV0, EZ0			4 Way
		3	1, 6		42	EK0, EV0, EZ0			4 Way
	52110 280AC	1	1, 6			EK0, EV0			Engine
4									CLIP, Fuel Bundle
	52102 603AC	1	2, 3, 7, 8		41	EZA			

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Lines, Rear, 3.7L [EKG], 4.7L [EVA], 5.7L [EZA], 5.9 [ET0] 8.3L [EWC]  
Figure 014-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3, 7, 8		41	EW0			
		1	2, 3, 7, 8		62	EZA			
		2	2, 3, 7, 8		42	EW0			
		1	2, 3, 7, 8		62	EW0			
		2	2, 3, 7, 8		42	EZA			
		1	2, 3, 7, 8		62	ET0			
		1	2, 3, 7, 8		42	ET0			
5	52102 664AC	1	2, 3, 7, 8		41	EW0			CLIP, Fuel Bundle Brake & Fuel Line 4-Way
		1	2, 3, 7, 8		42	EW0			
		1	2, 3, 7, 8		62	EW0			
		1	2, 3, 7, 8		41	ET0			Brake & Fuel Line 4-Way
		1	2, 3, 7, 8		41	EZA			Brake & Fuel Line 4-Way
		1	2, 3, 7, 8		62	EZA			
		1	2, 3, 7, 8		42	EZA			Brake & Fuel Line 4-Way
	52102 760AC	1	2, 3, 7, 8		41	EZA			2-Way
		1	2, 3, 7, 8		62	EZA			2-Way
		1	2, 3, 7, 8		41	EW0			2-Way
		1	2, 3, 7, 8		42	EW0			2-Way
		1	2, 3, 7, 8		62	EW0			2-Way
		1	2, 3, 7, 8		42	EZA			2-Way
	52102 664AC	1	2, 3, 7, 8		62	ET0			Brake & Fuel Line 4-Way
		1	2, 3, 7, 8		42	ET0			Brake & Fuel Line 4-Way
	52102 760AC	1	2, 3, 7, 8		42	ET0			2-Way
-6	5066 429AB-	1	2, 3, 7, 8		41	ET0			ISOLATOR
-7	52013 230AA-	1	2, 3, 7, 8		41, 42, 62	ET0			CLIP, Fuel Tube
-8	52110 317AA-	1	1, 6		61	EK0, EV0, EZ0			CLIP Fuel supply and vapor lines
		1	1, 6		62	EK0, EV0, EZ0			
		1	1, 6		41	EK0, EV0, EZ0			
		1	1, 6		42	EK0, EV0, EZ0			


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Lines, Rear, 3.7L [EKG], 4.7L [EVA], 5.7L [EZA], 5.9 [ET0] 8.3L [EWC]  
Figure 014-315


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 6		61	EWC			
-9	52110 246AC-	1	1, 6		41	EK0, EV0, EZ0			TUBE, Fuel Vapor
-10									TUBE, Fuel Return
	52102 611AC-	1	2, 3, 7, 8		62	ET0			
	52102 606AC-	1	2, 3, 7, 8		41	ET0			
	52102 614AC-	1	2, 3, 7, 8		42	ET0			
-11	5139 086AA-	1	1, 6		61	EWC			RETAINER KIT, Quick Connect



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Air Fuel Control  
Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ ETC]= 5.9L Cummins 24 Valve Diesel,[ ETH]= 5.9L HO Cummins Turbo,  
[DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions


1									HEAD, Fuel Filter, Service as Assembly, (NOT SERVICED) (Not Serviced)
2	5093 129AA	1				ETC	DBB		O RING KIT This kit contains; Lid Oring Thermostat Oring Rotary Valve Oring Lift Pump Oring (4) Lift Pump Fasteners 14MM WIF Oring
		1				ETC	DGO		This kit contains; Lid Oring Thermostat Oring Rotary Valve Oring Lift Pump Oring (4) Lift Pump Fasteners 14MM WIF Oring
		1				ETH	DBB		This kit contains; Lid Oring Thermostat Oring Rotary Valve Oring Lift Pump Oring (4) Lift Pump Fasteners 14MM WIF Oring
		1				ETH	DGO		This kit contains; Lid Oring Thermostat Oring Rotary Valve Oring Lift Pump Oring (4) Lift Pump Fasteners 14MM WIF Oring
3	5015 581AB	1				ETC	DBB		Oring FILTER, Fuel
		1				ETC	DGO		
		1				ETH	DGO		
		1				ETH	DBB		
-4	5114 437AA-	1				ETC	DBB		O RING Fuel filter
		1				ETC	DGO		Fuel filter
		1				ETH	DBB		Fuel filter
		1				ETH	DGO		Fuel filter
5	5015 585AB	1				ETC	DBB		HEATER
		1				ETC	DGO		
		1				ETH	DBB		

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Air Fuel Control Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-6	5086 824AA-	1				ETH	DG0		COUPLING, Elbow Hose
		1				ETC	DBB		Heater Plumper
		1				ETC	DG0		Heater Plumper
		1				ETH	DBB		Heater Plumper
7	5016 555AB	1				ETH	DG0		Heater Plumper
		4				ETC	DBB		WASHER, Fuel Line Banjo
		4				ETC	DG0		
		4				ETH	DBB		
		4				ETH	DG0		
8	5093 089AA	1				ETC	DBB		VALVE, Check
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
9	5015 576AC	3				ETC	DBB		WASHER, Fuel Pump
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		
10	5093 088AA	1				ETC	DBB		TUBE, Drain
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
11	4429 135	2				ETC	DBB		BOLT, Banjo
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
12	4882 110	1				ETC	DBB		SCREW, Hex Head, M8x1.25x16
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
13	5114 435AA	1				ETC	DBB		HOSE
		1				ETC	DG0		
		1				ETH	DBB		

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Air Fuel Control Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5086 811AA	1				ETH	DG0		TUBE, Fuel Return
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
15	5086 749AA	1				ETH	DG0		CLAMP, Hose
		2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
16	5086 750AA	2				ETH	DBB		HOSE, Fuel
		2				ETH	DG0		
	5086 751AA	1				ETC	DBB		
		1				ETC	DG0		
17	5086 811AA	1				ETH	DBB		TUBE, Fuel Return
		1				ETC	DG0		
		1				ETC	DBB		
		1				ETH	DG0		
18	5093 128AA	1				ETC	DBB		SENSOR, Fuel/Water
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
19	5015 584AB	1				ETC	DBB		O RING
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
20	5015 586AA	1				ETC	DBB		THERMOSTAT
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
21	5015 576AC	3				ETC	DBB		WASHER, Fuel Pump
		3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Air Fuel Control Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	5102 116AA	3				ETH	DG0		SCREW, Banjo Connector
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
23	5093 122AB	1				ETH	DG0		HOUSING, Fuel Filter
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
24	4429 634	1				ETH	DG0		SCREW, Hex Head Header Point, 24x.44
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
25	5093 136AA	1				ETH	DG0		SCREW, Hex Flange Head
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
-26	5080 552AA-	1				ETH	DG0		DRAIN, Fuel Filter Bowl
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
-27	4429 135	1				ETH	DG0		BOLT, Banjo
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
-28	5093 135AB-	1				ETH	DG0		PUMP, Fuel
		1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
-29	5086 753AA-	1				ETH	DG0		TUBE, Fuel Supply
		1				ETC	DBB		
-30									O RING

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

## Air Fuel Control

### Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5114 437AA-	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DG0		
		1				ETH	DBB		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**


Fuel Rail, 3.7L [EKG], 4.7L [EVA], 5.7L [EZA] 8.3 [EWC] 5.9 Diesel [ET0]  
Figure 014-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EK0]= All 3.7L, 6 Cylinder Gas Engines									
[ET0]= All 5.9L, Diesel Engines									
[EV0]= All 4.7L Gas Engines									
[EZO]= All 5.7L Gas Engine									
1	5303 1102	1				EK0			RAIL, Fuel
	53032 712AA	1				EZ0			
	53032 721AA	1				EV0			
	5096 292AA	10				EWC			INJECTOR, Fuel
2	5086 894AA	6				ETC	DBB		
		6				ETH	DBB		
	53032 704AA	8				EV0			
	53032 713AA	8				EZ0			
	5037 224AA	10				EWC			
	5086 894AA	6				ETC	DG0		
		6				ETH	DG0		
	5135 790AA	6				ETH	DBB		[XCK]
	53032 701AA	6				EK0			[XCK]
	5135 790AA	6				ETH	DG0		
3	4418 257AB	8				EZ0			CLIP, Fuel Injector
		6				EK0			
		10				EWC			
	53032 722AA	8				EV0			SCREW
4	6505 504AA	4				EK0, EV0			
-5									O RING KIT, Fuel Injector
	5083 745AA-	6				EK0			O RING PACKAGE, Fuel Injector
	4897 125AA-	8				EV0			
-6	4723 971	10				EWC			
-7	53032 772AA-	1				EZ0			PAD, Engine, Air Fuel Module
-8	6034 549	2				EW0			SCREW, Hex Head, .312-18x.94

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Fuel Module, 3.7L [EKG], 4.7L [EVA], 5.7 [EZA] 5.9 Diesel [ET0] 8.3L [EWC]  
Figure 014-510**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EK0]= All 3.7L, 6 Cylinder Gas Engines

[ET0]= All 5.9L, 8 Cylinder Engines

[EV0]= All 4.7L, 8 Cylinder Gas Engines

1									MODULE KIT, Fuel Pump/Level Unit
	5086 498AB	1	2, 3, 7, 8		42, 62	ET0			
	5104 697AA	1	2, 3, 7, 8		42, 62	EW0, EZ0			
	5086 499AC	1	2, 3, 7, 8		41	ET0			
	5104 699AA	1	2, 3, 7, 8		41	EW0, EZ0			
2									MODULE PACKAGE, Fuel Pump/ Level Unit
	5104 694AA	1	1, 6		41, 61	EK0, EVA, EZ0	[NFW]		
	5104 696AA	1	1, 6		42, 62	EK0, EVA, EZ0	[NFV]		
	5134 555AA	1	1, 6		41, 61	EWC	[NFW]		
	5104 695AA	1	1, 6		41, 61	EVD	[NFW]		
	5104 698AA	1	1, 6		42, 62	EVD	[NFV]		
	5134 554AB	1	1, 6		41	EK0, EV0, EZ0	[NFU]		
3									NUT, Fuel Pump Module
	5200 5389	1	2, 3, 7, 8		42, 62	ET0			
		1	2, 3, 7, 8		41	EW0, EZ0			
		1	2, 3, 7, 8		42, 62	EW0, EZ0			
		1	2, 3, 7, 8		41	ET0			
4									SEAL, Fuel Pump and Level Unit
	5201 8808	1	2, 3, 7, 8		42, 62	ET0			
		1	2, 3, 7, 8		41	EW0, EZ0			
		1	2, 3, 7, 8		42, 62	EW0, EZ0			
		1	2, 3, 7, 8		41	ET0			


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Fuel Module, 3.7L [EKG], 4.7L [EVA], 5.7 [EZA] 5.9 Diesel [ET0] 8.3L [EWC]  
Figure 014-510**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	52113 610AB	1	1, 6		41	EK0, EV0, EZ0			FILTER KIT, Fuel
	4897 498AA	1	1, 6		41, 61	EK0, EVA, EZ0			
		1	1, 6		42, 62	EK0, EVA, EZ0			
6	52021 983AA	1	2, 3, 7, 8		41	EW0, EZ0			FILTER, Fuel Pressure Regulator
7		1	2, 3, 7, 8		42, 62	EW0, EZ0			LEVEL UNIT KIT, Fuel
	5086 281AC	1	2, 3, 7, 8		41	ET0			
	5072 766AB	1	2, 3, 7, 8		42, 62	EW0, EZ0			
	5086 281AC	1	2, 3, 7, 8		41	EW0, EZ0			
-8	5072 766AB	1	2, 3, 7, 8		42, 62	ET0			SHIELD, Fuel Line
	5102 030AA-	1				ETC ETH	DBB DG0		
-9	5086 763AA-	1				ETC ETH	DBB DG0		O RING, Fuel Injection Pump, Diesel
		1							
-10	5014 230AB-	1				ETC ETH	DBB DG0		GASKET, Fuel Pump Cover Plate
		1							
-11	55366 298AA-	1	1, 6		41, 61	EK0, EVA, EZ0			O RING, Fuel Pump and Level Unit
		1	1, 6		42, 62	EK0, EVA, EZ0			
		1	1, 6		41, 61	EVD			
		1	1, 6		41, 61	EWC			
-12									GROMMET, Rollover Valve

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year



September 19, 2005



Fuel Module, 3.7L [EKG], 4.7L [EVA], 5.7 [EZA] 5.9 Diesel [ET0] 8.3L [EWC]  
Figure 014-510


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

	4616 244	1	2, 3, 7, 8		42, 62	ET0			
		1	2, 3, 7, 8		41	EW0, EZ0			



DODGE RAM (DR)								
SERIES	LINE	BODY	ENGINE	TRANSMISSION				
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)				
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)				
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)				
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)				
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)				
				DEC = 5 Spd. Manual				


Fuel Injection Pump 5.9 Diesel  
Figure 014-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; [ETC] = 5.9L Cummins 24 Valve Diesel									
[ETH ]= 5.9L HO Cummins Turbo,									
[DBB ]= Manual Transmissions									
[DGO ]= All Automatic Transmissions									
1									SCREW, Hex Head, M8x1.25x16
2	4429 629	2				ETC	DBB		BRACKET, Pump
		2				ETH	DGO		
3	5086 784AA	1				ETC	DBB		GASKET, Fuel Pump Cover Plate
		1				ETH	DGO		
4	5014 230AB	1				ETC	DBB		
		1				ETH	DGO		
5	4429 689	1				ETC	DBB		NUT, Hex Flange
		1				ETH	DGO		
6	5104 877AA	1				ETC	DBB		PUMP, Fuel Injection
		1				ETH	DGO		
7	5086 766AA	1				ETC	DBB		GEAR, Injection Pump
		1				ETC	DGO		
		1				ETH	DBB		
		1				ETH	DGO		
8	5086 771AA	1				ETC	DBB		WASHER
		1				ETC	DGO		
		1				ETH	DBB		
		1				ETH	DGO		
9	5086 769AA	1				ETC	DBB		NUT, Hex
		1				ETC	DGO		
		1				ETH	DBB		
9	5086 768AA	3				ETC	DBB		STUD, Fuel Pump
		3				ETC	DGO		
		3				ETH	DBB		
		3				ETH	DGO		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Injection Plumbing 5.9 Diesel Figure 014-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes:[ETC]= 5.9L, 24 Valve Cummins Diesel									
1	5086 895AA	1				ETC	DG0		SEAL, Fuel Injector
		1				ETH	DBB		
		1				ETC	DBB		
		1				ETH	DG0		
2	5086 896AA	1				ETC	DG0		O RING, Fuel Injector
		1				ETH	DBB		
		1				ETC	DBB		
		1				ETH	DG0		
3	5086 894AA	6				ETC	DBB		INJECTOR, Fuel
		6				ETH	DG0		Use up to 12/31/03
		6				ETC	DG0		Use up to 12/31/03
		6				ETH	DBB		Use up to 12/31/03
	5135 790AA	6				ETH	DG0		After 12/31/03
		1				ETH	DBB		After 12/31/03
4	4761 269	1				ETC	DBB		SCREW, Hex Flange Head
		1				ETH	DBB		
		12				ETC	DBB		
		12				ETC	DG0		
		12				ETH	DBB		
		12				ETH	DG0		
5	5086 869AA	1				ETC	DG0		MANIFOLD, Fuel
		1				ETH	DBB		
		1				ETC	DBB		
		1				ETH	DG0		
6	5086 876AA	1				ETC	DG0		TUBE, Fuel Injector Supply
		1				ETH	DBB		To Injection Number 6
		1				ETC	DBB		To Injection Number 6
		1				ETH	DG0		To Injection Number 6
		1				ETH	DG0		To Injection Number 6
7	5086 865AA	2				ETC	DG0		SCREW, Hex Head
		2				ETH	DBB		
		2				ETC	DBB		
		2				ETH	DG0		
8									SHIELD, Fuel Line

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

## BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

## ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


## TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Injection Plumbing 5.9 Diesel Figure 014-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 879AA	1				ETC	DG0		
		1				ETH	DBB		
		1				ETC	DBB		
		1				ETH	DG0		
9									SCREW, Cap, .437-20x1.812
	4429 663	3				ETC	DG0		
		3				ETH	DBB		
		3				ETH	DG0		
		3				ETC	DBB		
10									ISOLATOR, Tube
	5011 888AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
11	5086 875AA	1				ETC	DBB		TUBE, Fuel Injector Supply
		1				ETC	DG0		To Injection Number 5
		1				ETH	DBB		To Injection Number 5
		1				ETH	DG0		To Injection Number 5
12	5086 872AA	1				ETC	DBB		TUBE, Fuel Injector Supply
		1				ETC	DG0		To Injection number 2
		1				ETH	DBB		To Injection number 2
		1				ETH	DG0		To Injection number 2
13									SCREW, Fuel Tube Bracket
	4761 708	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DG0		
		1				ETH	DBB		
14	5086 874AA	1				ETC	DBB		TUBE, Fuel Injector Supply
		1				ETC	DG0		To Injection Number4
		1				ETH	DBB		To Injection Number4
		1				ETH	DG0		To Injection Number4
15	5086 873AA	1				ETC	DBB		TUBE, Fuel Injector Supply
		1				ETC	DG0		To Injection Number 3
		1				ETH	DBB		To Injection Number 3
		1				ETH	DG0		To Injection Number 3
16									SCREW, Hex Head, M8x1.25x16


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Injection Plumbing 5.9 Diesel Figure 014-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 110	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
17									TUBE, Fuel Injector Supply
	5086 871AA	1				ETC	DBB		To Injection Number 1
		1				ETC	DG0		To Injection Number 1
		1				ETH	DBB		To Injection Number 1
		1				ETH	DG0		To Injection Number 1
18									CONNECTOR, Injector
	5086 867AA	6				ETC	DG0		
		6				ETH	DBB		
		6				ETC	DBB		
		6				ETH	DG0		
19									RETAINER, Fuel Injector
	5086 866AA	6				ETC	DG0		
		6				ETH	DBB		
		1				ETC	DBB		
		6				ETH	DG0		
20									O RING
	5086 868AA	1				ETC	DBB		
		1				ETH	DG0		
		1				ETC	DG0		
		1				ETH	DBB		
21									TUBE, Fuel
	5086 870AA	1				ETC	DBB		
		1				ETH	DG0		
		1				ETC	DG0		
		1				ETH	DBB		
-22									TUBE, Fuel Return
	5086 810AA-	1				ETC	DBB		
		1				ETH	DG0		
		1				ETC	DG0		
		1				ETH	DBB		
23									VALVE, Pressure Relief
	5093 113AA	1				ETC	DG0		
		1				ETH	DBB		
		1				ETC	DBB		
		1				ETH	DG0		

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Fuel Pump Transfer Conversion  
Figure 014-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5175 560AA	1				ET0			TUBE, Fuel Supply
2	5179 243AA	1				ET0			HOSE, Fuel
3	5175 409AA	1				ET0			WIRING, Fuel Module
4	5016 555AB	2				ET0			WASHER, Fuel Line Banjo
5	5093 129AA	3				ET0			O RING KIT
6	4429 135	1				ET0			BOLT, Banjo
7	5114 437AA	1				ET0			O RING
8	5175 561AA	1				ET0			ADAPTER
-9									MODULE PACKAGE, Fuel Pump/ Level Unit, THIS PACKAGE INCLUDES THE FUEL MODULE AND SEAL FOR ---THE 2003-2004 DR DIESEL 34 GALLON THAT HAD THE FUEL---SYSTEM PREVIOUSLY MODIFIED FROM THE ORIGINAL ENGINE---MOUNTED TRANSFER PUMP TO THIS NEW PUMP IN THE FUEL ---MODULE.
	5179 628AA-	1	2, 3, 7, 8		41	ET0			34 Gal
	5179 629AA-	1	2, 3, 7, 8		42, 62	ET0			35 Gal
-10									MODULE PACKAGE, Fuel Pump/ Level Unit, THIS PACKAGE CONTAINS: MODULE FUEL PUMP/LEVEL UNIT SEAL WIRING ADAPTED LABLE AND I SHEET
	5175 540AA-	1				ET0			35 Gallon
	5175 539AA-	1				ET0			34 Gallon

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Throttle Body, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 8.3L [EWC] Figure 014-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[EK0]= All 3.7L, 6 Cylinder Gas Engines									
[ET0]= All 5.9L, Engines									
[EV0]= All 4.7L, 8 Cylinder Gas Engines									
[EWC]=All 8.3L Gas Engine									
1									THROTTLE BODY
	5114 397AA	1				EV0			
	5114 401AA	1				EK0			
	53032 120AC	1				EZ0			
	53032 780AB	1				EW0			
	5037 419AA	1				EWC			
	53032 664AE	1				EWD			
-2									O RING, Throttle Body
	8350 3642	1				EV0			
		1				EWC			
3									GASKET, Throttle Body To Intake
	53030 952AB	1				EV0			
	53013 292AB	1				EK0			
	5037 191AB	1				EWC			
4									SCREW AND WASHER, Hex Head, .312-18x2.38, (NOT REQUIRED)
5	6507 066AA	4				EZ0			SCREW AND WASHER, Hex
6									SENSOR KIT, Throttle Position
	5019 411AB	1				EK0			
	5017 479AA	1				EV0			
7	4778 462	2				EV0			SCREW, Throttle Position Sensor
-8									SOLENOID, Linear IACV
	4861 552AB-	1				EV0			
		1				EK0			
-9	53032 383AA-	1				EZ0			SEAL, Throttle Body to Intake
-10									SEAL
	53032 455AA-	1				EZ0			
	5073 612AA-	1				EWC			
-11	5017 478AA-	1				EV0			GASKET, Throttle Body
-12	5303 0840	1				EWD			MOTOR, Air Idle Speed
-13	4778 637AB-	1				EWC			MOTOR KIT, A.I.S.
-14	5114 356AA-	1				EK0			O RING KIT, Linear Solenoid
-15	5602 1384	2				ET0, EWC			CLIP, Wiring
-16	6508 214AA-	2				EWC			SCREW, Pan Head, M5x0.8x16.00, Map Sensor To Throttle Body


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Throttle Body, 3.7L [EKG], 4.7L [EV0], 5.7 [EZA] 8.3L [EWC]  
Figure 014-610**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-17									CABLE, Accelerator
	52010 447AB-	1				EZ0			ET0 EZ0
	52110 386AB-	1				EW0			EW0
	53032 162AB-	1				EK0, EV0			EK0 EV0

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Turbocharger, 5.9L Diesel  
Figure 014-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ ETC]= 5.9L Cummins 24 Valve Diesel,[ ETH]= 5.9L HO Cummins Turbo, [DBB]= Manual Transmissions,[ DGO]= All Automatic Transmissions									
1	5140 305AA	1				ETH	DBB		VALVE, Air Control
		1				ETH	DGO		
2	5086 863AB	1				ETC	DBB		TURBOCHARGER
		1				ETH	DGO		
3	5135 784AB	1				ETH	DBB		TURBOCHARGER
		1				ETH	DGO		[XCK]
4	5086 949AA	1				ETC	DBB		GASKET, Oil Drain Plug
		1				ETH	DBB		
5	5086 864AA	1				ETC	DBB		GASKET, Turbocharger
		1				ETH	DGO		
6	4429 823	4				ETC	DBB		STUD
		1				ETH	DBB		
7	4429 825	4				ETC	DBB		NUT, Turbo Mounting
		1				ETH	DBB		
8	5159 965AA	1				ETH	DBB		CLAMP, Turbo
		1				ETH	DGO		
-9	5161 569AA-	1				ETC	DBB		PIPE, Exhaust
-10	5136 073AA-	1				ETC	DBB		CLAMP, Turbo, V Band

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Throttle Controls, 3.7L [EKG], 4.7L [EV0], 5.9 Diesel [ETO] 5.7L [EZA] 8.3L [EWC]  
Figure 014-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note; Sales Codes									
[ET0]= All 5.9L Engines									
[EV0]= All 4.7L Gas Engines									
1	53032 162AB	1				EK0, EV0			CABLE, Accelerator
	52010 447AB	1				EZ0			
	52010 487AA	1				ET0	DBB		
	52110 386AB	1				ET0	DG0		
-2	4592 020	1				EW0			CLIP, Cable
						EK0, ET0, EV0, EZ0 EWC			Accelerator cable to dash
3		1							BRACKET, Serviced in Throttle Body, (NOT SERVICED) (Not Serviced)
4	6029 799	1					DG8		BOLT, Hex Head, .375-16x1.00
5	52107 742AC	1				ET0	DG0		CABLE, Throttle Valve
6	5300 9055	1					DG0		SPRING, Throttle Valve Return
7	5207 9065	1					DG0		LEVER, Throttle Valve
8	0181 065	1					DG0		BOLT, Hex Head, .25-20x1.00
9	0138 165	1					DG0		WASHER, Lock
10	J012 0375	1					DG0		NUT, Hex, .250-20
11	5207 9101	1					DG8		BRACKET, Cable
-12	53032 456AD-	1				ET0	DBB		BELLCRANK, Accelerator and Cruise
		1				EZ0			[ APPS Service with Bellcrank]
	53031 575AH-	1				ETC	DG0		[ APPS Service with Bellcrank]
		1				ETH	DG0		
-13	5086 812AA-	1				ETC	DG0		SUPPORT, Bellcrank, Throttle
									Position Sensor service with bellcrank
-14	52107 742AC-	1				ET0	DG0		CABLE, Throttle Valve
	53032 665AA-	1				EW0	DG8		
-15	53032 463AD-	1				EZ0			RESONATOR, Throttle Body
-16	53032 455AA-	1				EZ0			SEAL

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Throttle Controls, 3.7L [EKG], 4.7L[ EV0], 5.9 Diesel [ETO] 5.7L [EZA] 8.3L [EWC]  
Figure 014-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-17	5303 1577	1				ET0	DG0		SHROUD, Bellcrank
-18	5037 420AB-	1				EWC			BRACKET, Accelerator Cable
-19	5207 8102	1				EWD	DBB		SPRING, Throttle Return
-20	6506 567AA-	2				EWC			SCREW AND WASHER, Hex Head, M6 x 1.0 x 16.0, Excelerator Bracket to Intake Manifold




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Cleaner, 3.7L [EKG], 4.7L [EVA] 5.7 [EZA] 5.9L Diesel [ETO] 8.3 [EWC] 5.7L [EZA]  
Figure 014-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note Sale Code: [EKO]=All 3.7L Gas									
[ETO]=5.9L 8 Cyl Diesel									
[EVO]=4.7L Gas Engine									
[EWC]=8.3 Gas Engine									
1									ELEMENT, Air Cleaner
	53032 404AA	1				EK0, EV0 EZ0			
		1	1, 6						
2									FILTER, Air
	5029 703AA	1				EWC			
	53032 700AA	1				ET0			
	53032 700AB	1				ET0			RemoteMounted
3	53032 453AA	1				EK0, EV0, EZ0			BRACKET, Air Cleaner
4									SCREW, Hex Head, M8x1.25x30
	6502 282	1	1, 6						
		2	2, 3, 7, 8		41, 42, 62				
5									COVER, Air Cleaner
	53032 405AB	1				EK0, EV0			Use After 8/25/03
	5029 618AA	1				EWC			
	53032 648AD	1				ET0			
	53032 405AA	1				EK0, EV0			Use up to 8/25/03
		1	1, 6			EZ0			Use up to 8/25/03
		1	2, 3, 7, 8		41, 42, 62	EZ0			Use up to 8/08/03
	53032 405AB	1	1, 6			EZ0			Use After 8/25/03
		1	2, 3, 7, 8		41, 42, 62	EZ0			Use After 8/08/03
6	53032 503AA	2				EK0, EV0			CLAMP, Hose
7									DUCT, Clean Air
	53032 044AA	1				EK0, EV0			
	53032 169AC	1				EZ0			
	53032 163AB	1				ET0			
	5029 461AA	1				EWC			

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Air Cleaner, 3.7L [EKG], 4.7L [EVA] 5.7 [EZA] 5.9L Diesel [ETO] 8.3 [EWC] 5.7L [EZA]**  
**Figure 014-810**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-8	53032 540AA-	1				EZ0			CLAMP, Hose
9									RESONATOR, Air Cleaner
	53032 652AA	1				ET0			
	53032 047AB	1				EK0			Up to 08/25/03
	53032 047AC	1				EK0			After 08/25/03
	53032 848AA	1				ETH			
	53032 048AB	1				EV0			Up to 08/25/03
	53032 048AC	1				EV0			After 08/25/03
10									RESONATOR, Throttle Body
	53032 463AD	1	2, 3, 7, 8			EZ0			Up to 08/8/03
		1	1, 6			EZ0			Up to 08/25/03
	53032 463AE	1	2, 3, 7, 8			EZ0			After 08/8/03
		1	1, 6			EZ0			After 08/25/03
-11	6506 686AA-	2				EZ0			SCREW, Hex Flange Head
-12	6506 982AA-	2				EZ0			NUT
13	53032 421AB	1				EK0			BRACKET, Resonator, Front
14	53032 427AB	1				EV0			BRACKET, Resonator, Front
15	53032 505AB	1				EK0, EV0			DUCT, Throttle Body
-16	53032 506AA-	1				EK0, EV0			CLAMP, Hose, Throttle Body Duct
17	53032 419AA	1				EK0			BRACKET, Resonator, Rear
18	53013 378AA	2				EK0			STUD
19	53032 420AA	1				EV0			BRACKET, Resonator, Rear
20									BODY, Air Cleaner
	53032 406AA	1				EK0, EV0			
		1	1, 6			EZ0			
	5029 762AA	1				EW0			
	53032 647AB	1				ET0			
-21	6506 855AA-	1				ET0			STUD, Double Ended, Air Cleaner Mounting
-22	4573 049	2				EV0			ISOLATOR, Air Cleaner Mounting
-23	4573 211AB-	2				EV0			Leg
-24									BUSHING, Isolator Mounting Leg
									GROMMET, Air Cleaner Bracket, Attaches the air flow sensor to the air cleaner
	4669 177	1				EK0			
		1				EV0			

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Air Cleaner, 3.7L [EKG], 4.7L [EVA] 5.7 [EZA] 5.9L Diesel [ETO] 8.3 [EWC] 5.7L [EZA]  
Figure 014-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4268 295	4				EK0, EV0			
	53032 732AA-	4 1 1	1, 6			EZ0 ET0 EWC			
-25	5277 576	4				EK0, EV0 EZ0			LATCH, Air Cleaner
		4 2 3	1, 6			EWC ET0			
26	5037 331AA	1				EWC			CLAMP, Air Cleaner Duct
	53032 638AA	2				ET0			
27	53032 650AA	1				ET0			DUCT, Clean Air
	53032 847AB	1				ETH			
28	53032 651AA	1				ET0			DUCT, Clean Air
29	53032 846AB	1				ETH			DUCT, Clean Air
-30	5029 494AA-	1				EWC			CLAMP, Hose Clean air hose to air cleaner
	53032 537AA-	1				EZ0			housing Air cleaner end
-31	53032 049AA-	1				EK0, EV0 EZ0			DUCT, Ambient Air
	53032 670AB-	1 1	1, 6 2, 3, 7, 8		41, 42, 62	EZ0			
-32	5037 428AA-	1				EWC			HOSE, Clean Air Tube to A.I.S. Motor

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Intake System,  
Figure 014-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DUCT, Ambient Air
	53032 049AA	1				EK0, EV0			
		1	1, 6			EZ0			
	53032 670AA	1	2, 3, 7, 8		41, 42, 62	EZ0			
-2									DUCT, Clean Air
	5029 461AA-	1				EWC			
	53032 650AA-	1				ETH			Upper
	53032 846AB-	1				ETH			Complete with upper,lower and resonator
	53032 847AB-	1				ETH			Lower
-3	5037 428AA-	1				EWC			HOSE, Clean Air Tube to A.I.S. Motor

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

Duct Air cooler  
Figure 014-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5086 569AA	1				ET0			HOSE, Charge Air Cooler
2	5202 8570	1				ET0			HOSE, Charge Air Cooler
3	52028 977AA	1				ET0			CLAMP, Hose, 2.75 T-Bolt
4	52028 980AA	1				ET0			CLAMP, Hose
-5									HOSE
	55056 560AA-	1				ET0			Turbo to Tube
	55056 563AA-	1				ET0			Tube to Charge Air Cooler
	55056 564AA-	1				ET0			Duct to Charge Air Cooler
-6									TUBE
	55056 565AA-	1				ET0			Inlet
	55056 566AA-	1				ET0			Outlet



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Speed Control, All Engines

## Figure 014-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note :Sale Code= [EKG]=Engine - "Magnum" 3.7L V6 [EML]= Engine - "Magnum" 5.9L SMPI V8 [ETC]=Engine- 5.9L Cummins 24V Diesel [ETH]= Engine- 5.9L HO Cummins Turbo [EVA]= Next Generation 4.7L [EWA]=Engine - "Magnum" 8.0L V10 MPI [EZA]=Engine - "Magnum" 5.7L SMPI V8 Note Speed control for 5.7L is fully electronically controlled by the Power Control Module (PCM). A cable and a vacuum controlled servo are not used. This is a servo less system.									
-1	53032 074AF-	1				EK0, EV0			CONTROL, Speed
2	5503 5614	1				ET0	DG0		RESERVOIR, Vacuum
		1				EK0, EV0, EW0			
-3	5114 185AA-	1				EK0, EV0			HARNESS, Speed Control Vacuum
4	52010 399AC	1				EK0, EV0			HARNESS, Speed Control Vacuum
5									CLIP, Cable to Servo Attach
	6025 867	1				ET0 EK0, EV0	DG0		
6									BRACKET, Speed Control Servo
	5093 350AA	1				ET0	DG0		
	5072 745AA	1				EK0, EV0			
7	4669 979	1				ET0	DG0		SERVO, Speed Control
8									NUT, Hex Flange Serration, M6x1
	6502 493	1				ET0	DG0		
		2				EK0, EV0			
9									CABLE, Speed Control
	5093 348AA	1				ET0	DG0		
	5072 859AB	1				EK0, EV0			
	5159 134AA	1				EW0			
10									BELLCRANK, Accelerator and Cruise
	53031 575AH	1				ETC	DG0		


### DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Speed Control, All Engines  
Figure 014-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53032 456AE	1				ET0	DBB		
		1				EZ0			
-11	6503 441	1				EKG, EV0			CLIP, Cruise Control
	6506 545AA-	2				EK0, EV0			
-12	55056 421AC-	1				ET0	DG8		HARNESS, Vacuum PUMP, Vacuum
-13	53032 373AB-	1				ET0	DG0		Up to 01/01/04
	53032 373AC-	1				ET0	DG0		After 01/01/04
-14	3580 171	1	2, 3, 7, 8		41, 42, 62	EW0			CAP
-15	5207 8479	1				EKG, EV0			CLIP, Vacuum Harness
-16	4683 774AA-	1	1, 6			EK0, EV0			CLIP, Parking Brake Cable
-17	5159 135AA-	1				EW0			HARNESS, Vacuum
-18	6034 549	2				EW0			SCREW, Hex Head, .312-18x.94, Attaches Vacuum Pump
-19	6100 775	2				EK0, EV0, EW0			NUT, Hex Flange, M5x.8, P/S Pump To Engine

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Accelerator Pedal 3.7L [EKG], 4.7L [EVA] 5.9L [ETO] 5.7L [EZA]  
Figure 014-1110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Hex Head, M8x20, M8x2.50x30.0, (NOT SERVICED) (Not Serviced)
2	53032 268AE	1							PEDAL, Accelerator With Bracket
	5140 907AA	1					DEC		
3	6502 756	1							NUT, Hex Lock, M8x1.25
		3				EV0			
4									CLIP, Accelerator Cable, (NOT SERVICED) (Not Serviced)



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**September 19, 2005**

# Group – 016

## Propeller Shafts and U-Joints


### GROUP 16 - Propeller Shafts and U-Joints


Illustration Title

Group-Fig. No.


#### Propeller Shaft

Shaft,Propeller,Front,DR 6,7,8 .....	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,2,3,6,7,8 .....	Fig. 016-120
Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DR 1,2,3 .....	Fig. 016-130
Shaft,Propeller,Rear,2 Piece,Body 42,DR 6,7,8 .....	Fig. 016-140





<b>016-100</b> Propeller Shaft			
			

Shaft,Propeller,Front,DR 6,7,8  
 Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes; [DBB]=Transmissions - All Manual [DDP]=Transmission - 5 Speed Manual [DDX]=Transmission - 5 Speed Manual Heavy Duty Manual [DEE]=Transmission - 6 Speed Manual Heavy Duty Manual [DG8]=Transmission - 4-Speed Automatic,48RE [DG0]=Transmissions - All Automatic [[ET0]=Engines - All 5.9L Turbo Diesels [EW0]=Engines - All 8.0L Gas [EZ0]=Engines - All 5.7L 8 Cylinder Gas									
1	5014 733AA	1	6				DBB		U JOINT
		1	6				DG0		
2	52105 993AB	1	6				DBB		SHAFT, Drive, Front
	52105 990AB	1	6				DG0		
3	6506 497AA	4	6						BOLT, Hex Head, M12, Driveshaft to Front Axle, Mounting
4	5093 373AA	1	7, 8		41, 42, 62	ET0, EW0	DDX		FLANGE, Drive Shaft
		1	7, 8		41, 42, 62	ET0, EW0	DEE		
		1	7, 8		41, 42, 62	ET0, EW0	DG8		
		1	7, 8		41, 42, 62	EZ0	DDP		
		1	7, 8		41, 42, 62	EZ0	DG0		
5	5093 377AA	1	7, 8		41, 42, 62	ET0, EW0	DDX		U JOINT
		1	7, 8		41, 42, 62	ET0, EW0	DEE		
		1	7, 8		41, 42, 62	ET0, EW0	DG8		
		1	7, 8		41, 42, 62	EZ0	DDP		
		1	7, 8		41, 42, 62	EZ0	DG0		
6									BOOT, Drive Shaft
<b>DODGE RAM (DR)</b> SERIES      LINE      BODY      ENGINE      TRANSMISSION H = SLT      1, 6 = 1500      41 = Quad Cab (140.5 WB)      EKG = 3.7L V6      DGT = 4 Spd. Auto.(46RE) L = ST      2, 7 = 2500      42 = Quad Cab (160.5 WB)      EVA = 4.7L V8      DDC = 5 Spd. HD Manual (3500) 3, 8 = 3500      61 = Reg. Cab (120.5 WB)      EZA = 5.7L V8      DDP,DDX = 5 Spd. Manual (4500) 62 = Reg. Cab (140.5 WB)      EML = 5.9L SMPI V8      DGQ,DG4 = Multi-Speed Auto.(45RFE) ETC = 5.9LD V6      DG8 = 4 Spd. Auto.(48RE) ETH = 5.9LD V6 HO      DEE = 6 Spd. Manual (5600) EWA = 8.0L V10 MPI      DGP = 4 Spd. Auto.(47RE) DEC = 5 Spd. Manual									

Shaft,Propeller,Front,DR 6,7,8  
 Figure 016-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5093 381AA	1	7, 8		41, 42, 62	ET0, EW0	DDX		
		1	7, 8		41, 42, 62	ET0, EW0	DEE		
		1	7, 8		41, 42, 62	ET0, EW0	DG8		
		1	7, 8		41, 42, 62	EZ0	DDP		
		1	7, 8		41, 42, 62	EZ0	DG0		
7	6506 382AA	4	7, 8		41, 42, 62				BOLT, Driveshaft to Front Axle, Mounting
8									SHAFT, Drive, Front
	52105 933AC	1	7, 8		41, 42, 62	ET0	DDX		
	52105 932AC	1	7, 8		41, 42, 62	ET0	DEE		
	52105 934AC	1	7, 8		41, 42, 62	ET0	DG8		
	52105 930AC	1	7, 8		41, 42, 62	EZ0	DG0		
	52105 931AC	1	7, 8		41, 42, 62	EZ0	DDP		
9	5014 733AA	1	7, 8						U JOINT, With Dana 1330 U-Joint
10	5142 222AA	1	7, 8						U JOINT PACKAGE, With AAM 1355 U-Joint
11	6033 358	4	7, 8		41, 42, 62				SCREW AND WASHER, Hex Head Locking, .437-14x1.25, Driveshaft to Transfer Case, Mounting

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,2,3,6,7,8  
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Codes;  
[DDC]=Transmission - 5 Speed Heavy Duty Manual  
[DDP]=Transmission - 5 Speed Manual  
[DDX]=Transmission - 5 Speed Manual Heavy Duty Manual  
[DEE]=Transmission - 6 Speed Manual Heavy Duty Manual  
[DGP]=Transmission - 4-Speed Automatic,47R  
[DG8]=Transmission-4-Speed Automatic,48RE  
[DG0]=Transmissions - All Automatic  
[[ET0]=Engines - All 5.9L Turbo Diesels  
[EWC]=Engine - 8.3L V10 SFI  
[EW0]=Engines - All 8.0L Gas  
[EZ0]=Engines - All 5.7L 8 Cylinder Gas

1	SHAFT, Drive, Rear 1-Piece								
	52105 924AD	1	1		41, 62		DG0		
	5037 437AA	1	1		61	EWC	DEC		
	52105 922AA	1	1		61		DDC		
	52105 926AA	1	1		61		DG0		
	52853 051AB	1	2		41, 62	ET0	DG8		[DRW]
	52105 633AE	1	2		41, 62	EZ0	DG0		[DRW]
	52853 053AB	1	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
	52105 637AE	1	3		41, 62	EZ0	DG0		[DRQ,DRX]
	52105 912AB	1	6		41, 62		DDC		
	52105 918AA	1	6		41, 62		DG0		
	52105 921AB	1	6		61		DDC		
	52105 919AA	1	6		61		DG0		
	52105 809AE	1	7		41, 62	EZ0	DG0		[DRW]
	52853 183AB	1	7		41, 62	ET0	DG8		[DRW]
	52105 811AE	1	7		41, 62	EZ0	DDP		[DRW]
	52105 657AE	1	7, 8		41, 62	ET0,	DDX		[DRQ,DRX]
						EW0			
	52105 655AE	1	7, 8		41, 62	ET0,	DEE		[DRQ,DRX]
						EW0			
	52853 185AB	1	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	52105 813AE	1	8		41, 62	EZ0	DG0		[DRQ,DRX]
	52105 653AE	1	8		41, 62	EZ0	DDP		[DRQ,DRX]
2	YOKE, Drive Shaft								
	5014 040AA	1	1		41, 62		DG0		
		1	1		61		DG0		
	5014 044AA	1	1		61		DDC		
	5134 234AA	1	1		61	EWC	DEC		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,2,3,6,7,8  
 Figure 016-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5114 102AA	1	2		41, 62	ET0	DG8		[DRW]
	5114 101AA	1	2		41, 62	EW0	DG8		[DRW]
	5114 102AA	1	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
	5114 101AA	1	3		41, 62	EW0	DG8		[DRQ,DRX]
	5102 162AA	1	3		41, 62	EZ0	DG0		[DRQ,DRX]
	5014 043AA	1	6		41, 62		DDC		
		1	6		41, 62		DG0		
		1	6		61		DDC		
		1	6		61		DG0		
	5127 513AA	1	7		41, 62	ET0	DG8		[DRW]
	5102 165AA	1	7		41, 62	EW0	DG8		[DRW]
		1	7		41, 62	EZ0	DG0		[DRW]
		1	7		41, 62	EZ0	DDP		[DRW]
	5127 513AA	1	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	5102 166AA	1	7, 8		41, 62	ET0, EW0	DEE		[DRQ,DRX]
	5102 165AA	1	7, 8		41, 62	ET0, EW0	DDX		[DRQ,DRX]
		1	8		41, 62	EW0	DG8		[DRQ,DRX]
		1	8		41, 62	EZ0	DG0		[DRQ,DRX]
		1	8		41, 62	EZ0	DDP		[DRQ,DRX]
3	5102 170AA	1	7, 8		41, 62	ET0	DGP		[DRW] U JOINT
	5014 733AA	2	1		41, 62		DG0		
		2	1		61		DG0		
		2	1		61		DDC		
	4797 307AB	2	1		61	EWC	DEC		
	5093 376AA	2	2		41, 62	ET0	DG8		[DRW]
		2	2		41, 62	EW0	DG8		[DRW]
		2	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
		2	3		41, 62	EW0	DG8		[DRQ,DRX]
		2	3		41, 62	EZ0	DG0		[DRQ,DRX]
	5014 733AA	2	6		41, 62		DDC		
		2	6		41, 62		DG0		
		2	6		61		DDC		
		2	6		61		DG0		
	5093 376AA	2	7		41, 62	ET0	DG8		[DRW]
		2	7		41, 62	EW0	DG8		[DRW]
		2	7		41, 62	EZ0	DG0		[DRW]
		2	7		41, 62	EZ0	DDP		[DRW]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,2,3,6,7,8  
 Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	5102 157AA	2	7, 8		41, 62	ET0, EW0	DEE		[DRQ,DRX]
	5093 376AA	2	7, 8		41, 62	ET0, EW0	DDX		[DRQ,DRX]
		2	8		41, 62	EW0	DG8		[DRQ,DRX]
		2	8		41, 62	EZ0	DG0		[DRQ,DRX]
		2	8		41, 62	EZ0	DDP		[DRQ,DRX]
4									BOLT, Hex Head, M12
	6506 497AA	4	1, 6			EK0, EV0, EZ0			Drive Shaft to Axle
		4	2, 3, 7, 8		41, 42, 62				Drive Shaft to Axle, Mounting
5									FLANGE, Drive Shaft
	5015 556AA	1	1		41, 62		DG0		
		1	1		61		DG0		
	5102 161AA	1	1		61		DDC		
		1	2		41, 62	ET0	DG8		[DRW]
		1	2		41, 62	EW0	DG8		[DRW]
		1	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
		1	3		41, 62	EW0	DG8		[DRQ,DRX]
		1	3		41, 62	EZ0	DG0		[DRQ,DRX]
	5015 556AA	1	6		41, 62		DDC		
		1	6		41, 62		DG0		
		1	6		61		DDC		
		1	6		61		DG0		
	5102 161AA	1	7		41, 62	ET0	DG8		[DRW]
		1	7		41, 62	EW0	DG8		[DRW]
		1	7		41, 62	EZ0	DG0		[DRW]
		1	7		41, 62	EZ0	DDP		[DRW]
		1	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	5102 158AA	1	7, 8		41, 62	ET0, EW0	DEE		[DRQ,DRX]
		1	7, 8		41, 62	ET0, EW0	DDX		[DRQ,DRX]
		1	8		41, 62	EW0	DG8		[DRQ,DRX]
		1	8		41, 62	EZ0	DG0		[DRQ,DRX]
		1	8		41, 62	EZ0	DDP		[DRQ,DRX]
-6	4428 723	2	1			EWC			CLAMP, U-Joint
-7									SPRING, Park Brake Shoe Return

DODGE RAM (DR)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT		1, 6 = 1500	41 = Quad Cab (140.5 WB)				EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST		2, 7 = 2500	42 = Quad Cab (160.5 WB)				EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
		3, 8 = 3500	61 = Reg. Cab (120.5 WB)				EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
			62 = Reg. Cab (140.5 WB)				EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
							ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
							ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
							EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
								DEC = 5 Spd. Manual


AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

Shaft,Propeller,Rear,1 Piece,Body 41,61,62 DR 1,2,3,6,7,8  
 Figure 016-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

5093 705AA-	2	1
	2	6




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

**Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DR 1,2,3**  
**Figure 016-130**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DDC]=Transmission - 5 Speed Heavy Duty Manual

[DDP]=Transmission - 5 Speed Manual

[DDX]=Transmission - 5 Speed Manual Heavy Duty Manual

[DEE]=Transmission - 6 Speed Manual Heavy Duty Manual

[DG0]=Transmissions - All Automatic

[DG8]=Transmission-4-Speed Automatic,48RE

[ET0]=Engines - All 5.9L Turbo Diesels

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

1	SHAFT, Drive, Rear 2-Piece								
	52105 914AB	1	1		41, 62		DDC		
	52105 913AB	1	1		42		DDC		
	52105 923AB	1	1		42		DG0		
	52105 635AF	1	2		41, 62	EZ0	DDP		[DRW]
	52105 636AF	1	2		42	EZ0	DDP		[DRW]
	52105 634AF	1	2		42	EZ0	DG0		[DRW]
	52853 069AB	1	2		42	ET0	DG8		[DRW]
	52853 029AE	1	2, 3		41, 62	ET0	DDX		[DRQ,DRX]
	52105 641AF	1	2, 3		41, 62	ET0	DEE		[DRQ,DRX]
	52853 030AE	1	2, 3		42	ET0	DDX		[DRQ,DRX]
	52105 642AF	1	2, 3		42	ET0	DEE		[DRQ,DRX]
	52853 070AB	1	2, 3		42	ET0	DG8		[DRQ,DRX]
	52105 639AF	1	3		41, 62	EZ0	DDP		[DRQ,DRX]
	52105 640AF	1	3		42	EZ0	DDP		[DRQ,DRX]
	52105 638AF	1	3		42	EZ0	DG0		[DRQ,DRX]
2	YOKE, Drive Shaft								
	5014 044AA	1	1		41, 62		DDC		
		1	1		42		DDC		
		1	1		42		DG0		
	5114 104AA	1	2		42	ET0	DG8		[DRW]
	5114 103AA	1	2		42	EW0	DG8		[DRW]
	5102 163AA	1	2		41, 62	EZ0	DDP		[DRW]
		1	2		42	EZ0	DDP		[DRW]
	5102 160AA	1	2		42	EZ0	DG0		[DRW]
	5102 159AA	1	2, 3		41, 62	ET0, EW0	DEE		[DRQ,DRX]
	5102 163AA	1	2, 3		41, 62	ET0, EW0	DDX		[DRQ,DRX]
	5114 104AA	1	2, 3		42	ET0	DG8		[DRQ,DRX]



**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DR 1,2,3  
Figure 016-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5102 163AA	1	2, 3		42	ET0, EW0	DDX		[DRQ,DRX]
	5102 159AA	1	2, 3		42	ET0, EW0	DEE		[DRQ,DRX]
	5102 163AA	1	3		41, 62	EZ0	DDP		[DRQ,DRX]
	5114 103AA	1	3		42	EW0	DG8		[DRQ,DRX]
	5102 163AA	1	3		42	EZ0	DDP		[DRQ,DRX]
	5102 160AA	1	3		42	EZ0	DG0		[DRQ,DRX]
3									U JOINT
	5014 733AA	3	1		41, 62		DDC		
		3	1		42		DDC		
		3	1		42		DG0		
	5093 376AA	3	2		42	ET0	DG8		[DRW]
		3	2		42	EW0	DG8		[DRW]
		3	2		41, 62	EZ0	DDP		[DRW]
		3	2		42	EZ0	DDP		[DRW]
		3	2		42	EZ0	DG0		[DRW]
	5102 157AA	3	2, 3		41, 62	ET0, EW0	DEE		[DRQ,DRX]
	5093 376AA	3	2, 3		41, 62	ET0, EW0	DDX		[DRQ,DRX]
		3	2, 3		42	ET0	DG8		[DRQ,DRX]
		3	2, 3		42	ET0, EW0	DDX		[DRQ,DRX]
	5102 157AA	3	2, 3		42	ET0, EW0	DEE		[DRQ,DRX]
	5093 376AA	3	3		41, 62	EZ0	DDP		[DRQ,DRX]
		3	3		42	EW0	DG8		[DRQ,DRX]
		3	3		42	EZ0	DDP		[DRQ,DRX]
		3	3		42	EZ0	DG0		[DRQ,DRX]
4									CENTER BEARING, Drive Shaft
	5014 097AA	1	1		41, 62		DDC		
		1	1		42		DDC		
		1	1		42		DG0		
5									BEARING PACKAGE, Drive Shaft
	5093 379AB	1	2		42	ET0	DG8		[DRW]
		1	2		42	EW0	DG8		[DRW]
		1	2		41, 62	EZ0	DDP		[DRW]
		1	2		42	EZ0	DDP		[DRW]
		1	2		42	EZ0	DG0		[DRW]

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)



ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DR 1,2,3  
Figure 016-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3		41, 62	ET0, EW0	DEE		[DRQ,DRX]
		1	2, 3		41, 62	ET0, EW0	DDX		[DRQ,DRX]
		1	2, 3		42	ET0	DG8		[DRQ,DRX]
		1	2, 3		42	ET0, EW0	DDX		[DRQ,DRX]
		1	2, 3		42	ET0, EW0	DEE		[DRQ,DRX]
		1	3		41, 62	EZ0	DDP		[DRQ,DRX]
		1	3		42	EW0	DG8		[DRQ,DRX]
		1	3		42	EZ0	DDP		[DRQ,DRX]
		1	3		42	EZ0	DG0		[DRQ,DRX]
6	5013 626AA	1	1		42		DDC		CLAMP, Boot Small
		1	1		41, 62		DDC		Small
		1	1		42		DG0		Small
7	5083 001AA	1	1		41, 62		DDC		BOOT, Drive Shaft
		1	1		42		DDC		
		1	1		42		DG0		
	5093 380AA	1	2		42	ET0	DG8		[DRW]
		1	2		42	EW0	DG8		[DRW]
		1	2		41, 62	EZ0	DDP		[DRW]
		1	2		42	EZ0	DDP		[DRW]
		1	2		42	EZ0	DG0		[DRW]
		1	2, 3		41, 62	ET0, EW0	DEE		[DRQ,DRX]
		1	2, 3		41, 62	ET0, EW0	DDX		[DRQ,DRX]
		1	2, 3		42	ET0	DG8		[DRQ,DRX]
		1	2, 3		42	ET0, EW0	DDX		[DRQ,DRX]
		1	2, 3		42	ET0, EW0	DEE		[DRQ,DRX]
		1	3		41, 62	EZ0	DDP		[DRQ,DRX]
		1	3		42	EW0	DG8		[DRQ,DRX]
		1	3		42	EZ0	DDP		[DRQ,DRX]
		1	3		42	EZ0	DG0		[DRQ,DRX]
8									CLAMP, Boot


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DR 1,2,3  
Figure 016-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5013 625AA	1	1		42		DDC		Large
		1	1		41, 62		DDC		Large
		1	1		42		DG0		Large
									YOKE, Drive Shaft
	5014 056AA	1	1		41, 62		DDC		
		1	1		42		DDC		
		1	1		42		DG0		
	5093 363AA	1	2		42	ET0	DG8		[DRW]
		1	2		42	EW0	DG8		[DRW]
10		1	2		41, 62	EZ0	DDP		[DRW]
		1	2		42	EZ0	DDP		[DRW]
		1	2		42	EZ0	DG0		[DRW]
	5093 368AA	1	2, 3		41, 62	ET0,	DEE		[DRQ,DRX]
						EW0			
	5093 363AA	1	2, 3		41, 62	ET0,	DDX		[DRQ,DRX]
						EW0			
		1	2, 3		42	ET0	DG8		[DRQ,DRX]
		1	2, 3		42	ET0,	DDX		[DRQ,DRX]
11						EW0			
	5093 368AA	1	2, 3		42	ET0,	DEE		[DRQ,DRX]
						EW0			
	5093 363AA	1	3		41, 62	EZ0	DDP		[DRQ,DRX]
		1	3		42	EW0	DG8		[DRQ,DRX]
		1	3		42	EZ0	DDP		[DRQ,DRX]
		1	3		42	EZ0	DG0		[DRQ,DRX]
	6506 497AA	4	1, 6			EK0,			BOLT, Hex Head, M12
						EV0,			
11						EZ0			
		4	2, 3, 7, 8		41, 42,				
					62				
									FLANGE, Drive Shaft
	5015 556AA	1	1		41, 62		DDC		
		1	1		42		DDC		
		1	1		42		DG0		
	5102 161AA	1	2		42	ET0	DG8		[DRW]
		1	2		42	EW0	DG8		[DRW]
		1	2, 3		41, 42	EZ0	DDP		[DRW]
		1	2		42	EZ0	DDP		[DRW]
		1	2		42	EZ0	DG0		[DRW]



DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DR 1,2,3  
Figure 016-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5102 158AA	1	2, 3		41, 62	ET0, EW0	DEE		[DRQ,DRX]
	5102 161AA	1	2, 3		41, 62	ET0, EW0	DDX		[DRQ,DRX]
		1	2, 3		42	ET0	DG8		[DRQ,DRX]
		1	2, 3		42	ET0, EW0	DDX		[DRQ,DRX]
	5102 158AA	1	2, 3		42	ET0, EW0	DEE		[DRQ,DRX]
	5102 161AA	1	3		41, 62	EZ0	DDP		[DRQ,DRX]
		1	3		42	EW0	DG8		[DRQ,DRX]
		1	3		42	EZ0	DDP		[DRQ,DRX]
		1	3		42	EZA	DG0		[DRQ,DRX]
12									BRACKET, Drive Shaft Center Bearing
	52105 587AA	1	1		41		DBB		
	52105 584AA	1	1		42				
	52105 583AA	1	1		62		DBB		
	52105 717AA	1	2, 3		41		DBB		
	52105 714AA	1	2, 3		42				
	52105 716AA	1	2, 3		62		DBB		
13									SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	6	1, 2, 3		41		DBB		
		10			42, 62				
		10	1, 2, 3		62		DBB		
14									NUT, Hex Flange Lock, M10x1.5
	6502 696	6			42		DG0		
		6			41, 42, 62		DBB		
15									SPACER, Driveshaft
	52105 704AA	1			42				
		1	1, 2, 3		62		DBB		

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Shaft,Propeller,Rear,2 Piece,Body 42,DR 6,7,8  
 Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DDC]=Transmission - 5 Speed Heavy Duty Manual

[DDP]=Transmission - 5 Speed Manual

[DDX]=Transmission - 5 Speed Manual Heavy Duty Manual

[DEE]=Transmission - 6 Speed Manual Heavy Duty Manual

[DG0]=Transmissions - All Automatic

[DG8]=Transmission-4-Speed Automatic,48RE

[ET0]=Engines - All 5.9L Turbo Diesels

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

1	SHAFT, Drive, Rear 2-Piece								
	52105 911AC	1	6		42		DDC		
	52105 916AC	1	6		42		DG0		
	52105 812AF	1	7		42	EZ0	DDP		[DRW]
	52853 184AB	1	7		42	ET0	DG8		[DRW]
	52105 810AF	1	7		42	EZ0	DG0		[DRW]
	52105 658AF	1	7, 8		42	ET0	DDX		[DRQ,DRX]
	52105 656AF	1	7, 8		42	ET0	DEE		[DRQ,DRX]
	52853 186AB	1	7, 8		42	ET0	DG8		[DRQ,DRX]
	52105 654AF	1	8		42	EZ0	DDP		[DRQ,DRX]
	52105 652AF	1	8		42	EZ0	DG0		[DRQ,DRX]
2	YOKE, Drive Shaft								
	5014 043AA	1	6		42		DG0		
		1	6		42		DDC		
	5127 515AA	1	7		42	ET0	DG8		[DRW]
	5102 164AA	1	7		42	EZ0	DDP		[DRW]
		1	7		42	EW0	DG8		[DRW]
		1	7		42	EZ0	DG0		[DRW]
	5127 515AA	1	7, 8		42	ET0	DG8		[DRQ,DRX]
	5093 363AA	1	7, 8		42	ET0	DDX		[DRQ,DRX]
	5102 167AA	1	7, 8		42	ET0, EW0	DEE		[DRQ,DRX]
	5102 164AA	1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
		1	8		42	EW0	DG8		[DRQ,DRX]
3	U JOINT								
	5014 733AA	3	6		42		DG0		
		3	6		42		DDC		
	5093 376AA	3	7		42	ET0	DG8		[DRW]
		3	7		42	EZ0	DDP		[DRW]


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 42,DR 6,7,8  
 Figure 016-140





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3	7		42	EW0	DG8		[DRW]
		3	7		42	EZ0	DG0		[DRW]
		3	7, 8		42	ET0	DG8		[DRQ,DRX]
		3	7, 8		42	ET0	DDX		[DRQ,DRX]
5102	157AA	3	7, 8		42	ET0,	DEE		[DRQ,DRX]
						EW0			
5093	376AA	3	8		42	EZ0	DG0		[DRQ,DRX]
		3	8		42	EZ0	DDP		[DRQ,DRX]
		1	8		42	EW0	DG8		[DRQ,DRX]
4									CENTER BEARING, Drive Shaft
	5014 097AA	1	6		42		DG0		
		1	6		42		DDC		
5									BEARING PACKAGE, Drive Shaft
	5093 379AB	1	7		42	ET0	DG8		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EW0	DG8		[DRW]
		1	7		42	EZ0	DG0		[DRW]
		1	7, 8		42	ET0	DG8		[DRQ,DRX]
		1	7, 8		42	ET0	DDX		[DRQ,DRX]
		1	7, 8		42	ET0,	DEE		[DRQ,DRX]
						EW0			
		1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
		1	8		42	EW0	DG8		[DRQ,DRX]
6									CLAMP, Boot
	5013 626AA	1	6		42		DG0		Small
		1	6		42		DDC		Small
7									BOOT, Drive Shaft
	5083 001AA	1	6		42		DG0		
		1	6		42		DDC		
	5093 380AA	1	7		42	ET0	DG8		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EW0	DG8		[DRW]
		1	7		42	EZ0	DG0		[DRW]
		1	7, 8		42	ET0	DG8		[DRQ,DRX]
		1	7, 8		42	ET0	DDX		[DRQ,DRX]
		1	7, 8		42	ET0,	DEE		[DRQ,DRX]
						EW0			
		1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 42,DR 6,7,8  
 Figure 016-140





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		42	EW0	DG8		[DRQ,DRX]
8									CLAMP, Boot
	5013 626AA	1	6		42		DDC		Large
	5013 625AA	1	6		42		DG0		Large
9									YOKE, Drive Shaft
	5014 056AA	1	6		42		DG0		
		1	6		42		DDC		
	5093 363AA	1	7		42	ET0	DG8		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EW0	DG8		[DRW]
		1	7		42	EZ0	DG0		[DRW]
		1	7, 8		42	ET0	DG8		[DRQ,DRX]
		1	7, 8		42	ET0	DDX		[DRQ,DRX]
	5093 368AA	1	7, 8		42	ET0, EW0	DEE		[DRQ,DRX]
	5093 363AA	1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
		1	8		42	EW0	DG8		[DRQ,DRX]
10									BOLT, Hex Head, M12
	6506 497AA	4	1, 6			EK0, EV0, EZ0			
		4	2, 3, 7, 8		41, 42, 62				
11									FLANGE, Drive Shaft
	5015 556AA	1	6		42		DG0		
		1	6		42		DDC		
	5102 161AA	1	7		42	ET0	DG8		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EW0	DGP		[DRW]
		1	7		42	EZ0	DG0		[DRW]
		1	7, 8		42	ET0	DG8		[DRQ,DRX]
		1	7, 8		42	ET0	DDX		[DRQ,DRX]
	5102 158AA	1	7, 8		42	ET0, EW0	DEE		[DRQ,DRX]
	5102 161AA	1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
		1	8		42	EW0	DG8		[DRQ,DRX]
12									SPACER, Driveshaft
	5134 539AA	1	7		42	EZ0	DG0		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 42,DR 6,7,8  
 Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-13		1	8		42	EZ0	DG0		SPACER PACKAGE, Propshaft [DRW] [DRQ,DRX]
	5135 709AA-	1	7		42	EZ0	DG0		
		1	8		42	EZ0	DG0		
14									NUT, Hex Flange Lock, M10x1.5
	6502 696	6			42		DG0		
		6			41, 42, 62		DBB		
15									BRACKET, Drive Shaft Center Bearing
	52105 559AA	1	6		42				SCREW AND WASHER, Hex Head, M10x1.5x30
	52105 715AA	1	7, 8		42				
	6101 060	10			42, 62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year


September 19, 2005

# Group – 017

## Rear Suspension


### GROUP 17 - Rear Suspension

Illustration Title	Group-Fig. No.
<b>Rear Suspension</b>	
Suspension, Rear,Leaf With Shock Absorber,DR 1,6	Fig. 017-110
Suspension, Rear,Leaf With Shock Absorber,DR 2,3,7,8	Fig. 017-120
<b>Rear Stabilizer</b>	
Stabilizer Bar,Rear	Fig. 017-210



<b>017-100</b> Rear Suspension	<b>017-200</b> Rear Stabilizer		

Suspension, Rear,Leaf With Shock Absorber,DR 1,6  
Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
[TTJ]=Tires - P275/60R20 BSW On/Off Road									
[TTQ]=Tires - P275/55R20 BSW Performance									
[ZAR] Through [ZTS]= Spring sales codes will be found on Vehicle Identification Number [VIN] sales code listing.									
1	6505 599AA	4	1, 6						SCREW, Pilot Point, Spring Front, Mounting
2									NUT, Hex Flange Lock
	6502 698	4	1, 6						Spring Rear to Shackle and Frame, Mounting
		8							Spring Clip, Mounting
	6507 798AA	2							Shock Upper or Lower, Mounting
3	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Upper or Lower Shock, Mounting
4									BUMPER, Jounce
	5290 832AA	2	1						[SGC]
	52110 276AA	2	1						
	52106 829AB	2	6						
5									BUSHING, Spring
	52113 552AB	1	1		61				[ZAR,ZNR], Front
	5290 441AA	1	1		61				[ZAT,ZNT], Front
	52113 552AB	1	1		62		DG0		[ZAR,ZNR], Front
		1	6		41				[ZBS,ZPS], Front
		1	6		42				[ZDS,ZSS], Front
		1	6		61, 62				[ZER,ZTR], Front
6	6503 183	4							SCREW, Hex Head, M10x1.5x30, Jounce Bumper, Mounting
7									PLATE, Rear Spring Clip
	52106 739AA	1	1		61				
		1	6		41				
		1	6		61, 62				
8									SPRING, Rear Leaf
	52113 120AE	1	1		41		DG0		Tag# 120AE [ZAS,ZNS]
	52110 136AB	1	1		41		DBB		Tag# 136AB [ZCS,ZRS]
		1	1		42				Tag# 136AB [ZCS,ZRS]
	52113 143AE	1	1		61				Tag# 143AE [ZAR,ZNR]
	5290 607AB	1	1		61				Tag# 607AB [ZAT,ZNT]
	52113 143AE	1	1		62		DG0		Tag# 143AE [ZAR,ZNR]

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Suspension, Rear,Leaf With Shock Absorber,DR 1,6

## Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52110 138AB	1	1		62		DBB		Tag# 138AB [ZES,ZTS]
	52113 141AE	1	6		41				Tag# 141AE [ZBS,ZPS]
	52110 137AB	1	6		42				Tag# 137AB [ZDS,ZSS]
	52113 144AE	1	6		61, 62				Tag# 143AE [ZAR,ZNR]
9									U-BOLT
	52106 224AA	4	1, 6						
10	5290 515AA	4	1						[DRD] SHOCK ABSORBER, Suspension, Rear
	52121 524AC	2	1		61	EV0, EZ0			[SGB,Z1A,TTJ]
	52121 524AB	2	1		61	EV0, EZ0			[SGB,Z1A,TTQ]
	55366 455AA	2	1		61	EV0, EZ0			[SGB,Z1A]
	52110 202AA	2	1		61	EK0			[SGB,Z1A]
	55366 453AA	2	1		62	EV0	DBB		[SGB,Z1B]
	55366 454AA	2	1		62	EV0, EZ0	DG0		[SGB,Z1B]
	52110 212AA	2	1		62	EK0	DBB		[SGB,Z1B]
	52110 204AA	2	1		62	EK0	DG0		[SGB,Z1B]
	55366 460AA	2	1		41	EV0	DBB		[SGB,Z1C,TTQ]
	55366 459AA	2	1		41	EV0, EZ0	DG0		[SGB,Z1C,TTQ]
	52110 213AB	2	1		42				[SGB,Z1C]
	55366 460AB	2	1		41	EV0	DBB		[SGB,Z1C]
	55366 459AB	2	1		41	EV0, EZ0	DG0		[SGB,Z1C]
	52110 206AA	2	1		41	EK0	DG0		[SGB,Z1C]
	52110 147AA	2	1		41	EK0	DBB		[SGB,Z1C]
	52110 468AA	2	6		61				[SGB,Z6A,AWL]
	55366 457AA	2	6		61	EV0, EZ0			[SGB,Z6A,TTJ]
	52121 293AA	2	6		61	EV0, EZ0			[SGB,Z6A]
	52110 469AA	2	6		62				[SGB,Z6B,AWL]
	52121 323AA	2	6		62	EV0, EZ0			[SGB,Z6B]
	52110 470AA	2	6		41				[SGB,Z6C,AWL]

### DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Suspension, Rear,Leaf With Shock Absorber,DR 1,6**  
**Figure 017-110**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55366 462AA	2	6		41	EV0, EZ0			[SGB,Z6C,TTJ]
	52110 211AB	2	6		41	EV0, EZ0			[SGB,Z6C]
	52110 214AB	2	6		42				[SGB,Z6D]
	5290 608AA	2	1		61				[SGC]
11	52113 553AA	1	1		61				BUSHING, Spring
		1	6		42				[ZAT,ZNT], Rear
		1	6		41				[ZDS,ZSS], Rear
		1	1		62		DG0		[ZBS,ZPS], Rear
		1	1		61				[ZAR,ZNR], Rear
		1	6		61, 62				[ZAR,ZNR], Rear
12	52106 737AA	2	1, 6						SHACKLE, Spring
13	6506 919AA	2	1, 6						SCREW, Hex Flange Head, Shackle to Frame Rear, Mounting
-14									LINER, SPRING TIP
	52110 066AA-	4	1		41		DBB		
		4	1		41		DG0		
		4	1		62		DBB		
		4	1		62		DG0		
		4	1		42				
		4	1		61				
		8	1		61				
		4	6		61, 62				
		4	6		42				
		4	6		41				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Suspension, Rear,Leaf With Shock Absorber,DR 2,3,7,8

## Figure 017-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes; [DRQ]=Axle - Rear, 11.50 [DRW]=Axle - Rear,10.50 [[ET0]=Engines - All 5.9L Turbo Diesels [EW0]=Engines - All 8.0L Gas [EZ0]=Engine - All 5.7L 8 Cylinder Gas [ZDR] Through [ZXR]= Spring sales codes will be found on Vehicle Identification Number [VIN] sales code listing. Spring Brackets that are attached to the frame are in Group 13.									
1	6507 685AA	2	2, 3		41, 42, 62				BOLT, Hex Flange Head, Spring Front, Mounting
2	6504 782	2	7, 8		41, 42, 62				SCREW, Pilot Point, Spring Front, Mounting
3	6507 082AA	2	2, 3		41, 42, 62				NUT AND RETAINER, Hex Flange Locking, Spring Front, Mounting
4	6102 252AA	2	7, 8		41, 42, 62				NUT, Hex Flange Lock, Spring Front, Mounting
5	6502 818	2							BOLT, Hex Flange Head, M14x2. 00x80, Upper and Lower Shock, Mounting
6	52113 464AA	2	2, 3, 7, 8		41, 42, 62				BUMPER, Jounce
7	6503 183	4							SCREW, Hex Head, M10x1.5x30, Jounce Bumper, Mounting
8	6502 698	8							NUT, Hex Flange Lock, U-Bolt, Mounting
9	52106 916AB	2	2, 3, 7, 8		41, 42, 62				PLATE, Clip Mounting
10	6102 252AA	2	2, 3, 7, 8		41, 42, 62				NUT, Hex Flange Lock, Shackle to Spring, Mounting
11	6502 698	2							NUT, Hex Flange Lock, Lower Shock, Mounting
12	52113 562AA	4	2, 7		41, 42, 62				U-BOLT [DRQ]
	52113 565AA	4	2, 7		41, 42, 62				[DRW]
	52113 567AB	4	3, 8		41, 42, 62				[DRQ,DRX]
13									SHOCK ABSORBER, Suspension, Rear

### DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Suspension, Rear,Leaf With Shock Absorber,DR 2,3,7,8

## Figure 017-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52110 144AC	2	3		41, 42,	ET0			[Z3C]
					62				
	52110 146AC	2	7		62				[Z7A,Z7C]
	52113 498AC	2	2		41, 42,	EZ0			[Z2A,Z2B]
					62				
	52113 499AC	2	8		42	ET0			[Z8C]
	52113 675AC	2	3		62				[Z3D,Z3E]
	52113 676AC	2	8		42, 62	EZ0			[Z8E]
		2	8		41	ET0			[Z8C]
	52113 677AC	2	7		41				[Z7B,Z7C]
	52113 712AC	2	8		42, 62	ET0, EW0			[Z8D,Z8E]
	52121 356AC	2	2		41, 42,	ET0			[Z2C]
					62				
	52121 788AC	2	7		42				[Z7B,Z7C]
	52122 033AA	2	7		41				[Z7B,Z7C,AWL]
	52122 035AA	2	7		62				[Z7A,Z7C,AWL]
	52122 036AA	2	8		41	ET0			[Z8C,AWL]
		2	8		42, 62	EZ0			[Z8E,AWL]
	52122 501AC	2	3		42				[Z3D,Z3E]
14									SPRING, Rear Leaf
	52113 319AD	1	3		42, 62				[ZDR,ZSR] With Item 15
	52113 320AE	1	8		42, 62				[ZHR,ZWR] With Item 15
	52113 513AD	1	2		41, 42,				[ZCR,ZRR] With Item 15
					62				
	52113 514AD	1	7		41, 42,				[ZGR,ZVR] With Item 15
					62				
	52121 420AD	1	3		41, 42,				[ZBR,ZPR] With Item 15
					62				
	52121 421AD	1	8		41, 42,				[ZJR,ZXR] With Item 15
					62				
15									BUSHING, Spring
	52113 070AB	2	2		41, 42,				Front or Rear
					62				
		2	3		41, 42,				Front or Rear
					62				
		2	7		41, 42,				Front or Rear
					62				
		2	8		41, 42,				Front or Rear
					62				

### DODGE RAM (DR)

#### SERIES

H = SLT

L = ST

#### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

#### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

#### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

#### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Suspension, Rear,Leaf With Shock Absorber,DR 2,3,7,8  
Figure 017-120


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	52113 520AA	2	2, 3, 7, 8		41, 42, 62				SHACKLE, Spring
17	6504 782	2	2, 3, 7, 8		41, 42, 62				SCREW, Pilot Point, Spring to Shackle, Mounting
18	6507 576AA	2	2, 3, 7, 8		41, 42, 62				SCREW, Shackle to Frame, Mounting
19	6507 082AA	2	2, 3, 7, 8		41, 42, 62				NUT AND RETAINER, Hex Flange Locking, Shackle to Frame, Mounting
20	6507 798AA	2							NUT, Hex Flange Lock, Upper Shock, Mounting
21	52121 116AA	4	3, 8		41, 42, 62				BUMPER, Spring, Rear, Auxiliary
22	6502 696	4	3, 8		41, 42, 62				NUT, Hex Flange Lock, M10x1.5, Auxillary Bumper, Mounting

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Stabilizer Bar,Rear  
Figure 017-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6502 697	2	1, 6						NUT, Hex Flange Lock, M12x1.75, Link to Frame Bracket, Mounting
2	6502 473	2	1, 6						BOLT, Hex Flange Head, M12x1. 75x65, Link to Frame Bracket, Mounting
3	6508 044AA	2	1, 6						BOLT, Hex Flange Head, Damper to Frame and Axle, Mounting
4	6502 697	2	1, 6						NUT, Hex Flange Lock, M12x1.75, Damper to Frame and Axle, Mounting
5	5290 379AA	2	1, 6						BUSHING, Sway Bar, Mounting
6	5290 831AA	1	1, 6						DAMPER, Rear Axle
7	5203 8713	2	1, 6						PLATE, Sway Bar, Mounting
8	5290 355AA	1	1, 6						BAR, Rear Sway
9	5290 373AA	2	1, 6						LINK, Sway Eliminator, Right or Left
10	6502 697	2	1, 6						NUT, Hex Flange Lock, M12x1.75, Link to Sway Bar, Mounting
11	6502 696	4	1, 6						NUT, Hex Flange Lock, M10x1.5, Sway Bar Retainer to Axle, Mounting
12	5208 7865	2	1, 6						RETAINER, Sway Bar, Mounting


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005






# Group – 019

## Steering




### GROUP 19 - Steering

Illustration Title	Group-Fig. No.
<b>Steering Wheel</b>	
Wheel, Steering .....	Fig. 019-110
<b>Steering Column</b>	
Column, Steering Upper & Lower .....	Fig. 019-210
<b>Steering Gear</b>	
Gear,Power Steering,Rack & Pinion,DR 1,2,3,6 .....	Fig. 019-310
Gear,Power Steering and Parts,DR 7,8 .....	Fig. 019-320
Linkage,Steering,DR 7,8 .....	Fig. 019-330
<b>Power Steering Pump</b>	
Pump,Power Steering and Mounting,All Engines .....	Fig. 019-510
<b>Power Steering Hoses</b>	
Hoses,Power Steering,2 Wheel Drive Without Hydrobooster .....	Fig. 019-710
Hoses,Power Steering,2 Wheel Drive With Hydrobooster .....	Fig. 019-720
Hoses,Power Steering,4 Wheel Drive Without Hydrobooster .....	Fig. 019-730
Hoses,Power Steering,4 Wheel Drive With Hydrobooster .....	Fig. 019-740
Hoses, Pump and Related Power Steering, 8.0L [EWC] .....	Fig. 019-750

<b>019-100</b> Steering Wheel 	<b>019-200</b> Steering Column 	<b>019-300</b> Steering Gear 	<b>019-500</b> Power Steering Pump 
<b>019-700</b> Power Steering Hoses 			

Wheel, Steering  
Figure 019-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:If Horn Switch is defective, you must replace the AIR BAG COVER WITH SWITCH and not the AIR BAG MODULE ASSEMBLY itself.

Note:Sales Codes;

[EK0]=Engines - All 3.7L 6 Cylinder Gas

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[EV0]=Engines - All 4.7L Gas

[ET0]=Engines - All 5.9L Turbo Diesels

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

[NHM]=Speed Control

[RDZ]=Audio Controls - Steering Wheel Mounted

[SCF]=Steering Wheel - 4-Spoke

[SCV]=Steering Wheel - Leather Wrapped

[WLA]=Wheels - Dual Rear

1	6505 656AA	1							SCREW, Hex Flange Head, M10x1.5x35., Steering Wheel to Column, Mounting
2	5HM44 WL8AB	1							AIR BAG, Driver Dark Taupe
	5HM44 XDVAB	1							Dark Slate Gray
3									COVER, Air Bag Module
	YT70 WL8AA	1							Dark Taupe
	YT70 XDVAA	1							Dark Slate Gray
4	6507 294AA	2							SCREW
5									SWITCH, Remote Radio
	4685 728AB	1							Right
	4685 729AB	1							Left
6									SWITCH, Speed Control
	56049 378AB	1							Right
	56049 379AA	1							Left
-7									COVER, Steering Wheel, Without Speed Control
	55351 242AA-	1							Right
	55351 243AA-	1							Left
8									SCREW, (NOT REQUIRED)
9									WHEEL, Steering
	YV19 1L8AB	1							[L5] Without Leather
	YV19 1DVAB	1							[DV] Without Leather
	YV25 1DVAB	1							[DV] With Leather
	YV25 1L8AB	1							[L5] With Leather
	YP21 1DVAB	1							[DV] Leather and Radio Controls

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wheel, Steering  
Figure 019-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	YP21 1L8AB	1							[L5] Leather and Radio Controls
	1AK38 1DVAA	1							Leather, Radio Controls, With [SCC]
-10	56049 423AF-	1							WIRING, Steering Wheel
-11	56049 461AA-	1							CLOCKSPRING
-12	55351 266AA-	1				ET0			DAMPER, Steering Wheel




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Column, Steering Upper & Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;Sales Codes;									
[DBB]=Transmissions- All Manual									
[DG0]=Transmissions - All Automatic									
[SUA]=Steering Column - Tilt									
1									BRACKET, Steering Column, Clutch and Brake Pedal
	55351 190AC	1					DG0		
		1					DBB		
2									SCREW AND WASHER, Hex Head, M8x1.25x58.4 Qty 1, (NOT SERVICED) (Not Serviced)
3									SCREW, Hex Head, M6x1.00x50.00 Qty 2, (NOT SERVICED) (Not Serviced)
4									SHROUD, Steering Column
	5GE09 WL8AD	1					DG0		Auto tran with tilt
	5GE10 WL8AE	1					DG0		Auto tran without tilt
	5GW80 WL8AE	1					DBB		Manual without tilt
	5GW81 XDVAE	1					DBB		Manual with tilt
5	5057 196AA	1					DG0		LEVER, Gearshift
6									COLUMN, Steering, Tilt
	5057 397AD	1					DG0		
	5057 398AB	1					DD0,		
							DEE		
	5057 162AB	1					DEC		With 6 Speed Manual [DEC]
7	56045 165AB	1							BRACKET, Mounting
8	56049 461AA	1							CLOCKSPRING
-9	55351 142AB-	1					DG0		BRACKET, Gearshift
-10	6504 628	1					DG0		PIN, M5x50.00, Gearshift Lever Pin
-11	4690 242AB-	1					DG0		SPRING, Gearshift Lever
-12	5127 323AA-	1	2, 3, 7, 8						WIRING
-13	56045 275AC-	1							MODULE, Immobilizer
14	4690 806AE	1							KNOB, TILT LEVER RELEASE
15									NUT AND WASHER, Hex Lock Nut-Coned Teeth Washer, M8 x 1.25, (NOT SERVICED) (Not Serviced)
16	4470 105	2							SCREW, Filister Head, #8-16x.25, Shroud to Shroud, Mounting
-17	6036 264AA-	1							SCREW, 6 Lobed, Shroud to Steering Column, Mounting
18									SCREW

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Column, Steering Upper & Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6506 950AA	1							Upper Shaft to Lower Shaft
	6506 971AA	AR				EK0, EV0, EW0			Lower Shaft to Gear
19									SHAFT, Intermediate
	55351 300AF	1	1, 2, 3, 6						Upper
	55351 302AF	1	7, 8		41, 42, 62				Upper
20									SHAFT, Intermediate
	55351 444AC	1	1, 2, 3, 6						Lower
	55351 456AD	1	7, 8		41, 42, 62				Up to 9/17/03, Lower
	55351 456AE	1	7, 8		41, 42, 62				After 9/17/03, Lower
-21	6506 950AA-	1							SCREW Intermediate Shaft to Steering Column
		1							Upper to Lower Intermediate Shaft
		1	1, 2, 3, 6						Intermediate Shaft to Steering Gear
-22	56045 515AA-	1							SWITCH, Multifunction
-23	6032 452	2							SCREW, Self Piercing, .164-15x.625, Multifunction Switch to Mounting Bracket
-24	6034 779	2							SCREW, Pan Head, .164-32x.50, Switch Housing to Tilt Head
-25	56045 606AB-	1	1, 6						COVER, Steering Column Gap, Multifunction Switch Boot
-26	55351 131AA-	1					DG0		SCREW, Park inhibit Link
-27									LEVER ASSY, with bracket and cable
	4690 906AG-	1					DG0		Tilt Latch
		1					DD0, DEE		
	5057 140AA-	1					DEC		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear,Power Steering,Rack & Pinion,DR 1,2,3,6  
Figure 019-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[TTQ]=Tires - P275/55R20 Black Side Wall PERFORMANCE									
1									RACK, Steering Gear
	52106 518AI	1	1		41				With [TTQ] Up to 6/02/03
		1	1		61				Up to 6/02/03
	52106 518AJ	1	1		41, 61				After 6/02/03
	52110 333AG	1	1		41, 62				Without [TTQ] Up to 6/02/03
	52110 333AH	1	1		41, 62				Without [TTQ] After 6/02/03
	52106 519AI	1	1		42				Up to 6/02/03
	52106 519AJ	1	1		42				After 6/02/03
	52110 334AG	1	6		41, 62				Up to 6/02/03
	52110 334AH	1	6		41, 62				After 6/02/03
	52106 522AI	1	6		42				Up to 6/02/03
	52106 522AJ	1	6		42				After 6/02/03
	52106 521AI	1	6		61				Up to 6/02/03
	52110 487AC	1	1			EWC			With [SBP]
		1	2, 3		41, 42,	EW0,			
					62	EZ0			
	52121 642AD	1	2, 3		41, 42,	ET0			
					62				
	52106 521AJ	1	6		61				After 6/02/03
2									BUSHING, Steering Gear
	52106 728AC	2	1, 6						Threaded Sleeve, Front
	52113 031AD	4	2, 3		41, 42,				Non-Threaded Sleeve, Front or
					62				Rear
3									END PACKAGE, Tie Rod
	5073 582AA	2	2, 3		41, 42,	ET0			Right or Left
		2	1		62				
		2	2, 3		61				Right or Left
		2	2, 3		41, 42,	EW0,			Right or Left
					62	EZ0			
4	6506 557AA	2	1, 2, 3, 6						NUT AND WASHER, Outer Tie Rod
									End to Knuckle
5									BUSHING, Steering Gear
	52113 031AD	2	1, 6						Non-Threaded Sleeve, Rear
		4	2, 3		41, 42,				Non-Threaded Sleeve, Front or
					62				Rear
6									SCREW AND WASHER
	6506 555AA	2	1, 6						Rack and Pinion to Frame,
									Mounting

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Gear,Power Steering,Rack & Pinion,DR 1,2,3,6  
Figure 019-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6507 356AA	2	2, 3		41, 42, 62				Rack and Pinion to Frame, Mounting
-7	6507 143AA-	2	2, 3		41, 42, 62				NUT, Hex Flange Lock, Saftey Nut




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Gear,Power Steering and Parts,DR 7,8 Figure 019-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes defined below;									
EH0=Engines - All 3.9L V-6 Gas									
EL0=Engines - All 5.2L 8 Cylinder Gas									
1	5086 848AA	1	7, 8		41, 42,	ET0			SEAL, Steering Gear Cover
		1	7, 8		62 41, 42, 62	EW0, EZ0			
2	5086 849AA	1	7, 8		41, 42,	ET0			SEAL, Steering Gear Valve
		1	7, 8		62 41, 42, 62	EW0, EZ0			
3	52106 835AC	1	7, 8		41, 42,	ET0			GEAR, Power Steering
					62				
	52121 986AA	1	7, 8		41, 42,	EW0,			
					62	EZ0			
4									SEAL KIT, Steering gear pitman shaft
	5086 847AA	1	7, 8		41, 42,	ET0			
		1	7, 8		62 41, 42, 62	EW0, EZ0			
5									SCREW
	6505 731AA	2	7, 8		41, 42,				M14 x 2.00 x 215.00 Gearbox, Mounting
					62				
	6507 052AA	1	7, 8		41, 42,				M14 x 2.00 x 164.00 Gearbox, Mounting
					62				
-6									SPACER, Mounting
	52020 870AB-	2	7		42				Steering Gear, Upper Left
	52020 872AB-	1	7		42				Steering Gear, Rear Left
	52020 870AB-	2	7		62				Steering Gear, Upper Left
	52020 872AB-	1	7		62				Steering Gear, Rear Left
	52020 870AB-	2	7		41				Steering Gear, Upper Left
	52020 872AB-	1	7		41				Steering Gear, Rear Left
	52020 870AB-	2	8		42				Steering Gear, Upper Left
	52020 872AB-	1	8		42				Steering Gear, Rear Left
	52020 870AB-	2	8		62				Steering Gear, Upper Left
	52020 872AB-	1	8		62				Steering Gear, Rear Left


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear,Power Steering and Parts,DR 7,8  
Figure 019-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52020 870AB-	2	8		41				Steering Gear, Upper Left
	52020 872AB-	1	8		41				Steering Gear, Rear Left
7	52106 836AB	1	7, 8		41, 42, 62				ARM, Pitman
8									WASHER, Lock
	6036 520AA	1	7, 8		41, 42, 62	ET0			
		1	7, 8		41, 42, 62	EW0, EZ0			
9									NUT, Steering Gear Arm
	J320 0501	1	7, 8		41, 42, 62	ET0			
		1	7, 8		41, 42, 62	EW0, EZ0			
-10									BRACKET, Steering Gear
	52020 865AB-	1	7		41				And Stabilizer Bar, Mounting
		1	7		42				And Stabilizer Bar, Mounting
		1	7		62				And Stabilizer Bar, Mounting
		1	8		41				And Stabilizer Bar, Mounting
		1	8		42				And Stabilizer Bar, Mounting
		1	8		62				And Stabilizer Bar, Mounting

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Linkage,Steering,DR 7,8  
 Figure 019-330



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 623AA	2	7, 8		41, 42,				NUT AND WASHER, Drag Link to
2	5086 144AB	1	7, 8		41, 42,				Knuckle or Pittman Arm, Mounting
3	52037 600AB	1	7, 8		41, 42,				END PACKAGE, Tie Rod, Drag Link
4	5086 143AA	1	7, 8		41, 42,				Outer, Outer
5	52106 836AB	1	7, 8		41, 42,				TUBE, Tie Rod
6	5086 145AA	1	7, 8		41, 42,				END PACKAGE, Tie Rod, Drag Link
7	52037 600AB	1	7, 8		41, 42,				ARM, Pitman
8	5086 146AB	1	7, 8		41, 42,				END PACKAGE, Tie Rod, Outer
9	6506 276AA	1	7, 8		41, 42,				NUT, Hex Flange Lock, M12x1.75,
10	52106 909AD	1	7, 8		41, 42,				Steering Damper to Linkage,
11	6502 473	1	7, 8		41, 42,				Mounting
12	6502 697	1	7, 8		41, 42,				DAMPER, Steering
-13	6505 822AA-	2	7, 8		41, 42,				BOLT, Hex Flange Head, M12x1.
					62				75x65, Steering damper to axle
					62				bracket
					62				NUT, Hex Flange Lock, M12x1.75,
					62				Steering damper to axle bracket,
					62				Mounting
					62				NUT, Tie Rod Tube Clamp

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

Pump,Power Steering and Mounting,All Engines  
Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;Sales Codes;

[EK0]=Engines - All 3.7L 6Cylinder Gas

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[ET0]=Engines - All 5.9L Turbo Diesels

[EV0]=Engines - All 4.7L Gas

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engines - All 5.7L 8 Cylliner Gas

1									PUMP ASSEMBLY, Power Steering with Pulley
	52113 364AH	1	1, 6			EK0, EV0			Up to 12/05/03
	52113 364AI	1	1, 6			EK0, EV0			After 12/05/03
	52113 454AH	1	1, 6			EZ0			Up to 12/05/03
	52113 454AI	1	1, 6			EZ0			After 12/05/03
	52106 842AE	1	2, 3, 7, 8		41, 42, 62	EW0, EZ0			Includes Items 4,6,7
	52113 925AH	1	2, 3, 7, 8		41, 42, 62	ET0			Up to 12/15/03
	52113 925AF	1	2, 3, 7, 8		41, 42, 62	ET0			After 12/15/03
-2	6102 045AA-	3				EW0			SCREW AND WASHER, Hex Head, Pump, Mounting
-3									SCREW AND WASHER, Hex, (NOT REQUIRED)
4									PULLEY, Power Steering Pump
	53032 128AB	1	1, 6			EZ0			
	53032 723AA	1	1, 6			EK0, EV0			
	53032 128AB	1	2, 3, 7, 8		41, 42, 62	EW0, EZ0			
	53032 637AB	1	2, 3, 7, 8		41, 42, 62	ET0			
5									BRACKET KIT, Power Steering Reservoir
	5073 242AA	1	1, 6			EK0, EV0			
		1	1, 6			EZ0			
6									RESERVOIR, Power Steering Pump



DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Pump,Power Steering and Mounting,All Engines  
Figure 019-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5073 241AA	1	1, 6			EK0, EV0			With [SBP]
	5103 202AA	1				EWC			
	5073 241AA	1	2, 3, 7, 8		41, 42, 62	EW0, EZ0			
		1	2, 3, 7, 8		41, 42, 62	ET0			CAP, Power Steering Reservoir
7	52106 856AC	1	1, 6			EK0, EV0			
		1	2, 3, 7, 8		41, 42, 62	EW0, EZ0			
	5073 626AA	1				EWC			BRACKET, Power Steering Pump
-8	5086 827AA-	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		BRACKET, Power Steering Pump
9	5086 827AA	1				ETC	DG0		
		1				ETH	DBB		
10									SCREW AND WASHER, Hex Head, .375-16x1.00, (NOT SERVICED) (Not Serviced)
11	53032 750AA	1				EWD			BRACKET, Power Steering Pump
12									SCREW AND WASHER, Hex Head, .375-16x1.00, (NOT SERVICED) (Not Serviced)
13	53032 635AA	1				ET0			BRACKET, Power Steering Pump
14									BOLT, Hex Flange Head, M12x1. 75x25, (NOT SERVICED) (Not Serviced)
15	5093 985AA	1				EWC			PUMP, Power Steering
-16	5019 705AA-	1				EWC			O RING
-17	4778 797AB-	1				EWC			SEAL, Power Steering Pump
-18	2537 833	1				EWC			SPRING, Power Steering Pump Flow
-19	6034 248	3				EWC			BOLT, P/S Pump To Engine

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Hoses,Power Steering,2 Wheel Drive Without Hydrobooster  
Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note;Sales Codes;

[DBB]=Transmissions - All Manual

[DGT]=Transmission - 4 Speed Automatic,46R

[DG0]=Transmissions - All Automatic

[EK0]=Engines - All 3.7L 6 Cylinder Gas

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[EV0]=Engines - All 4.7L Gas

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engine - All 5.7L 8 Cylinder Gas

[NMC]=Engine Cooling - Heavy Duty

[NMS]=Engine Cooling - Severe Duty

1	52029 301AB	1				ET0			COOLER, Power Steering
2									HOSE, Power Steering Pressure
	52113 733AD	1	1, 2, 3, 6			EZ0			Pump to Gear
	52113 632AD	1	2, 3		41, 42, 62	EW0			Pump to Gear
	52113 128AE	1	7, 8		41, 42, 62	EZ0			
	52113 541AD	1	1, 6			EK0, EV0			Pump to Gear
	52113 737AE	1	3, 8		41, 42, 62	EZ0			
-3	5205 254	2	2, 3		41, 42, 62	EW0			O RING, Power Steering Hose, For Item 2, Hose 52113632AC
4	56041 335AB	1	1, 2, 3, 6			EZ0			SWITCH, Power Steering Pressure
5	52110 498AB	1	1, 6			EZ0			HOSE, Power Steering Return
	52113 652AC	1	1, 6			EK0, EV0			Cooler to Reservoir/Gear to Cooler
									Cooler to Reservoir/Gear to Cooler
6	52113 631AC	1	2, 3, 7, 8		41, 42, 62	EZ0			HOSE, Power Steering Return
	52113 639AC	1	2, 3, 7, 8		41, 42, 62	EW0			Cooler to Reservoir
7	52113 119AC	1	2, 3		41, 42, 62				HOSE, Power Steering Return, Cooler to Gear
-8									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	2, 3, 7, 8		41, 42, 62	EZ0			For Item 6, Hose 52113631AC


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hoses,Power Steering,2 Wheel Drive Without Hydrobooster  
Figure 019-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	2, 3, 7, 8		41, 42,	EWO			For Item 6, Hose 52113639AC
		2	2, 3		62				For Item 7, Hose 52113119AC
-9	52088 915AA-	1	2, 3		41, 42,				O RING, Power Steering Hose, For Item 7, Hose 52113119AC
					62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hoses,Power Steering,2 Wheel Drive With Hydrobooster  
Figure 019-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DBB]=Transmissions - All Manual

[DG0]=Transmissions - All Automatic

[NMC]=Engine Cooling - Heavy Duty

[NMS]=Engine Cooling - Severe Duty

[ET0]=Engines - All 5.9L Turbo Diesels

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engine - All 5.7L 8 Cylinder Gas

1									COOLER, Power Steering
	52029 301AB	1				ET0			
	52029 306AD	1				EZ0	DG0		
		1				EK0, EV0	DG0		
2	52113 926AE	1	2, 3, 7, 8		41, 42, 62	ET0			HOSE, Power Steering Pressure Pump to Hydrobooster
	52113 737AE	1	3, 8		41, 42, 62	EZ0			Pump to Hydrobooster, Up to 9/01/ 03
	52113 737AF	1	3, 8		41, 42, 62	EZ0			Pump to Hydrobooster, After 9/01/ 03
	52113 738AE	1	3, 8		41, 42, 62	EW0			Pump to Hydrobooster, Up to 9/01/ 03
	52113 738AF	1	3, 8		41, 42, 62	EW0			Pump to Hydrobooster After 9/01/ 03
	52121 752AC	1	8		41, 42, 62	EW0, EZ0			Hydrobooster to RCB, Up to 9/01/ 03
	52121 752AD	1	8		41, 42, 62	EW0, EZ0			Hydrobooster to RCB, After 9/01/03
-3	5205 254	1	2, 3, 7, 8		41, 42, 62	ET0			O RING, Power Steering Hose, For Item 2, Hose 52113926AC
4	56041 335AB	1	1, 2, 3, 6			EZ0			SWITCH, Power Steering Pressure
5	52113 736AD	1	3, 8		41, 42, 62	EW0			HOSE, Power Steering Return Cooler to Reservoir
	52113 735AD	1	3, 8		41, 42, 62	EZ0			Cooler to Reservoir
	52113 929AE	1	2, 3, 7, 8		41, 42, 62	ET0			Hydrobooster & Cooler to Reservoir
-6									CLAMP, Supply Hose, 26 mm Diameter


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hoses,Power Steering,2 Wheel Drive With Hydrobooster  
Figure 019-720





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6503 422	2	7, 8		41, 42,	ET0,			
		2	7, 8		62	EW0			
					41, 42,	EZ0			
					62				
-7									CLAMP, Hose, M18.5
	6504 217	2	3, 8		41, 42,	EZ0			
		2	3, 8		62	EW0			
					62				
		2	2, 3, 7, 8		41, 42,	ET0			
					62				
8	52113 119AC	1	2, 3		41, 42,				HOSE, Power Steering Return, Cooler to Gear
					62				
-9	6503 422	2	2, 3		41, 42,				CLAMP, Supply Hose, 26 mm Diameter, For Item 8, Hose 52113119AC
					62				
-10	52088 915AA-	1	2, 3		41, 42,				O RING, Power Steering Hose, For Item 8, Hose 52113119AC
					62				
11									HOSE, Power Steering Pressure Hydrobooster to Gear
	52113 928AD	1	2, 3		41, 42,	ET0			
					62				
	52121 758AC	1	3		41, 42,	EW0,			Hydrobooster to Gear, Up to 9/01/03
					62	EZ0			
	52121 758AD	1	3		41, 42,	EW0,			Hydrobooster to Gear, After 9/01/03
					62	EZ0			
-12	5205 254	1	2, 3		41, 42,	ET0			O RING, Power Steering Hose, For Item 11, Hose 52113928AC
					62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Hoses,Power Steering,4 Wheel Drive Without Hydrobooster  
Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note;Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EW0]=Engines - All 8.0L 10 Cylinder Gas									
[EZ0]=Engines - All 5.7L 8 Cylinder Gas									
1									COOLER, Power Steering
	5290 811AB	1				EWC			
	52029 301AB	1				ET0			
	52029 306AD	1				EK0,	DBB		
		1				EV0			
						EK0,	DG0		
						EV0			
		1				EZ0	DBB		
		1				EZ0	DG0		
2									HOSE, Power Steering Return Cooler to Gear
	52106 846AC	1	7, 8		41, 42,	ET0,			
					62	EW0			
	52113 125AC	1	7, 8		41, 42,	EZ0			Cooler to Gear
					62				
	52110 498AB	1	1, 6			EZ0			Cooler to Reservoir/Gear to Cooler
	52113 652AC	1	1, 6			EK0,			
						EV0			
-3									O RING, Power Steering Hose For Item 2, Hose 52106846AC
	52088 915AA-	1	7, 8		41, 42,	ET0,			
					62	EW0			
		1	7, 8		41, 42,	EZ0			For Item 2, Hose 52113125AC
					62				
4									HOSE, Power Steering Return Cooler to Reservoir
	52113 631AC	1	2, 3, 7, 8		41, 42,	EZ0			
					62				
	52113 639AC	1	2, 3, 7, 8		41, 42,	EW0			Cooler to Reservoir
					62				
	52113 652AC	1	1, 6			EK0,			
						EV0			
	52110 498AB	1	1, 6			EZ0			
	52113 735AD	1	3, 8		41, 42,	EZ0			
					62				
-5									CLAMP, Supply Hose, 26 mm Diameter

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Hoses,Power Steering,4 Wheel Drive Without Hydrobooster  
Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6503 422	2	2, 3, 7, 8		41, 42,	EZ0			For Item 4, Hose 52113631AC
		2	2, 3, 7, 8		41, 42,	EW0			For Item 4, Hose 52113639AC
					62				
6									HOSE, Power Steering Pressure
	52106 857AD	1	7, 8		41, 42,	EW0			Pump to Gear
					62				
	52113 733AD	1	1, 2, 3, 6			EZ0			Pump to Gear
	52113 128AE	1	7, 8		41, 42,	EZ0			Pump to Gear
					62				
	52113 541AD	1	1, 6			EK0, EV0			
-7	5205 254	2	7, 8		41, 42,	EW0			O RING, Power Steering Hose, For
					62				Item 6, Hose 52106857AC
8	56041 335AB	1	1, 2, 3, 6			EZ0			SWITCH, Power Steering Pressure
9	6503 543	2				ET0, EW0			BOLT AND CONED WASHER, Hex Head, M8x1.25x25

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Hoses,Power Steering,4 Wheel Drive With Hydrobooster  
Figure 019-740



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COOLER, Power Steering
	5290 811AB	1				EWC			
	52029 301AB	1				ET0			
2									HOSE, Power Steering Return Cooler to Reservoir
	52113 929AD	1	2, 3, 7, 8		41, 42, 62	ET0			
	52113 736AD	1	3, 8		41, 42, 62	EW0			Cooler to Reservoir
	52113 735AD	1	3, 8		41, 42, 62	EZ0			Cooler to Reservoir
-3									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	4	3, 8		41, 42, 62	EZ0			
		4	3, 8		41, 42, 62	EW0			
		4	2, 3, 7, 8		41, 42, 62	ET0			
-4									CLAMP, Hose, M18.5 For Item 2,Hose 52113735AC
	6504 217	2	3, 8		41, 42, 62	EZ0			
		2	3, 8		41, 42, 62	EW0			For Item 2,Hose 52113735AC
		2	2, 3, 7, 8		41, 42, 62	ET0			For Item 2,Hose 52113929AC
5									HOSE, Power Steering Pressure Pump to Hydrobooster
	52113 926AE	1	2, 3, 7, 8		41, 42, 62	ET0			
	52113 737AE	1	3, 8		41, 42, 62	EZ0			
	52113 738AE	1	3, 8		41, 42, 62	EW0			
-6	5205 254	1	2, 3, 7, 8		41, 42, 62	ET0			O RING, Power Steering Hose, For Item 5, Hose 52113926AC
7	56041 335AB	1	1, 2, 3, 6			EZ0			SWITCH, Power Steering Pressure
8	52113 927AC	1	7, 8		41, 42, 62	ET0			HOSE, Power Steering Pressure, Hydrobooster to Gear
-9	5205 254	1	7, 8		41, 42, 62	ET0			O RING, Power Steering Hose, For Item 8, Hose 52113927AC
10									HOSE, Power Steering Return

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Hoses,Power Steering,4 Wheel Drive With Hydroboost  
Figure 019-740



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52106 846AC	1	7, 8		41, 42, 62	ET0, EWO			Gear to Cooler.
	52113 125AC	1	7, 8		41, 42, 62	EZ0			Gear to Cooler.
-11									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	7, 8		41, 42, 62	ET0, EWO			For Item 10, Hose 52106846AC
		2	7, 8		41, 42, 62	EZ0			For Item 10, Hose 52113125AC
-12									O RING, Power Steering Hose
	52088 915AA-	1	7, 8		41, 42, 62	ET0, EWO			For Item 10, Hose 52106846AC
		1	7, 8		41, 42, 62	EZ0			For Item 10, Hose 52113125AC


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Hoses, Pump and Related Power Steering, 8.0L [EWC]  
Figure 019-750




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 985AA	1				EWC			PUMP, Power Steering
-2	4778 797AB-	1				EWC			SEAL, Power Steering Pump
-3	2537 833	1				EWC			SPRING, Power Steering Pump Flow
4	5103 202AA	1				EWC			RESERVOIR, Power Steering Pump
5	5073 626AA	1				EWC			CAP, Power Steering Reservoir
6	5290 139AA	1				EWC			PULLEY, Power Steering Pump
7									CLIP, Line
	52079 928AA	1				EWC			1/2 Inch
	52079 929AB	1				EWC			3/8 Inch
8	52088 116AB	1				EWC			FITTING, Quick Connect
9	52088 914AA	1				EWC			FITTING, Quick Disconnect
10	5290 350AB	1	1, 6			EWC			LINE, Power Steering
11	5290 351AD	1	1, 6			EWC			LINE, Power Steering
12	5290 813AB	1	1, 6			EWC			HOSE, Power Steering Return
13	5290 352AB	1	1, 6			EWC			LINE, Power Steering
14	5290 822AB	1	1, 6			EWC			LINE, Power Steering
15	5290 812AB	1	1, 6			EWC			TUBE, Power Steering Cooler
16	5290 811AB	1				EWC			COOLER, Power Steering
-17	5019 705AA-	1				EWC			O RING

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 45RFE

## Automatic Transmission Multi-Speed



### GROUP 45RFE - Automatic Transmission Multi-Speed

Illustration Title

Group-Fig. No.

#### Transmission Assembly

Transmission Assembly [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-110

#### Case and Extension

Related Parts [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-210

Adapter [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-220

#### Oil Pump

Oil Pump [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-310

#### Gear Train

Input Shaft [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-410

Underdrive [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-420

Overdrive [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-430

2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-440

Input/Reverse Planetary/Sun Gear [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-450

Reaction Annulus / Sun Gear [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-460

Low / Reverse Clutch [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-470

#### Valve Body

Valve Body [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-710

Parking Sprag [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-720

#### Gearshift Controls

Gearshift Controls [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-1210

#### Seal and Shim Packages

LR Clutch [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-1310








2and4 Clutch [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-1320

Input Clutch Plate [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-1330

OVERHAUL [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-1340


Input Clutch [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-1350

Planetary Clutch [45RFE] [DGQ] [DG4] ..... Fig. 45RFE-1360

<b>45RFE-100</b> Transmission Assembly 	<b>45RFE-200</b> Case and Extension 	<b>45RFE-300</b> Oil Pump 	<b>45RFE-400</b> Gear Train 
<b>45RFE-700</b> Valve Body 	<b>45RFE-1200</b> Gearshift Controls 	<b>45RFE-1300</b> Seal and Shim Packages 	

# Transmission Assembly [DGQ] DG4

## Figure 45RFE-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

### NOTE:

Sales Codes:

[DGQ]=5 Speed Automatic Transmission - [5-45RFE]

[EV0] = All 4.7L 8 Cylinder Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1	5086 265AB	1	7, 8			EZ0	DGQ		TRANSMISSION KIT, Automatic [ Includes Torque Converter]
	5133 155AA	1	6, 7, 8			EV0	DGQ		[ Includes Torque Converter]
	5133 171AA	1	1, 2, 3			EV0	DG4,		[ Includes Torque Converter]
							DGQ		
	5133 187AA	1	6			EZ0	DGQ		[ Includes Torque Converter]
	5133 188AA	1	1, 2, 3			EZ0	DGQ		[ Includes Torque Converter]
2	5133 189AA	1	1, 2, 3			EK0	DG4,		[ Includes Torque Converter]
							DGQ		
	4736 394AA	1	1, 2, 3			EV0	DG4,		TORQUE CONVERTER
							DGQ		
	4736 582	1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EK0	DG4,		
	4736 587AA	1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		


### DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Related Parts [45RFE] [DGQ] [DG4]  
Figure 45RFE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DG4]= Multi - Speed Automatic Transmission 45RFE

[DGQ]=5 Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Gas Engines

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1	4799 613AB	1	7, 8			EZ0	DGQ		CASE, Transmission
			6			EZ0	DGQ		
			1, 2, 3			EK0	DG4, DGQ		
			1, 2, 3			EZ0	DGQ		
			1, 2, 3			EV0	DG4, DGQ		
2	4810 021	1	6, 7, 8			EV0	DGQ		GROMMET
			7, 8			EZ0	DGQ		
			6			EZ0	DGQ		
			1, 2, 3			EV0	DG4, DGQ		
			1, 2, 3			EK0	DG4, DGQ		
3	4799 861AB	1	1, 2, 3			EZ0	DGQ		VENT, Transmission
			7, 8			EZ0	DGQ		
			6			EZ0	DGQ		
			6, 7, 8			EV0	DGQ		
			1, 2, 3			EV0	DG4, DGQ		
4	53032 457AA	1	1, 2, 3			EK0	DG4, DGQ		TUBE, Vent
			1, 2, 3			EZ0	DGQ		
			1, 2, 3				DG4, DGQ		
			1				DG4, DGQ		
			1				DG4, DGQ		
5	6501 979	1							SCREW AND WASHER, Hex Head, M6x1x17
6	53032 517AB	1							TUBE, Transmission Oil Filler
		1				EK0, EV0	DGQ DG4		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Related Parts [45RFE] [DGQ] [DG4]  
Figure 45RFE-210**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7									INDICATOR, Transmission Fluid Level
	53032 518AC	1					DGQ		
		1				EK0, EV0	DG4		
8									TRANSDUCER, Pressure Sensor
	4799 758	1	1, 2, 3			EV0	DG4, DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
9									BOLT, M6x1.00x20
	6101 331	1	1, 2, 3			EV0	DG4, DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
10									SENSOR, Transmission Input Speed
	4799 061AB	2	7, 8			EZ0	DGQ		
		2	6			EZ0	DGQ		
		2	6, 7, 8			EV0	DGQ		
		2	1, 2, 3			EV0	DG4, DGQ		
		2	1, 2, 3			EK0	DG4, DGQ		
		2	1, 2, 3			EZ0	DGQ		
11									O RING
	4799 062	2	1, 2, 3			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4, DGQ		
		2	6			EZ0	DGQ		
		2	1, 2, 3			EV0	DG4, DGQ		
		2	7, 8			EZ0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Related Parts [45RFE] [DGQ] [DG4]  
Figure 45RFE-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	6101 331	2	6, 7, 8			EV0	DGQ		BOLT, M6x1.00x20
		2	7, 8			EZ0	DGQ		
		2	1, 2, 3			EV0	DG4, DGQ		
		2	6, 7, 8			EV0	DGQ		
		2	6			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4, DGQ		
13	4799 346	2	1, 2, 3			EZ0	DGQ		SEAL
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
14		1	1, 2, 3			EZ0	DGQ		SCREW, Pan Head, M5 x 0.8 x 12. 60
		1	6, 7, 8			EV0	DGQ		
	6503 232	1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
15	5013 470AC	1	7, 8			EZ0	DGQ		FILTER PACKAGE, Transmission Oil
		1	6			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
	5015 267AC	1	1, 2, 3			EK0	DG4, DGQ		
16	5013 470AC	1	6, 7, 8			EV0	DGQ		VALVE, Flow Control
	4799 681	1	6, 7, 8			EV0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Related Parts [45RFE] [DGQ] [DG4]  
Figure 45RFE-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
17		1	1, 2, 3			EZ0	DGQ		FILTER, Transmission Oil
	4799 662	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		MAGNET, Transmission
18		1	6, 7, 8			EV0	DGQ		
	4446 728	1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
19		1	1, 2, 3			EV0	DG4, DGQ		PAN, Transmission Oil
	4800 078AA	1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
	5013 681AA	1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
20		15	6, 7, 8			EV0	DGQ		SCREW
	6101 221	15	1, 2, 3			EZ0	DGQ		
		15	1, 2, 3			EV0	DG4, DGQ		

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Related Parts [45RFE] [DGQ] [DG4]  
Figure 45RFE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		15	1, 2, 3			EK0	DG4,		
		15	6			EZ0	DGQ		
		15	7, 8			EZ0	DGQ		
21	53032 454AA	1					DG0		COVER, Converter
-22	4799 433AB-	2	6, 7, 8			EV0	DGQ		NUT, Transmission Case
		2	7, 8			EZ0	DGQ		Cooler Line to Case
		2	1, 2, 3			EV0	DG4,		
							DGQ		
		2	6			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4,		
							DGQ		
-23		2	1, 2, 3			EZ0	DGQ		PLUG, Pressure Check
	6030 035	2	7, 8			EZ0	DGQ		
		2	6, 7, 8			EV0	DGQ		
		2	1, 2, 3			EK0,	DG4,		
						EV0	DGQ		
		2	1, 2, 3			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4,		
							DGQ		
24	6022 266	2	6			EZ0	DGQ		SCREW, Hex Head, .375-16x1.5,
		4				EKG,	DG0		Case to Cylinder Block
						EV0,			
						EW0,			
						EZ0			


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Adapter [45RFE] [DGQ] [DG4]  
Figure 45RFE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DG4]= Multi - Speed Automatic Transmission 45RFE									
[DGQ]=5 Speed Automatic Transmission 45RFE									
[EK0] = All 3.7L 6 Cylinder Gas Engines									
[EV0] = All 4.7L Engines									
[EZ0] = All 5.7L 8 Cylinder Engines									
1	5210 7719	1	6, 7, 8			EV0	DGQ		ADAPTER, Transfer Case
		1	6			EZ0	DGQ		
2	52119 433AA	1	7, 8			EZ0	DGQ		STUD, M10x1.5x62
		2	6, 7, 8			EV0	DGQ		
	6505 064AA	2	7, 8			EZ0	DGQ		Adapter to Case
		2	1, 2, 3			EV0	DG4, DGQ		
		2	6			EZ0	DGQ		Adapter to Case
		2	1, 2, 3			EK0	DG4, DGQ		
3		2	1, 2, 3			EZ0	DGQ		Extension Housing to Case
		2	1, 2, 3			EZ0	DGQ		
	6504 774	10	6, 7, 8			EV0	DGQ		Adapter to Case
		10	7, 8			EZ0	DGQ		
		10	1, 2, 3			EV0	DG4, DGQ		Extension Housing to Case
		10	6			EZ0	DGQ		
4		10	1, 2, 3			EK0	DG4, DGQ		Extension Housing to Case
		10	1, 2, 3			EZ0	DGQ		
	4799 090	1	6, 7, 8			EV0	DGQ		SEAL, Input
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		Extension Housing to Case
		1	6			EZ0	DGQ		
5	5019 020AA	1	1, 2, 3			EZ0	DGQ		SEAL, Input Gear
		1	6			EZ0	DGQ		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Adapter [45RFE] [DGQ] [DG4]  
Figure 45RFE-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EZ0	DGQ		
6	4799 495	1	1, 2, 3			EV0	DG4, DGQ		HOUSING, Transmission Rear Extension Includes: Output Shaft, Snap Ring, Bearing Input Gear, Bushing, Seal
		1	1, 2, 3			EK0	DG4, DGQ		Includes: Output Shaft, Snap Ring, Bearing Input Gear, Bushing, Seal
		1	1, 2, 3			EZ0	DGQ		Includes: Output Shaft, Snap Ring, Bearing Input Gear, Bushing, Seal
7	4531 216AB	1	1, 2, 3			EV0	DG4, DGQ		SEAL, Output Shaft
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
8	2466 224	1	1, 2, 3			EV0	DG4, DGQ		BEARING, Output Shaft
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
9	4461 069	1	1, 2, 3			EV0	DG4, DGQ		SNAP RING
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
10	5086 303AA	1	1, 2, 3			EV0	DG4, DGQ		BEARING, Input Gear
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
11	5086 304AA	1	1, 2, 3			EV0	DG4, DGQ		SNAP RING

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Adapter [45RFE] [DGQ] [DG4]  
Figure 45RFE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5086 314AA	1	1, 2, 3			EK0	DG4, DGQ		SNAP RING
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Oil Pump [45RFE] [DGQ] [DG4]  
Figure 45RFE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DG4] = Multi - Speed Automatic Transmission 45RFE

[DGQ] = 5 Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1									PUMP PACKAGE, Transmission
	5073 004AC	1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
2									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
3									BODY, Oil Pump Valve, (NOT SERVICED) (Not Serviced)
4									SUPPORT, Reaction Shaft, (NOT SERVICED) (Not Serviced)
5									SNAP RING, Transmission
	4799 082	1	6, 7, 8			EV0	DGQ		Pump Cover Inner
		1	7, 8			EZ0	DGQ		Pump Cover Inner
		1	1, 2, 3			EV0	DG4,		Pump Cover Inner
							DGQ		
		1	6			EZ0	DGQ		Pump Cover Inner
		1	1, 2, 3			EK0	DG4,		Pump Cover Inner
							DGQ		
		1	1, 2, 3			EZ0	DGQ		Pump Cover Inner
6									COVER, Oil Pump
	4799 609	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
7									SEAL, Transmission Oil Pump


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Oil Pump [45RFE] [DGQ] [DG4]  
Figure 45RFE-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4617 919	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
8									SCREW AND WASHER, Pan Head, M5x.8x25
	6500 215	24	6, 7, 8			EV0	DGQ		
		24	7, 8			EZ0	DGQ		
		24	1, 2, 3			EV0	DG4, DGQ		
		24	6			EZ0	DGQ		
		24	1, 2, 3			EK0	DG4, DGQ		
		24	1, 2, 3			EZ0	DGQ		
9									SCREW, Pan Head, M5 x 0.8 x 12. 60
	6503 232	2	6, 7, 8			EV0	DGQ		
		2	7, 8			EZ0	DGQ		
		2	1, 2, 3			EV0	DG4, DGQ		
		2	6			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4, DGQ		
		2	1, 2, 3			EZ0	DGQ		
10									SEAL, Oil Pump
	4799 964AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
11									SCREW, Button Head
	6504 661	5	6, 7, 8			EV0	DGQ		
		5	7, 8			EZ0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Oil Pump [45RFE] [DGQ] [DG4]  
Figure 45RFE-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		5	1, 2, 3			EV0	DG4,		
		5	6			EZ0	DGQ		
		5	1, 2, 3			EK0	DG4,		
							DGQ		
12	4799 056	5	1, 2, 3			EZ0	DGQ		RING, Transmission
		5	6, 7, 8			EV0	DGQ		
		5	7, 8			EZ0	DGQ		
		5	1, 2, 3			EV0	DG4,		
							DGQ		
		5	6			EZ0	DGQ		
		5	1, 2, 3			EK0	DG4,		
							DGQ		
13	4799 003	5	1, 2, 3			EZ0	DGQ		O RING, Oil Pump, .
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
14		1	1, 2, 3			EZ0	DGQ		SNAP RING, Transmission
	4799 005	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
-15									SEAL, Torque Converter Hub
	4736 547	1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Oil Pump [45RFE] [DGQ] [DG4]  
Figure 45RFE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Input Shaft [45RFE] [DGQ] [DG4]  
Figure 45RFE-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission 45RFE									
[DG4]= Multi - Speed Automatic Transmission 45RFE									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Gas Engines									
[EZ0] = All 5.7L 8 Cylinder Engines									
1									THRUST BEARING, Needle Roller
	4799 469	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
2									SEAL, Input Shaft, PKG 05013090AC
	4799 539	2	6, 7, 8			EV0	DGQ		
		2	7, 8			EZ0	DGQ		
		2	1, 2, 3			EV0	DG4, DGQ		
		2	6			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4, DGQ		
		2	1, 2, 3			EZ0	DGQ		
3									SHAFT, Input
	5114 582AA	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6			EZ0	DGQ		
4									CHECK VALVE, Transmission
	4799 974AA	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



**Input Shaft [45RFE] [DGQ] [DG4]  
Figure 45RFE-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-5	6505 335AA-	1	1, 2, 3			EK0	DG4, DGQ		O RING, Control Valve
		1	1, 2, 3			EZ0	DGQ		
		AR	6, 7, 8			EV0	DGQ		
		AR	7, 8			EZ0	DGQ		
		AR	1, 2, 3			EV0	DG4, DGQ		
6	4799 978AA	AR	6			EZ0	DGQ		SNAP RING
		AR	1, 2, 3			EK0	DG4, DGQ		
		AR	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
7	4799 536AC	1	1, 2, 3			EV0	DG4, DGQ		HUB, Input Clutch
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6			EZ0	DGQ		
8	4799 073	1	1, 2, 3			EK0	DG4, DGQ		O RING, Transmission Clutch, PKG 05013090AC
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		

**DODGE RAM (DR)**

**SERIES**

H = SLT

L = ST

**LINE**

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

**BODY**

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

**ENGINE**

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

**TRANSMISSION**

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Input Shaft [45RFE] [DGQ] [DG4]  
Figure 45RFE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9									O RING, Transmission Clutch, PKG 05013090AC
	4799 755	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
10		1	1, 2, 3			EZ0	DGQ		
	4799 090	1	6, 7, 8			EV0	DGQ		SEAL, Input, PKG 05013090AC
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
11		1	1, 2, 3			EZ0	DGQ		
	4799 538	1	6, 7, 8			EV0	DGQ		SNAP RING, Input Shaft
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
12									SNAP RING, Transmission
	4799 088	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
13									SPRING, Piston Return
	4799 087	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

**Input Shaft [45RFE] [DGQ] [DG4]  
Figure 45RFE-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			EV0	DG4,		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
14		1	1, 2, 3			EZ0	DGQ		O RING, Reverse & O/Drive Clutch Piston, Transmission, PKG 05013090AC
	4799 089	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
15									FILTER, Reverse And O/D Clutch
	4531 903	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
16		1	1, 2, 3			EZ0	DGQ		PISTON, Reverse and Overdrive
	5073 525AA	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
17		1	1, 2, 3			EV0	DG4,		RETAINER, Transmission Input Clutch
							DGQ		
	4799 648	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Input Shaft [45RFE] [DGQ] [DG4]  
Figure 45RFE-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			EV0	DG4,		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
18	4799 097	1	1, 2, 3			EZ0	DGQ		SNAP RING
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
19	4799 650	1	1, 2, 3			EZ0	DGQ		PISTON, Underdrive
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
20		1	1, 2, 3			EZ0	DGQ		SPRING, Undredrive Piston, PKG
									05013090AC
	4799 101	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
21	4799 652	1	1, 2, 3			EZ0	DGQ		PISTON, Underdrive
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Input Shaft [45RFE] [DGQ] [DG4]  
Figure 45RFE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
									SNAP RING, Transmission, PKG 05013090AC
	4799 103	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
23									PLATE, PKG 05013090AC, (NOT SERVICED) (Not Serviced)
24									DISC, Clutch, PKG 05013090AC, (NOT SERVICED) (Not Serviced)


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Underdrive [45RFE] [DGQ] [DG4] Figure 45RFE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[DG4] = Multi-Speed Automatic Transmission [45RFE]									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Gas Engines									
[EZ0] = All 5.7L 8 Cylinder Gas Engines									
1	4799 469	1	1, 2, 3			EK0, EV0	DG4, DGQ		THRUST BEARING, Needle Roller
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
2	5127 485AA	1	1, 2, 3			EV0	DG4, DGQ		HUB AND SHAFT, Underdrive Clutch
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
3	4799 760	1	6, 7, 8			EV0	DGQ		SNAP RING, Transmission
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
4	4799 108AD	AR	6, 7, 8			EV0	DGQ		PLATE, Transmission Clutch Reaction
		AR	7, 8			EZ0	DGQ		
		AR	1, 2, 3			EV0	DG4, DGQ		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Underdrive [45RFE] [DGQ] [DG4]  
Figure 45RFE-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		AR	6			EZ0	DGQ		
		AR	1, 2, 3			EK0	DG4, DGQ		
		AR	1, 2, 3			EZ0	DGQ		
									SNAP RING, Transmission, PKG 05013090AC
	4799 111AB	1	6, 7, 8			EV0	DGQ		
6		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
7									DISC, Clutch, PKG 05013090AC, (NOT SERVICED) (Not Serviced)
									PLATE, PKG 05013090AC, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Overdrive [45RFE] [DGQ] [DG4]  
Figure 45RFE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[DG4] = Multi-Speed Automatic Transmission [45RFE]									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Gas Engines									
[EZ0] = All 5.7L 8 Cylinder Gas Engines									
1	4799 469	1	6, 7, 8			EV0	DGQ		THRUST BEARING, Needle Roller
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		HUB AND SHAFT, Overdrive Clutch
		1	6			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
2	4799 550	1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
3	4799 118	1	6, 7, 8			EV0	DGQ		SNAP RING, Overdrive Clutch
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
4	4799 116AB	1	1, 2, 3			EV0	DG4, DGQ		PLATE, Clutch Pressure
		1	6			EZ0	DGQ		
		1	7, 8			EV0	DGQ		
		1	1, 2, 3			EZ0	DGQ		

DODGE RAM (DR)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EKG = 3.7L V6		DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		EVA = 4.7L V8		DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		EZA = 5.7L V8		DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)		EML = 5.9L SMPI V8		DGQ,DG4 = Multi-Speed Auto.(45RFE)			
				ETC = 5.9LD V6		DG8 = 4 Spd. Auto.(48RE)			
				ETH = 5.9LD V6 HO		DEE = 6 Spd. Manual (5600)			
				EWA = 8.0L V10 MPI		DGP = 4 Spd. Auto.(47RE)			
						DEC = 5 Spd. Manual			



Overdrive [45RFE] [DGQ] [DG4]  
Figure 45RFE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	4799 469	1	1, 2, 3			EK0	DG4, DGQ		THRUST BEARING, Needle Roller
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
6	4799 117	1	6			EZ0	DGQ		SNAP RING, Transmission
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
7	4799 556	1	1, 2, 3			EV0	DG4, DGQ		HUB AND SHAFT, Reverse Clutch
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
8	4799 121	1	7, 8			EZ0	DGQ		PLATE, PKG 05013090AC, (NOT SERVICED) (Not Serviced)
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
9	4799 121	1	6, 7, 8			EV0	DGQ		DISC, Clutch, PKG 05013090AC, (NOT SERVICED) (Not Serviced)
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
10	4799 121	1	6, 7, 8			EV0	DGQ		PLATE, Transmission Clutch Reaction
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Overdrive [45RFE] [DGQ] [DG4]  
Figure 45RFE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
11									SNAP RING, PKG 05013090AC, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4]  
Figure 45RFE-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[DG4] = Multi-Speed Automatic Transmission [45RFE]									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Gas Engines									
[EZ0] = All 5.7L 8 Cylinder Gas Engines									
1									THRUST BEARING, Needle Roller
	4799 936AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
2									PLATE, Clutch Hub Thrust, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
3									SNAP RING, Transmission
	4799 680AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
4									RETAINER, Transmission 2nd and 4th Clutch Piston
	4799 498AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
5									BLEED ORIFICE, Transmission
	4799 086	2	6, 7, 8			EV0	DGQ		
		2	7, 8			EZ0	DGQ		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

**2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4]  
Figure 45RFE-440**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	1, 2, 3			EV0	DG4,		
		2	6			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4,		
							DGQ		
6	4799 174	2	1, 2, 3			EZ0	DGQ		SNAP RING, Transmission
		1	6, 7, 8			EV0	DGQ		Retainer to Case
		1	7, 8			EZ0	DGQ		Retainer to Case
		1	1, 2, 3			EV0	DG4,		Retainer to Case
							DGQ		
		1	6			EZ0	DGQ		Retainer to Case
		1	1, 2, 3			EK0	DG4,		Retainer to Case
							DGQ		
7		1	1, 2, 3			EZ0	DGQ		Retainer to Case
8									RING, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
	4799 521	1	6, 7, 8			EV0	DGQ		SPRING, 2nd And 4th Clutch Piston
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
9		1	1, 2, 3			EZ0	DGQ		SNAP RING, Transmission
	4799 522AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
10		1	1, 2, 3			EZ0	DGQ		RING, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
11									RING, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
12									SPRING, 2nd And 4th Clutch Piston

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**2 & 4 Clutch Retainer [45RFE] [DGQ] [DG4]  
Figure 45RFE-440**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 527AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
13									SNAP RING, Transmission
	4799 528AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
14									DISC, Clutch, PKG 05013087AC, (NOT SERVICED) (Not Serviced)
15									PLATE, Clutch Separator, PKG 05013087AC, (NOT SERVICED)
									(Not Serviced)
16									PLATE, Transmission Clutch Reaction
	4799 533	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
17									SNAP RING, Transmission, PKG 05013087AC, (NOT SERVICED)
									(Not Serviced)
18									PLATE, PKG 05013087AC, (NOT SERVICED) (Not Serviced)
19									DISC, Clutch, PKG 05013087AC, (NOT SERVICED) (Not Serviced)
20									PLATE, Transmission Clutch Reaction

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Figure 45RFE-440**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 687AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

**Input/Reverse Planetary/Sun Gear [45RFE] [DGQ] [DG4]  
Figure 45RFE-450**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[DG4] = Multi-Speed Automatic Transmission [45RFE]									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Engines									
[EZ0] = All 5.7L 8 Cylinder Engines									
1	4799 469	1	6, 7, 8			EV0	DGQ		THRUST BEARING, Needle Roller
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
2	4799 247	1	6, 7, 8			EV0	DGQ		SNAP RING
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
3	4799 503AD	1	1, 2, 3			EV0	DG4, DGQ		CARRIER, Reverse Complete
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
4	4799 586AB	1	1, 2, 3			EV0	DG4, DGQ		GEAR, Input Sun
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Input/Reverse Planetary/Sun Gear [45RFE] [DGQ] [DG4]  
Figure 45RFE-450




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	52119 464AA	1	1, 2, 3			EK0	DG4,		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		THRUST BEARING, Needle Roller
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
6	4799 500AE	1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
		1	1, 2, 3			EZ0	DGQ		CARRIER, Input Complete
		1	6, 7, 8			EV0	DG4,		
		1	7, 8			EZ0	DGQ		
7	4799 501	1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DG4,		
		1	7, 8			EZ0	DGQ		
8	4799 459	1	1, 2, 3			EV0	DG4,		
		1	6, 7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
		1	6			EZ0	DGQ		
9		1	1, 2, 3			EK0	DG4,		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		THRUST BEARING, Needle Roller

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Input/Reverse Planetary/Sun Gear [45RFE] [DGQ] [DG4]  
Figure 45RFE-450



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 469	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Reaction Annulus / Sun Gear [45RFE] [DGQ] [DG4]  
Figure 45RFE-460



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[DG4] = Multi-Speed Automatic Transmission [45RFE]									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Engines									
[EZ0] = All 5.7L 8 Cylinder Engines									
1									THRUST BEARING, Needle Roller
	4799 459	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
2									THRUST WASHER, Planetary Carrier, PKG 05013092AA, (NOT SERVICED) (Not Serviced)
3									GEAR, Annulus
	4799 604	1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
4									THRUST BEARING, Needle Roller
	4799 469	1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
5									GEAR, Reaction Sun
	4799 602	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		

DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Reaction Annulus / Sun Gear [45RFE] [DGQ] [DG4]  
Figure 45RFE-460

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4799 619AB	1	1, 2, 3			EK0	DG4, DGQ		CARRIER, Reaction Complete
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Low / Reverse Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-470**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes:

[DGQ] = 5 Speed Automatic Transmission 45RFE

[DG4] = Multi-Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1									CLUTCH, L/R Clutch
	4799 457AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
2									CLUTCH PACKAGE, Automatic Transmission, Low/Reverse
	5073 003AA	1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
3									SNAP RING
	4799 863AA	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
4									CLUTCH, Overrunning
	4799 465	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Low / Reverse Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-470



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		1	1, 2, 3			EK0	DG4,		
		1	1, 2, 3			EZ0	DGQ		
									PLATE, Transmission Clutch Reaction
	4799 667	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
6		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
7		1	1, 2, 3			EZ0	DGQ		
	4799 640	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
8		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
	5013 027AA	1	6, 7, 8			EV0	DGQ		
-9		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		
									SNAP RING, Transmission

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

Low / Reverse Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-470

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 466	1	6, 7, 8			EV0	DGQ		Retainer to Case
		1	7, 8			EZ0	DGQ		Retainer to Case
		1	1, 2, 3			EV0	DG4, DGQ		Retainer to Case
		1	6			EZ0	DGQ		Retainer to Case
		1	1, 2, 3			EK0	DG4, DGQ		Retainer to Case
		1	1, 2, 3			EZ0	DGQ		Retainer to Case
10									BLEED ORIFICE, Transmission
	4799 086	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Valve Body [45RFE] [DGQ] [DG4] Figure 45RFE-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DGQ] = 5 Speed Automatic Transmission 45RFE

[DG4]= Multi - Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Gas Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1									SOLENOID, Transmission
	52119 435AA	1	1, 2, 3			EV0	DG4, DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
2		1	1, 2, 3			EZ0	DGQ		VALVE BODY, Transfer Plate and Valve
	5093 108AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
3									PLATE, Manual Valve Cam
	4799 654AC	1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
4									SCREW, Shoulder/Truss, M5x. 8x12.5
	6501 710	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Valve Body [45RFE] [DGQ] [DG4]  
Figure 45RFE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
									SEAL, Clutch Feed
	4799 778	3	6, 7, 8			EV0	DGQ		
6		3	7, 8			EZ0	DGQ		
		3	1, 2, 3			EV0	DG4, DGQ		
		3	1, 2, 3			EZ0	DGQ		
									DETENT, Valve Body
	52119 501AA	1	6, 7, 8			EV0	DGQ		
7		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		BLEED ORIFICE, Transmission
8	4799 086	2	6, 7, 8			EV0	DGQ		
		2	1, 2, 3			EV0	DG4, DGQ		
		2	6			EZ0	DGQ		
		2	1, 2, 3			EK0	DG4, DGQ		
		2	1, 2, 3			EZ0	DGQ		
9		2	7, 8			EZ0	DGQ		
	4471 880	5	6, 7, 8			EV0	DGQ		SPRING, Accumulator, Outer
		5	7, 8			EZ0	DGQ		
		5	1, 2, 3			EV0	DG4, DGQ		
		5	6			EZ0	DGQ		
9		5	1, 2, 3			EK0	DG4, DGQ		
		5	1, 2, 3			EZ0	DGQ		
									SPRING, Accumulator, Inner

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Valve Body [45RFE] [DGQ] [DG4]  
Figure 45RFE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	4567 575	4	6, 7, 8			EV0	DGQ		
		4	7, 8			EZ0	DGQ		
		4	1, 2, 3			EV0	DG4, DGQ		
		4	6			EZ0	DGQ		
		4	1, 2, 3			EK0	DG4, DGQ		
		4	1, 2, 3			EZ0	DGQ		
									BALL, Check
		7	6, 7, 8			EV0	DGQ		
		7	7, 8			EZ0	DGQ		
		7	1, 2, 3			EV0	DG4, DGQ		
11	5211 8261	7	6			EZ0	DGQ		
		7	1, 2, 3			EK0	DG4, DGQ		
		7	1, 2, 3			EZ0	DGQ		
									O RING, Control Valve
		1	6			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	1, 2, 3			EK0,	DG4, EV0	DGQ	
		1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
12	4799 986AA	1	6			EZ0	DGQ		SEAL, Insulator
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
13	5174 633AA								ACCUMULATOR KIT, Accumulator Cover
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
									COVER, Accumulator

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Valve Body [45RFE] [DGQ] [DG4]  
Figure 45RFE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 598AB	1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
15		1	6, 7, 8			EV0	DGQ		PISTON, 2nd and 4th Accumulator
	4446 620AC	5	6, 7, 8			EV0	DGQ		
		5	7, 8			EZ0	DGQ		
		5	1, 2, 3			EV0	DG4, DGQ		
		5	6			EZ0	DGQ		
		5	1, 2, 3			EK0	DG4, DGQ		
16		5	1, 2, 3			EZ0	DGQ		SEAL, Accumulator
	4446 544	10	6, 7, 8			EV0	DGQ		
		10	1, 2, 3			EV0	DG4, DGQ		
		10	6			EZ0	DGQ		
		10	1, 2, 3			EK0	DG4, DGQ		
17		10	1, 2, 3			EZ0	DGQ		SCREW, Pan Head, M5 x 0.8 x 12.
		10	7, 8			EZ0	DGQ		60
	6503 232	7	6, 7, 8			EV0	DGQ		
		7	7, 8			EZ0	DGQ		
		7	6			EZ0	DGQ		
		7	1, 2, 3			EZ0	DGQ		
		7	1, 2, 3			EK0	DG4, DGQ		
		7	1, 2, 3			EV0	DG4, DGQ		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Parking Sprag [45RFE] [DGQ] [DG4]  
Figure 45RFE-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission 45RFE									
[DG4]= Multi - Speed Automatic Transmission 45RFE									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Gas Engines									
[EZ0] = All 5.7L 8 Cylinder Engines									
1	4799 493AB	1	1, 2, 3			EV0	DG4, DGQ		SPRAG, Transmission Parking
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
2	4799 704	1	1, 2, 3			EZ0	DGQ		SNAP RING, Transmission
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
3	0456 636	1	6, 7, 8			EV0	DGQ		PIN
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
4	4799 450	1	6, 7, 8			EV0	DGQ		SHAFT, Parking Pawl
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Parking Sprag [45RFE] [DGQ] [DG4]  
Figure 45RFE-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	4799 744AD	1	1, 2, 3			EK0	DG4,		PAWL, Parking Sprag
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
6	4799 451	1	6			EZ0	DGQ		SPRING, Torsion
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
7	4799 313	1	1, 2, 3			EV0	DG4, DGQ		SNAP RING
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
8	4799 774	1	7, 8			EZ0	DGQ		GUIDE, Parking Sprag Pawl
		1	1, 2, 3			EV0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
9		1	1, 2, 3			EZ0	DGQ		ROD, Parking Sprag
		1	1, 2, 3			EZ0	DGQ		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Parking Sprag [45RFE] [DGQ] [DG4]  
Figure 45RFE-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 611AB	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
10									SCREW, M6x1x30
	6504 548	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
11									SNAP RING, Rod
	6035 256	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		
12									LEVER, Shift Shaft
	4799 453	1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
		1	1, 2, 3			EZ0	DGQ		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Gearshift Controls [45RFE [DGQ] [DG4]  
Figure 45RFE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DG4] = Multi Speed Automatic Transmission 45RFE									
[DGQ] =5 Speed Automatic Transmission 45RFE									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Engines									
1	52107 847AF	1					DG4, DGQ		CABLE, Shift, After [01/08/03]
2	52104 176AC	1					DG4, DGQ		BRACKET, Shift Cable
3	6101 758	2					DG4, DGQ		SCREW, Hex Head, M8x1.25x20
4	52107 848AB	1					DG4, DGQ		LEVER, Manual Control
5									NUT, Hex Flange Lock, M12x1.75, (NOT SERVICED) (Not Serviced)
6	0180 034	1					DG0		SCREW AND WASHER, Hex Head, .25-20x1.50
7									PLUG, Body, 1.75 Diameter, (NOT REQUIRED)
-8	6032 633	1				EK0, EV0	DG0		CLIP, Vent Tube, Shift Cable Routing

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

LR Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-1310

LR CLUTCH PACKAGE 05013091aa

	D-ring, external (L/R piston outer)
	D-ring, internal (L/R piston inner)
(6)	Plate, clutch separator (1.74mm thk)
(6)	Disc assy, clutch (L/R)
	Snap ring, flat (1.5/1.6 thk)
	Snap ring, flat (2.03/2.13 thk)
	Snap ring, flat (2.54/2.68 thk)
(2)	Retainer, c-clip

1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE;

Sales Codes

[DG4]= Multi - Speed Automatic Transmission 45RFE

[DGQ]=5 Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1									CLUTCH PACKAGE, Automatic Transmission, Low/Reverse
	5073 003AA	1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EV0	DG4,		
							DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
-2									CLUTCH, L/R Clutch
	4799 457AB-	1	6, 7, 8			EV0	DGQ		Selection & Bleed Orifice Assembly
		1	7, 8			EZ0	DGQ		Selection & Bleed Orifice Assembly
		1	1, 2, 3			EV0	DG4,		Selection & Bleed Orifice Assembly
							DGQ		
		1	6			EZ0	DGQ		Selection & Bleed Orifice Assembly
		1	1, 2, 3			EK0	DG4,		Selection & Bleed Orifice Assembly
							DGQ		
		1	1, 2, 3			EZ0	DGQ		Selection & Bleed Orifice Assembly

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

2and4 Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-1320

2&4 CLUTCH PACKAGE 05013087aa

(2)	Disc assy, clutch (2nd clutch)
(2)	Plate, clutch separator
	D-ring, external (2nd outer)
	D-ring, internal (2nd inner)
	D-ring, internal (4th outer)
	D-ring, internal (4th inner)
(3)	Plate, clutch separator (4th clutch)
(3)	Disc assy, clutch (4th clutch)
	Snap ring (4th, 1.74/1.84 thk)
	Snap ring (4th, 2.15/2.25 thk)
	Snap ring (4th, 2.56/2.66 thk)

1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes  
[DG4]= Multi -Speed Automatic Transmission 45RFE  
[DGQ]=5 Speed Automatic Transmission 45RFE  
[EK0] = All 3.7L 6 Cylinder Engines  
[EV0] = All 4.7L Engines  
[EZ0] = All 5.7L 8 Cylinder Engines

1					CLUTCH PACKAGE, Automatic Transmission, 2/4				
5013 087AC		1	6	EZ0		DGQ			
		1	1, 2, 3	EZ0		DGQ			
		1	6, 7, 8	EV0		DGQ			
		1	1, 2, 3	EV0		DG4, DGQ			
		1	7, 8	EZ0		DGQ			
		1	1, 2, 3	EK0		DG4, DGQ			

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Input Clutch Plate [45RFE] [DGQ] [DG4]  
Figure 45RFE-1330

**SELECTIVE THRUST PLATES**  
**INPUT CLUTCH THRUST PLATE PKG**

**05013093aa**

1

	Thrust plate, input clutc 1.52 / 1.61
	Thrust plate, input clutc 1.66 / 1.75
	Thrust plate, input clutc 1.80 / 1.89
	Thrust plate, input clutc 1.94 / 2.03
	Thrust plate, input clutc 2.08 / 2.17
	Thrust plate, input clutc 2.22 / 2.31
	Thrust plate, input clutc 2.36 / 2.45
	Thrust plate, input clutc 2.50 / 2.59
	Thrust plate, input clutc 2.64 / 2.73
	Thrust plate, input clutc 2.78 / 2.87
	Thrust plate, input clutc 2.92 / 3.01
	Thrust plate, input clutc 3.06 / 3.15
	Thrust plate, input clutc 3.20 / 3.29
	Thrust plate, input clutc 3.34 / 3.43
	Thrust plate, input clutc 3.62 / 3.71

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DG4]= Multi - Speed Automatic Transmission 45RFE

[DGQ]=5 Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1									PLATE PACKAGE, Input Clutch Thrust
	5013 093AA	1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		

**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

OVERHAUL [45RFE] [DGQ] [DG4]  
Figure 45RFE-1340

O/H seal/gasket package 05014221ac

	2&4 clutch package	
	Input clutch package	
	L/R clutch package	
	Sump filter & seal package	
	Cooler filter	
	fill tube seal	
	Frt pmp cover o-ring/seal assy	
	Rotating shaft seal,pmp hsg	
	Adapter seal, 4x4	
	Extension seal,4x2	
	Manual lever seal	
(2)	Speed sensor seal	
	Reaction supt ring seal	
	Rev O/D clutch filter	
(10)	Accumulator ring seal	
(3)	Valve body seal	
	Check valve o-ring	
	Solenoid insulator seal	
	T/C seal	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes  
[DG4]= Multi - Speed Automatic Transmission 45RFE  
[DGQ]=5 Speed Automatic Transmission 45RFE  
[EK0] = All 3.7L 6 Cylinder Engines  
[EV0] = All 4.7L Engines  
[EZ0] = All 5.7L 8 Cylinder Engines

									OVERHAUL PACKAGE, Transmission
	5014 221AJ	1	1, 2, 3			EV0	DG4,		
		1	6, 7, 8			EV0	DGQ		
		1	7, 8			EZ0	DGQ		
		1	6			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4,		
							DGQ		
		1	1, 2, 3			EZ0	DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Input Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-1350

INPUT CLUTCH PACKAGE

05013090aa

1

	O-ring, large (2.62mm x 79.84 ID,gm)
	O-ring, small (2.62mm x 70.56 ID,red)
(2)	Seal, internal lip
(2)	Ring seal, l-shaft
	O-ring, piston inner (2.62mm x 93.54 ID)
(5)	Plate, clutch separator (1.74mm thk)
(4)	Disc assy, clutch (u/d clutch)
(4)	Disc assy, clutch (o/d clutch)
(3)	PLate, clutch separator (2.21mm thk, O/D)
(2)	Disc assy, clutch (rev clutch)
	Snap ring,tapered, internal butterfly end
	Snap ring, flat (1.5/1.6 thk)
	Snap ring, flat (1.80/1.90 thk)
	Snap ring, flat (2.15/2.25 thk)
	Piston & seal, underdrive
	Piston & seal, underdrive balance

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DG4]= Multi - Speed Automatic Transmission 45RFE

[DGQ]=5 Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1									CLUTCH PACKAGE, Automatic Transmission, Input
	5013 090AC	1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Planetary Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-1360**

**SELECTIVE THRUST PLATES**

**PLANETARY THRUST PLATE PKG 05013092aa**

	Thrust plate, planetary	1.62 / 1.75
	Thrust plate, planetary	1.81 / 1.94
	Thrust plate, planetary	1.96 / 2.09
	Thrust plate, planetary	2.11 / 2.24
	Thrust plate, planetary	2.26 / 2.39
	Thrust plate, planetary	2.41 / 2.54
	Thrust plate, planetary	2.56 / 2.69
	Thrust plate, planetary	2.71 / 2.84
	Thrust plate, planetary	2.86 / 2.99
	Thrust plate, planetary	3.01 / 3.14
	Thrust plate, planetary	3.16 / 3.29
	Thrust plate, planetary	3.31 / 3.44
	Thrust plate, planetary	3.46 / 3.59
	Thrust plate, planetary	3.61 / 3.74
	Thrust plate, planetary	3.76 / 3.89
	Thrust plate, planetary	3.91 / 4.04
	Thrust plate, planetary	4.06 / 4.19
	Thrust plate, planetary	4.21 / 4.34
	Thrust plate, planetary	4.36 / 4.49

1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DG4]= Multi - Speed Automatic Transmission 45RFE

[DGQ]=5 Speed Automatic Transmission 45RFE

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Engines

[EZ0] = All 5.7L 8 Cylinder Engines

1									PLATE PACKAGE, Planetary Thrust
	5013 092AB	1	6			EZ0	DGQ		
		1	1, 2, 3			EZ0	DGQ		
		1	6, 7, 8			EV0	DGQ		
		1	1, 2, 3			EV0	DG4, DGQ		
		1	7, 8			EZ0	DGQ		
		1	1, 2, 3			EK0	DG4, DGQ		
-2									PLATE, Clutch Hub Thrust
	4799 830AB-	AR	6, 7, 8			EV0	DGQ		[1.94/2.03]
		AR	7, 8			EZ0	DGQ		[1.94/2.03]
		AR	1, 2, 3			EV0	DG4, DGQ		[1.94/2.03]
		AR	6			EZ0	DGQ		[1.94/2.03]
		AR	1, 2, 3			EK0	DG4, DGQ		[1.94/2.03]
		AR	1, 2, 3			EZ0	DGQ		[1.94/2.03]
	4799 831AB-	AR	6, 7, 8			EV0	DGQ		[2.08/2.17]
		AR	7, 8			EZ0	DGQ		[2.08/2.17]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.08/2.17]
		AR	6			EZ0	DGQ		[2.08/2.17]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.08/2.17]
		AR	1, 2, 3			EZ0	DGQ		[2.08/2.17]
	4799 832AB-	AR	6, 7, 8			EV0	DGQ		[2.22/2.31]
		AR	7, 8			EZ0	DGQ		[2.22/2.31]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.22/2.31]
		AR	6			EZ0	DGQ		[2.22/2.31]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.22/2.31]
		AR	1, 2, 3			EZ0	DGQ		[2.22/2.31]

**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Planetary Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-1360**

**SELECTIVE THRUST PLATES**

**PLANETARY THRUST PLATE PKG 05013092aa**

	Thrust plate, planetary	1.62 / 1.75
	Thrust plate, planetary	1.81 / 1.94
	Thrust plate, planetary	1.96 / 2.09
	Thrust plate, planetary	2.11 / 2.24
	Thrust plate, planetary	2.26 / 2.39
	Thrust plate, planetary	2.41 / 2.54
	Thrust plate, planetary	2.56 / 2.69
	Thrust plate, planetary	2.71 / 2.84
	Thrust plate, planetary	2.86 / 2.99
	Thrust plate, planetary	3.01 / 3.14
	Thrust plate, planetary	3.16 / 3.29
	Thrust plate, planetary	3.31 / 3.44
	Thrust plate, planetary	3.46 / 3.59
	Thrust plate, planetary	3.61 / 3.74
	Thrust plate, planetary	3.76 / 3.89
	Thrust plate, planetary	3.91 / 4.04
	Thrust plate, planetary	4.06 / 4.19
	Thrust plate, planetary	4.21 / 4.34
	Thrust plate, planetary	4.36 / 4.49

1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 833AB-	AR	6, 7, 8			EV0	DGQ		[2.36/2.45]
		AR	7, 8			EZ0	DGQ		[2.36/2.45]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.36/2.45]
		AR	6			EZ0	DGQ		[2.36/2.45]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.36/2.45]
		AR	1, 2, 3			EZ0	DGQ		[2.36/2.45]
	4799 834AB-	AR	6, 7, 8			EV0	DGQ		[2.50/2.59]
		AR	7, 8			EZ0	DGQ		[2.50/2.59]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.50/2.59]
		AR	6			EZ0	DGQ		[2.50/2.59]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.50/2.59]
		AR	1, 2, 3			EZ0	DGQ		[2.50/2.59]
	4799 835AB-	AR	6, 7, 8			EV0	DGQ		[2.64/2.73]
		AR	7, 8			EZ0	DGQ		[2.64/2.73]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.64/2.73]
		AR	6			EZ0	DGQ		[2.64/2.73]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.64/2.73]
		AR	1, 2, 3			EZ0	DGQ		[2.64/2.73]
	4799 836AB-	AR	6, 7, 8			EV0	DGQ		[2.78/2.87]
		AR	7, 8			EZ0	DGQ		[2.78/2.87]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.78/2.87]
		AR	6			EZ0	DGQ		[2.78/2.87]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.78/2.87]
		AR	1, 2, 3			EZ0	DGQ		[2.78/2.87]
	4799 837AB-	AR	6, 7, 8			EV0	DGQ		[2.92/3.01]
		AR	7, 8			EZ0	DGQ		[2.92/3.01]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.92/3.01]
		AR	6			EZ0	DGQ		[2.92/3.01]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.92/3.01]
		AR	1, 2, 3			EZ0	DGQ		[2.92/3.01]
-3									PLATE, Planetary

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Planetary Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-1360**

## SELECTIVE THRUST PLATES

### PLANETARY THRUST PLATE PKG 05013092aa

	Thrust plate, planetary	1.62 / 1.75
	Thrust plate, planetary	1.81 / 1.94
	Thrust plate, planetary	1.96 / 2.09
	Thrust plate, planetary	2.11 / 2.24
	Thrust plate, planetary	2.26 / 2.39
	Thrust plate, planetary	2.41 / 2.54
	Thrust plate, planetary	2.56 / 2.69
	Thrust plate, planetary	2.71 / 2.84
	Thrust plate, planetary	2.86 / 2.99
	Thrust plate, planetary	3.01 / 3.14
	Thrust plate, planetary	3.16 / 3.29
	Thrust plate, planetary	3.31 / 3.44
	Thrust plate, planetary	3.46 / 3.59
	Thrust plate, planetary	3.61 / 3.74
	Thrust plate, planetary	3.76 / 3.89
	Thrust plate, planetary	3.91 / 4.04
	Thrust plate, planetary	4.06 / 4.19
	Thrust plate, planetary	4.21 / 4.34
	Thrust plate, planetary	4.36 / 4.49

1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 810AC-	AR	6, 7, 8			EV0	DGQ		[2.26/2.39]
		AR	7, 8			EZ0	DGQ		[2.26/2.39]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.26/2.39]
		AR	6			EZ0	DGQ		[2.26/2.39]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.26/2.39]
		AR	1, 2, 3			EZ0	DGQ		[2.26/2.39]
	4799 811AC-	AR	6, 7, 8			EV0	DGQ		[2.41/2.54]
		AR	7, 8			EZ0	DGQ		[2.41/2.54]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.41/2.54]
		AR	6			EZ0	DGQ		[2.41/2.54]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.41/2.54]
		AR	1, 2, 3			EZ0	DGQ		[2.41/2.54]
	4799 812AC-	AR	6, 7, 8			EV0	DGQ		[2.56/2.69]
		AR	7, 8			EZ0	DGQ		[2.56/2.69]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.56/2.69]
		AR	6			EZ0	DGQ		[2.56/2.69]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.56/2.69]
		AR	1, 2, 3			EZ0	DGQ		[2.56/2.69]
	4799 813AC-	AR	6, 7, 8			EV0	DGQ		[2.71/2.84]
		AR	7, 8			EZ0	DGQ		[2.71/2.84]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.71/2.84]
		AR	6			EZ0	DGQ		[2.71/2.84]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.71/2.84]
		AR	1, 2, 3			EZ0	DGQ		[2.71/2.84]
	4799 814AC-	AR	6, 7, 8			EV0	DGQ		[2.86/2.99]
		AR	7, 8			EZ0	DGQ		[2.86/2.99]
		AR	1, 2, 3			EV0	DG4, DGQ		[2.86/2.99]
		AR	6			EZ0	DGQ		[2.86/2.99]
		AR	1, 2, 3			EK0	DG4, DGQ		[2.86/2.99]
		AR	1, 2, 3			EZ0	DGQ		[2.86/2.99]

#### DODGE RAM (DR)

##### SERIES

H = SLT

L = ST

##### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

##### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

##### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

##### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Planetary Clutch [45RFE] [DGQ] [DG4]  
Figure 45RFE-1360**

**SELECTIVE THRUST PLATES**

**PLANETARY THRUST PLATE PKG 05013092aa**

	Thrust plate, planetary	1.62 / 1.75
	Thrust plate, planetary	1.81 / 1.94
	Thrust plate, planetary	1.96 / 2.09
	Thrust plate, planetary	2.11 / 2.24
	Thrust plate, planetary	2.26 / 2.39
	Thrust plate, planetary	2.41 / 2.54
	Thrust plate, planetary	2.56 / 2.69
	Thrust plate, planetary	2.71 / 2.84
	Thrust plate, planetary	2.86 / 2.99
	Thrust plate, planetary	3.01 / 3.14
	Thrust plate, planetary	3.16 / 3.29
	Thrust plate, planetary	3.31 / 3.44
	Thrust plate, planetary	3.46 / 3.59
	Thrust plate, planetary	3.61 / 3.74
	Thrust plate, planetary	3.76 / 3.89
	Thrust plate, planetary	3.91 / 4.04
	Thrust plate, planetary	4.06 / 4.19
	Thrust plate, planetary	4.21 / 4.34
	Thrust plate, planetary	4.36 / 4.49

1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 816AC-	AR	6, 7, 8			EV0	DGQ		[3.16/3.29]
		AR	7, 8			EZ0	DGQ		[3.16/3.29]
		AR	1, 2, 3			EV0	DG4, DGQ		[3.16/3.29]
		AR	6			EZ0	DGQ		[3.16/3.29]
		AR	1, 2, 3			EK0	DG4, DGQ		[3.16/3.29]
	4799 817AC-	AR	1, 2, 3			EZ0	DGQ		[3.16/3.29]
		AR	6, 7, 8			EV0	DGQ		[3.31/3.44]
		AR	7, 8			EZ0	DGQ		[3.31/3.44]
		AR	1, 2, 3			EV0	DG4, DGQ		[3.31/3.44]
		AR	6			EZ0	DGQ		[3.31/3.44]
		AR	1, 2, 3			EK0	DG4, DGQ		[3.31/3.44]
	4799 818AC-	AR	1, 2, 3			EZ0	DGQ		[3.31/3.44]
		AR	6, 7, 8			EV0	DGQ		[3.46/3.59]
		AR	7, 8			EZ0	DGQ		[3.46/3.59]
		AR	1, 2, 3			EV0	DG4, DGQ		[3.46/3.59]
		AR	6			EZ0	DGQ		[3.46/3.59]
		AR	1, 2, 3			EK0	DG4, DGQ		[3.46/3.59]
	4799 819AC-	AR	1, 2, 3			EZ0	DGQ		[3.46/3.59]
		AR	6, 7, 8			EV0	DGQ		[3.61/3.74]
		AR	7, 8			EZ0	DGQ		[3.61/3.74]
		AR	1, 2, 3			EV0	DG4, DGQ		[3.61/3.74]
		AR	6			EZ0	DGQ		[3.61/3.74]
		AR	1, 2, 3			EK0	DG4, DGQ		[3.61/3.74]
	4799 843AC-	AR	1, 2, 3			EZ0	DGQ		[3.61/3.74]
		AR	6, 7, 8			EV0	DGQ		[3.01/3.14]
		AR	7, 8			EZ0	DGQ		[3.01/3.14]
		AR	1, 2, 3			EV0	DG4, DGQ		[3.01/3.14]
		AR	6			EZ0	DGQ		[3.01/3.14]
		AR	1, 2, 3			EK0	DG4, DGQ		[3.01/3.14]
		AR	1, 2, 3			EZ0	DGQ		[3.01/3.14]

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

**BODY**

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

**ENGINE**

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

**TRANSMISSION**


DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005









# Group – 48RE

## Automatic Transmission 4 Speed [DG8]



### GROUP 48RE - Automatic Transmission 4 Speed [DG8]

Illustration Title	Group-Fig. No.
<b>Transmission Assembly</b>	
Transmission Assembly [48RE] [DG8]	Fig. 48RE-110
<b>Case and Extension</b>	
Case and Related Parts [48RE] [DG8]	Fig. 48RE-210
Extension [48RE] [DG8]	Fig. 48RE-220
<b>Oil Pump</b>	
Pump, Oil With Reaction Shaft [48RE] [DG8]	Fig. 48RE-310
<b>Gear Train</b>	
Clutch, Front and Rear With Gear Train [48RE] [DG8]	Fig. 48RE-410
Gear Train and Intermediate Shaft [48RE] [DG8]	Fig. 48RE-420
Output Shaft [48RE] [DG8]	Fig. 48RE-430
<b>Bands, Reverse and Kickdown</b>	
Bands, Reverse and Kickdown [48RE] [DG8]	Fig. 48RE-510
<b>Valve Body</b>	
Valve Body [48RE] [DG8]	Fig. 48RE-710
Servos, Acumulator Piston and Spring [48RE] DG8]	Fig. 48RE-720
Parking Sprag [48RE] [DG8]	Fig. 48RE-730
<b>Overdrive Gear Train</b>	
Clutch, Overdrive [48RE] [DG8]	Fig. 48RE-1010
<b>Gearshift Controls</b>	
Controls, Gearshift [48RE]	Fig. 48RE-1210

<b>48RE-100</b> Transmission Assembly	<b>48RE-200</b> Case and Extension	<b>48RE-300</b> Oil Pump	<b>48RE-400</b> Gear Train
			
<b>48RE-500</b> Bands, Reverse and Kickdown	<b>48RE-700</b> Valve Body	<b>48RE-1000</b> Overdrive Gear Train	<b>48RE-1200</b> Gearshift Controls
			



Transmission Assembly [48RE] [DG8]  
Figure 48RE-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ETC]=5.9L Cummins 24V Turbo Diesel Engine

[ETH]=5.9L Cummins High Output Turbo Diesel Engine

[DG8]=4 Speed Automatic Transmission


1	TRANSMISSION PACKAGE								
	5086 355AB	1	6, 7, 8			ETH	DG8		52854003AA[Package Contains 52854003aa Transmission, 52118868ab Converter, K6033439 Screw (6)]
	5086 356AB	1	1, 2, 3			ETH	DG8		52854096AA[Package Contains 52854096aa Transmission, 52118868ab Converter, K6033439 Screw (6) ]
	5103 351AA	1	6, 7, 8			ETC	DG8		52854216AA[Package Contains 52854216aa Transmission, 52118868aa Converter, K6033439 Screw (6) ]
	5103 353AA	1	1, 2, 3			ETC	DG8		52854217AA [Package Contains 52854217aa Transmissiom, 52118868aa Converter, K6033439 Screw (6) ]
-2	OVERDRIVE								
	52854 078AA-	1	6, 7, 8			ETH	DG8		
	52854 097AA-	1	1, 2, 3			ETH	DG8		
	52854 204AA-	1	1, 2, 3			ETC	DG8		
	52854 205AA-	1	6, 7, 8			ETC	DG8		

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



**Case and Related Parts [48RE] [DG8]  
Figure 48RE-210**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

**NOTES:**

Sales Codes

[ETC]=5.9L Cummins 24V Turbo Diesel Engine

[ETH]=5.9L Cummins High Output Turbo Diesel Engine

[DG8]=4 Speed Automatic Transmission

-1									OVERHAUL PACKAGE, Transmission
	5093 524AA-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-2									SEAL AND GASKET PACKAGE, Transmission
	5093 523AA-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
3	5211 7614	1				EW0	DG8		COVER, Transmission Case
4	53032 630AA	1					DG8, DGP		TUBE, Transmission Oil Filler
5	52118 629AB	1					DG8		SEAL, Oil Filler Tube
6	53032 605AA	1					DG8, DGP		INDICATOR, Transmission Fluid Level
7									MAGNET, Transmission
	3681 601	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
8									GASKET, Oil Pan
	2464 324AC	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
9									PAN, Transmission Oil
	52118 780AD	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
10									SCREW
	6036 402AA	14	6, 7, 8			ETH	DG8		

**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Case and Related Parts [48RE] [DG8]  
Figure 48RE-210**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		14	1, 2, 3			ETH	DG8		
		14	1, 2, 3			ETC	DG8		
		14	6, 7, 8			ETC	DG8		
11	4428 472	1					DG8		COVER, Transmission Dust
12	6024 487	8				ET0	DG8		SCREW AND WASHER, Hex Head, .375-16x1.75
13	0154 596	3					DG8		SCREW
14	6036 115AA	1	6, 7, 8			ETH	DG8		SCREW
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
15									SWITCH, Neutral, Safety, Back Up
	56045 489AB	1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
	56045 489AC	1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
16									PLUG, Pressure Check
	6028 095	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
17	6024 487	8	6, 7, 8			ETC	DG8		SCREW AND WASHER, Hex Head, .375-16x1.75
18									CASE, Transmission
	52118 758AB	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
19									CONNECTOR, Oil Cooler Tube
	52028 764AA	2	6, 7, 8			ETH	DG8		
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
-20									O RING
	52028 765AA-	2	6, 7, 8			ETH	DG8		
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
-21									SENSOR, Transmission Output Speed

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case and Related Parts [48RE] [DG8]  
Figure 48RE-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4800 879	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-22									O RING, Trans Speed Sensor
	6501 658AB-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-23									CLIP
	5211 8181	2	6, 7, 8			ETH	DG8		
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Extension [48RE] [DG8]  
Figure 48RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Sales Codes									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[DG8]=4 Speed Automatic Transmission									
1	5093 170AA	1	1, 2, 3			ETH	DG8		EXTENSION, Transmission
		1	1, 2, 3			ETC	DG8		
2	52854 126AA	1	1, 2, 3			ETH	DG8		SEAL, Extension Yoke
		1	1, 2, 3			ETC	DG8		
3									SCREW, (NOT SERVICED) (Not Serviced)
4	2466 957	1	6, 7, 8			ETH	DG8		COVER, Transmission Converter
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
5	2801 398	1	6, 7, 8			ETH	DG8		GASKET, Transmission
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
6	4471 565	1	6, 7, 8			ETH	DG8		GASKET, Overdrive Piston Retainer
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	6, 7, 8			ETH	DG8		
		7	1, 2, 3			ETH	DG8		
		7	1, 2, 3			ETC	DG8		
		7	6, 7, 8			ETC	DG8		
8	5093 166AA	1	6, 7, 8			ETH	DG8		ADAPTER, Transfer Case
		1	6, 7, 8			ETC	DG8		
9	4269 956AB	1	6, 7, 8			ETH	DG8		SEAL, Adapter
		1	6, 7, 8			ETC	DG8		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

**Pump, Oil With Reaction Shaft [48RE] [DG8]  
Figure 48RE-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Sales Codes									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[DG8]=4 Speed Automatic Transmission									
-1									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	5093 554AA-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
2	4531 225	1	6, 7, 8			ETH	DG8		SEAL, Impeller Hub, 57.25mm OD
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
3	1942 021	1	6, 7, 8			ETH	DG8		SEAL, Front Pump Housing
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
4	5086 714AB	1	6, 7, 8			ETH	DG8		PUMP PACKAGE, Transmission
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11	0179 815	6	6, 7, 8			ETH	DG8		SCREW, Hex Head, .312-18x.687


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Pump, Oil With Reaction Shaft [48RE] [DG8]  
Figure 48RE-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4028 377	6	1, 2, 3			ETH	DG8		GASKET, Transmission Oil Pump
		6	1, 2, 3			ETC	DG8		
		6	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETH	DG8		
13	3420 087	1	1, 2, 3			ETH	DG8		BAFFLE PACKAGE, Pump
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
14	4617 161	1	6, 7, 8			ETH	DG8		THRUST WASHER, Front Clutch
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
15	3743 689	2	6, 7, 8			ETH	DG8		SEAL, Reaction Shaft
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
16	6023 943	7	6, 7, 8			ETH	DG8		SCREW AND WASHER, Hex Flange Head, .312-18x1.375
		7	1, 2, 3			ETH	DG8		
		7	1, 2, 3			ETC	DG8		
		7	6, 7, 8			ETC	DG8		
-17	6036 402AA-	14	6, 7, 8			ETH	DG8		SCREW
		14	1, 2, 3			ETH	DG8		
		14	1, 2, 3			ETC	DG8		
		14	6, 7, 8			ETC	DG8		
18	0104 918	1	6, 7, 8			ETH	DG8		BALL, Valve Body Check
		1	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
19									BALL, .625 Diameter


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Pump, Oil With Reaction Shaft [48RE] [DG8]  
Figure 48RE-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0147 486	3	6, 7, 8			ETH	DG8		Transmission Reaction Shaft
		3	1, 2, 3			ETH	DG8		Support
		3	1, 2, 3			ETC	DG8		Transmission Reaction Shaft
		3	1, 2, 3			ETC	DG8		Support
		3	6, 7, 8			ETC	DG8		Transmission Reaction Shaft
20									SEAL, Reaction Shaft
	52854 025AA	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**



# Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Sales Codes									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[DG8]=4 Speed Automatic Transmission									
-1									SEAL PACKAGE, Transmission Clutch
	4637 078AB-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
2									RETAINER, Clutch
	52854 151AA	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
3									BUSHING, Front Clutch
	4058 647	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		7	1, 2, 3			ETC	DG8		
		7	6, 7, 8			ETC	DG8		
-4									CHECK BALL, Dia-.187
	0147 483	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
5									SEAL, Front Clutch Piston
	52852 922AA	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
6									SEAL, Front Piston Clutch
	52852 924AA	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
7									PISTON, Clutch
	2464 651AB	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Clutch, Front and Rear With Gear Train [48RE] [DG8]  
Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETC	DG8		
-8	0147 483	1	6, 7, 8			ETH	DG8		CHECK BALL, Dia-.187
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
9	2801 243	9	6, 7, 8			ETC	DG8		SPRING, Front Clutch
		9	1, 2, 3			ETH	DG8		
		9	1, 2, 3			ETC	DG8		
		9	6, 7, 8			ETC	DG8		
10	2801 949	1	6, 7, 8			ETH	DG8		RETAINER, Transmission
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-11	0147 483	1	6, 7, 8			ETH	DG8		CHECK BALL, Dia-.187
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
12	2124 824	1	1, 2, 3			ETH	DG8		SNAP RING
	2124 872	1	6, 7, 8			ETH	DG8		
	1942 063	1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
13	52118 812AA	3	6, 7, 8			ETH	DG8		PLATE, Clutch Separator
		3	1, 2, 3			ETH	DG8		
	2124 826AB	5	1, 2, 3			ETC	DG8		
		5	6, 7, 8			ETC	DG8		
14	3410 570	1	6, 7, 8			ETH	DG8		SNAP RING
		1	1, 2, 3			ETH	DG8		
	1942 063	1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
15									PLATE, Transmission Clutch Reaction
	4617 567	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

# Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4617 201AB	1	1, 2, 3			ETC	DG8		DISC, Direct Clutch
		1	6, 7, 8			ETC	DG8		
		5	6, 7, 8			ETH	DG8		
		5	1, 2, 3			ETH	DG8		
17	3743 624AB	5	1, 2, 3			ETC	DG8		PISTON, Clutch
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
-18	0147 483	1	6, 7, 8			ETH	DG8		CHECK BALL, Dia-.187
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
19	1942 054	1	6, 7, 8			ETH	DG8		SEAL, Rear Clutch Piston
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
20	2124 835	1	6, 7, 8			ETH	DG8		SEAL, Rear Clutch Piston
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
21	4505 186	1	6, 7, 8			ETH	DG8		THRUST WASHER, Output Shaft, Red .068
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
22	4617 855AB	1	6, 7, 8			ETH	DG8		RETAINER, Transmission
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-23	4058 443	1	6, 7, 8			ETH	DG8		SEAL, Rear Clutch Retainer
		1	6, 7, 8			ETH	DG8		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	4617 161	1	1, 2, 3			ETH	DG8		THRUST WASHER, Front Clutch
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETH	DG8		
25	4617 396	1	1, 2, 3			ETH	DG8		INPUT SHAFT, Transmission
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETH	DG8		
26	2124 872	1	6, 7, 8			ETH	DG8		SNAP RING
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
27	4617 418AC	1	6, 7, 8			ETC	DG8		SEAL, Input Shaft
		2	6, 7, 8			ETH	DG8		
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
28	52854 149AA	2	1, 2, 3			ETC	DG8		RETAINER, Rear Clutch
		2	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
29	52854 030AA	1	1, 2, 3			ETC	DG8		DISC, Clutch
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETH	DG8		
30	3743 621AB	4	6, 7, 8			ETH	DG8		SPRING, Rear Clutch Piston
		4	1, 2, 3			ETH	DG8		
		4	1, 2, 3			ETC	DG8		
		4	6, 7, 8			ETC	DG8		
31	3515 077	1	6, 7, 8			ETH	DG8		SPACER, Rear Clutch Piston
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

# Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
32	2466 806	1	1, 2, 3			ETH	DG8		SPRING, Rear Clutch
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
33	2466 803	1	6, 7, 8			ETH	DG8		PLATE, Clutch Pressure
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
34	52118 812AA	1	6, 7, 8			ETH	DG8		PLATE, Clutch Separator
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
35	2124 826AB	1	6, 7, 8			ETC	DG8		PLATE, Transmission Clutch Reaction
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
36	4617 567	1	6, 7, 8			ETH	DG8		SNAP RING
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
37	1942 063	1	6, 7, 8			ETH	DG8		[.060/.063]
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
38	1942 064	1	1, 2, 3			ETH	DG8		[.074/.076]
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
39	1942 065	1	6, 7, 8			ETH	DG8		[.088/.090]
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
40	2466 811	1	6, 7, 8			ETH	DG8		[.106/.108]
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
41	1942 063	1	1, 2, 3			ETC	DG8		[.060/.063]
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
42	1942 064	1	1, 2, 3			ETC	DG8		[.074/.076]
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
43	1942 065	1	1, 2, 3			ETC	DG8		[.088/.090]
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
44	2466 811	1	1, 2, 3			ETC	DG8		[.106/.108]
		1	1, 2, 3			ETC	DG8		
		1	1, 2, 3			ETC	DG8		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

## BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

## ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

## TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Clutch, Front and Rear With Gear Train [48RE] [DG8]  
Figure 48RE-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

		1	6, 7, 8			ETC	DG8		[.106/.108]
--	--	---	---------	--	--	-----	-----	--	-------------

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--


--	--	--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--	--	--


DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Gear Train and Intermediate Shaft [48RE] [DG8] Figure 48RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Sales Codes									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[DG8]=4 Speed Automatic Transmission									
1	6024 312	1	6, 7, 8			ETH	DG8		SNAP RING, 1.108 Free Diameter
		1	1, 2, 3			ETH	DG8		
	6022 816	1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
2	52854 137AA	1	6, 7, 8			ETH	DG8		CARRIER, Planetary Pinion
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
3									THRUST WASHER, Planetary Carrier
	52854 037AB	12	6, 7, 8			ETH	DG8		
		12	1, 2, 3			ETH	DG8		
		12	1, 2, 3			ETC	DG8		
		12	6, 7, 8			ETC	DG8		
4	52854 038AA	1	6, 7, 8			ETH	DG8		BUSHING, Support Case
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
5	52854 043AA	1	6, 7, 8			ETH	DG8		GEAR, Front Annulus
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
6	4618 000	1	6, 7, 8			ETH	DG8		WASHER
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
7	1736 521	2	6, 7, 8			ETH	DG8		SNAP RING, Sun Gear
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Gear Train and Intermediate Shaft [48RE] [DG8]**  
**Figure 48RE-420**



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	52854 048AA	2	6, 7, 8			ETC	DG8		GEAR, Sun
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
9	52854 056AA	1	6, 7, 8			ETC	DG8		SHELL, Sun Gear
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
10	4617 611	1	6, 7, 8			ETH	DG8		INTERMEDIATE SHAFT, Transmission
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
11	4505 188	1	6, 7, 8			ETH	DG8		PLATE, Transmission Module
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
12	52854 101AA	1	6, 7, 8			ETH	DG8		PLATE, Sun Gear Driving Shell
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
13	1736 521	2	6, 7, 8			ETH	DG8		SNAP RING, Sun Gear
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
14	52854 039AA	1	1, 2, 3			ETC	DG8		THRUST WASHER, Planetary Carrier
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ET0	DG8		
		1	6, 7, 8			ET0	DG8		
15	52854 140AA	1	6, 7, 8			ETH	DG8		CARRIER, Planetary Pinion
		1	6, 7, 8			ETH	DG8		

**DODGE RAM (DR)**


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Gear Train and Intermediate Shaft [48RE] [DG8]  
Figure 48RE-420



FRONT & REAR PLANET PINION CARRIER GEARS


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	52854 137AA	1	1, 2, 3			ETH	DG8		PLATE PACKAGE, Transmission Module
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
	4740 774	1	6, 7, 8			ETH	DG8		Pressure Plate Pressure Plate
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
-17									THRUST WASHER, Planetary Carrier
18	52854 039AA-	1	6, 7, 8			ETH	DG8		GEAR, Rear Annulus
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
	52854 074AA	1	6, 7, 8			ETH	DG8		SNAP RING
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
19	1942 063AB	1	6, 7, 8			ETH	DG8		WASHER, Thrust
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
20	52854 076AA	2	6, 7, 8			ETH	DG8		DRUM, Automatic Transmission
		2	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
21	5211 8057	1	6, 7, 8			ETH	DG8		THRUST WASHER, Reverse Drum
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
22	5211 8059	1	6, 7, 8			ETH	DG8		THRUST WASHER, Planet Pinion
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
23									

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Gear Train and Intermediate Shaft [48RE] [DG8] Figure 48RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2204 649	12	6, 7, 8			ETH	DG8		
		12	1, 2, 3			ETH	DG8		
		12	1, 2, 3			ETC	DG8		
		12	6, 7, 8			ETC	DG8		
24									ROLLER, Front and Rear Pinion
	52854 036AA	138	6, 7, 8			ETH	DG8		
		138	1, 2, 3			ETH	DG8		
		138	1, 2, 3			ETC	DG8		
		138	6, 7, 8			ETC	DG8		
25									PINION, Transmission Planetary
	2400 667	6	6, 7, 8			ETH	DG8		
		6	1, 2, 3			ETH	DG8		
		6	1, 2, 3			ETC	DG8		
		6	6, 7, 8			ETC	DG8		
26									SHAFT, Planetary
	4428 223	6	6, 7, 8			ETH	DG8		
		6	1, 2, 3			ETH	DG8		
		6	1, 2, 3			ETC	DG8		
		6	6, 7, 8			ETC	DG8		
27									DOWEL, .108x1.00
	6024 666	6	6, 7, 8			ETH	DG8		
		6	1, 2, 3			ETH	DG8		
		6	1, 2, 3			ETC	DG8		
		6	6, 7, 8			ETC	DG8		
28									CAM, Overrunning Clutch
	4471 473	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
29									CLUTCH, Overrunning
	4617 199	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Output Shaft [48RE] [DG8]  
Figure 48RE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:


Sales Codes  
[ETC]=5.9L Cummins 24V Turbo Diesel Engine  
[ETH]=5.9L Cummins High Output Turbo Diesel Engine  
[DG8]=4 Speed Automatic Transmission

1									OUTPUT SHAFT, Transmission
	5003 233AA	1	1, 2, 3			ETH	DG8		
	5093 156AA	1	6, 7, 8			ETH	DG8		
	5003 233AA	1	1, 2, 3			ETC	DG8		
	5093 156AA	1	6, 7, 8			ETC	DG8		
2									BUSHING, (NOT REQUIRED)
3									BUSHING, (NOT REQUIRED)
4									BEARING, Output Shaft
	4461 008	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
5									SNAP RING
	4461 068	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
	1942 063	1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
6									SNAP RING
	4461 057	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Bands, Reverse and Kickdown [48RE] [DG8]  
Figure 48RE-510



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes

[ETC]=5.9L Cummins 24V Turbo Diesel Engine

[ETH]=5.9L Cummins High Output Turbo Diesel Engine

[DG8]=4 Speed Automatic Transmission

1	6030 657	1	6, 7, 8			ETH	DG8		O RING, Steering Gear
		1	1, 2, 3			ETH	DG8		
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
2	4531 181	1	6, 7, 8			ETH	DG8		SHAFT, Band Lever
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
3	0114 942	1	6, 7, 8			ETH	DG8		NUT, Hex, .375-24
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
4	4531 226AB	1	6, 7, 8			ETH	DG8		LEVER, Reverse Band
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
5	4531 231	1	6, 7, 8			ETH	DG8		BAND, Reverse
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
6	2538 472	1	6, 7, 8			ETH	DG8		SCREW, Trans Reverse Band Adjusting, .375-24-1.88
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
7	52854 077AA	1	1, 2, 3			ETH	DG8		LEVER, Kickdown
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Bands, Reverse and Kickdown [48RE] [DG8]  
Figure 48RE-510



REVERSE BAND




KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	4531 181	1	6, 7, 8			ETH	DG8		SHAFT, Band Lever
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
9	52854 181AA	1	6, 7, 8			ETC	DG8		STRUT, Kickdown Band
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
10	3743 338	1	1, 2, 3			ETC	DG8		ANCHOR, Kickdown Band
		1	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
11	6036 115AA	1	1, 2, 3			ETC	DG8		SCREW
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
12	4329 853	1	6, 7, 8			ETC	DG8		BAND, Kickdown
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
13	0124 934	1	6, 7, 8			ETC	DG8		NUT, Hex Jam, .50-20
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Valve Body [48RE] [DG8] Figure 48RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Sales Codes									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[DG8]=4 Speed Automatic Transmission									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
	5093 525AA-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
2									BODY, Transfer Plate
	52854 083AA	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
3									GASKET, Transmission Solenoid
	5211 8510	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
4									SOLENOID, Transmission Overdrive
	52118 500AB	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
5									BOLT, Valve Body, .25-20x1.75
	0181 071	3	6, 7, 8			ETH	DG8		
		3	1, 2, 3			ETH	DG8		
		3	1, 2, 3			ETC	DG8		
		3	6, 7, 8			ETC	DG8		
6									FILTER, Valve Body
	5211 8789	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
7									SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2.500
	6033 826	3	6, 7, 8			ETH	DG8		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Valve Body [48RE] [DG8]  
Figure 48RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8		3	1, 2, 3			ETH	DG8		O RING, Solenoid Wiring, Transmission
		3	1, 2, 3			ETC	DG8		
		3	6, 7, 8			ETC	DG8		
	6034 748	2	6, 7, 8			ETH	DG8		
9		2	1, 2, 3			ETH	DG8		SCREW, Tapping, .19-24x.75
		2	1, 2, 3			ETC	DG8		
		2	6, 7, 8			ETC	DG8		
	6033 985	1	6, 7, 8			ETH	DG8		
10		1	1, 2, 3			ETH	DG8		LEVER, Throttle Valve
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
	3681 227	1	6, 7, 8			ETH	DG8		
11		1	1, 2, 3			ETH	DG8		LEVER, Manual Valve
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
	52854 143AA	1	6, 7, 8			ETH	DG8		
-12		1	1, 2, 3			ETH	DG8		RIVET, Blind, .125
		1	1, 2, 3			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
	0111 873	1	6, 7, 8			ETH	DG8		
13		1	1, 2, 3			ETH	DG8		BALL, Manual Lever Detent, .343 Diameter
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
	0147 488	1	6, 7, 8			ETH	DG8		
14		4	1, 2, 3			ETC	DG8		SEAL, Valve Lever Shift
		1	6, 7, 8			ETC	DG8		
	2466 548	1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
15		1	1, 2, 3			ETC	DG8		WASHER, Manual Valve Lever
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Valve Body [48RE] [DG8]  
Figure 48RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2538 062	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
16									SNAP RING
	6035 208	2	6, 7, 8			ETH	DG8		
		2	1, 2, 3			ETH	DG8		
	1942 063	1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
17									SEAL, Manual Shift Valve, 1.25 OD
	4505 098	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
18									SCREW, Cap Head Lock, .312-24x1.25
	6030 609	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
19									BRACKET, Valve Body Switch
	4617 010	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
20									SPRING, Switch Valve
	4130 492	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
21									VALVE, Trans Lockup Switch
	4505 036	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
22									TUBE, Boost Valve
	4617 008	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Valve Body [48RE] [DG8]  
Figure 48RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23									RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
24									CLIP, Transmission Governor Transducer, (NOT REQUIRED)
25									TRANSDUCER, Pressure Sensor
	56028 196AD	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
26									O RING, Pressure Switch, Serviced with Transducer, (NOT SERVICED) (Not Serviced)
27									GASKET, Transmission Solenoid
	4617 216	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
28									RETAINER, Transmission Governor Solenoid
	52117 937AB	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
29									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
30									SOLENOID, Transmission Governor
	4617 210	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-31									SCREEN, Transmission Regulator Valve


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Valve Body [48RE] [DG8]  
Figure 48RE-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3878 313	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-32									PLATE, Transmission Valve Body
	52854 127AA-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-33									VALVE, Regulator
	4130 169AB-	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
34									BALL, Check
	5211 8262	1	6, 7, 8			ETH	DG8		Valve Body Large Check Valve
		1	1, 2, 3			ETH	DG8		Valve Body Large Check Valve
		1	1, 2, 3			ETC	DG8		Valve Body Large Check Valve
		1	6, 7, 8			ETC	DG8		Valve Body Large Check Valve
-35									BOLT, .25-20
	0179 798	3	6, 7, 8			ETH	DG8		
		3	1, 2, 3			ETH	DG8		
		3	1, 2, 3			ETC	DG8		
		3	6, 7, 8			ETC	DG8		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


Servos, Acumulator Piston and Spring [48RE] DG8]  
Figure 48RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[DG8]= Four Speed Automatic Transmission									
1									SNAP RING
	4531 244	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	1, 2, 3			ETH	DG8		52854217AA
		1	6, 7, 8			ETH	DG8		52854216AA
2									SEAL
	1942 123	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
3									GUIDE, Kickdown Servo
	3410 441	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
4									SPRING, Kickdown Servo Piston, Outer
	3410 444	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
5									SPRING, Kickdown Servo Piston, Inner
	3410 444	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
6									SNAP RING, Brake Master Cylinder
	6031 392	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
7									RETAINER, Kick Down
	3410 437	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA

DODGE RAM (DR)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EKG = 3.7L V6		DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		EVA = 4.7L V8		DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		EZA = 5.7L V8		DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)		EML = 5.9L SMPI V8		DGQ,DG4 = Multi-Speed Auto.(45RFE)			
				ETC = 5.9LD V6		DG8 = 4 Spd. Auto.(48RE)			
				ETH = 5.9LD V6 HO		DEE = 6 Spd. Manual (5600)			
				EWA = 8.0L V10 MPI		DGP = 4 Spd. Auto.(47RE)			
						DEC = 5 Spd. Manual			


Servos, Acumulator Piston and Spring [48RE] DG8  
Figure 48RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8		1	6, 7, 8			ETC	DG8		52854216AA
									PISTON, Kickdown Servo
	3410 445	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
9	3410 440	1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
									O RING, Kick Down Servo
	6028 864	1	6, 7, 8			ETH	DG8		
10		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
									SEAL
	1942 123	1	6, 7, 8			ETH	DG8		
11		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
									PISTON, Kickdown Servo
12	3410 440	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
13									SEAL
	4412 444	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
	1942 123	1	1, 2, 3			ETC	DG8		52854217AA
14		1	6, 7, 8			ETC	DG8		52854216AA
									SNAP RING
	4531 244	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
15	1942 063	1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
									RETAINER, Transmission Reverse Servo Piston Spring
	5211 8342	1	6, 7, 8			ETH	DG8		
16		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
									SPRING, Reverse Servo Piston
17	4617 773	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			


Servos, Acumulator Piston and Spring [48RE] DG8  
Figure 48RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	52118 742AB	1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
		1	6, 7, 8			ETH	DG8		PLUG, Reverse Servo Piston
		1	1, 2, 3			ETH	DG8		
17	5211 8743	1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
		1	1, 2, 3			ETH	DG8		SPRING, Reverse Servo Piston
		1	1, 2, 3			ETC	DG8		
18	4531 233	1	1, 2, 3			ETC	DG8		52854217AA
		1	1, 2, 3			ETC	DG8		52854216AA
		1	6, 7, 8			ETC	DG8		SEAL, Reverse Servo Piston
		1	6, 7, 8			ETH	DG8		
19	5211 8745	1	1, 2, 3			ETH	DG8		52854217AA
		1	1, 2, 3			ETH	DG8		52854216AA
		1	1, 2, 3			ETC	DG8		PISTON, Reverse Servo
		1	6, 7, 8			ETC	DG8		
20	6027 153	1	1, 2, 3			ETC	DG8		52854217AA
		1	1, 2, 3			ETH	DG8		52854216AA
		1	6, 7, 8			ETH	DG8		SNAP RING, .435 ID
		1	6, 7, 8			ETC	DG8		
21	3515 079	1	1, 2, 3			ETC	DG8		52854217AA
		1	1, 2, 3			ETC	DG8		52854216AA
		1	6, 7, 8			ETH	DG8		SPRING, Accumulator Piston
		1	6, 7, 8			ETH	DG8		
22	3743 010	1	1, 2, 3			ETC	DG8		52854217AA
		1	1, 2, 3			ETC	DG8		52854216AA
		1	1, 2, 3			ETH	DG8		SEAL, Piston Accumulator
		1	6, 7, 8			ETH	DG8		
23	3743 650	1	1, 2, 3			ETH	DG8		52854217AA
		1	1, 2, 3			ETH	DG8		52854216AA
		1	6, 7, 8			ETH	DG8		PISTON, Accumulator
		1	6, 7, 8			ETH	DG8		

DODGE RAM (DR)		TRANSMISSION	
SERIES	LINE	BODY	ENGINE
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8
			ETC = 5.9LD V6
			ETH = 5.9LD V6 HO
			EWA = 8.0L V10 MPI
			DGT = 4 Spd. Auto.(46RE)
			DDC = 5 Spd. HD Manual (3500)
			DDP,DDX = 5 Spd. Manual (4500)
			DGQ,DG4 = Multi-Speed Auto.(45RFE)
			DG8 = 4 Spd. Auto.(48RE)
			DEE = 6 Spd. Manual (5600)
			DGP = 4 Spd. Auto.(47RE)
			DEC = 5 Spd. Manual


Servos, Acumulator Piston and Spring [48RE] DG8  
Figure 48RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	3743 010	1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
		1	6, 7, 8			ETH	DG8		SEAL, Piston Accumulator
		1	1, 2, 3			ETH	DG8		
25	4531 258	1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA
		1	6, 7, 8			ETH	DG8		SPRING, Accumulator Piston
		1	1, 2, 3			ETH	DG8		
	3515 079	1	1, 2, 3			ETC	DG8		52854217AA
		1	6, 7, 8			ETC	DG8		52854216AA

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Parking Sprag [48RE] [DG8]  
Figure 48RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

Sales Codes

[ETC]=5.9L Cummins 24V Turbo Diesel Engine

[ETH]=5.9L Cummins High Output Turbo Diesel Engine

[DG8]=4 Speed Automatic Transmission


1	2466 909	1	6, 7, 8			ETH	DG8		SPRING, Parking Sprag
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
2	52854 102AA	1	1, 2, 3			ETC	DG8		SPRAG, Transmission Parking
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
3	52854 120AA	1	1, 2, 3			ETC	DG8		SHAFT, Parking Sprag
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETH	DG8		
4	5093 155AA	1	6, 7, 8			ETH	DG8		SCREW
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
5	52854 122AA	1	1, 2, 3			ETC	DG8		PLUG, Parking Sprag
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
6	52854 121AA	1	6, 7, 8			ETC	DG8		SNAP RING, Transmission
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
7	52854 079AA	1	6, 7, 8			ETC	DG8		ROD, Parking Sprag
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
8		1	6, 7, 8			ETC	DG8		SNAP RING, Rod
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Parking Sprag [48RE] [DG8]**  
**Figure 48RE-730**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6035 256	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**



Clutch, Overdrive [48RE] [DG8]  
Figure 48RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
Sales Codes									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[DG8]=4 Speed Automatic Transmission									
1									PLATE PACKAGE, Transmission Module
	4740 774	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
2									BEARING, (NOT SERVICED) (Not Serviced)
3									GEAR, Overdrive Sun
	5015 107AA	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5									CARRIER, O/Drive Planet Pinion
	5093 158AA	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
6									RACE, Overrunning Clutch
	4461 124	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		

DODGE RAM (DR)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EKG = 3.7L V6		DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		EVA = 4.7L V8		DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		EZA = 5.7L V8		DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)		EML = 5.9L SMPI V8		DGQ,DG4 = Multi-Speed Auto.(45RFE)			
				ETC = 5.9LD V6		DG8 = 4 Spd. Auto.(48RE)			
				ETH = 5.9LD V6 HO		DEE = 6 Spd. Manual (5600)			
				EWA = 8.0L V10 MPI		DGP = 4 Spd. Auto.(47RE)			
						DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]  
Figure 48RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5093 157AA	1	1, 2, 3			ETC	DG8		GEAR, Overdrive Annulus
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
10	4461 059	1	1, 2, 3			ETC	DG8		SNAP RING, 5.25 OD
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
11	4461 060	1	1, 2, 3			ETC	DG8		SNAP RING, 6.00 OD
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
12	4461 089	1	1, 2, 3			ETH	DG8		DRUM, Automatic Transmission
		2	6, 7, 8			ETC	DG8		
		2	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETH	DG8		
13	4461 063	1	6, 7, 8			ETH	DG8		SNAP RING, 2.1875 OD
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
14	4461 032	1	6, 7, 8			ETH	DG8		SPRING, Direct Clutch
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
15	4461 072	1	6, 7, 8			ETH	DG8		HUB, Direct Clutch
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
16	4446 724	1	6, 7, 8			ETH	DG8		THRUST BEARING, Overdrive
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	1, 2, 3			ETC	DG8		

DODGE RAM (DR)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EKG = 3.7L V6		DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		EVA = 4.7L V8		DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		EZA = 5.7L V8		DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)		EML = 5.9L SMPI V8		DGQ,DG4 = Multi-Speed Auto.(45RFE)			
				ETC = 5.9LD V6		DG8 = 4 Spd. Auto.(48RE)			
				ETH = 5.9LD V6 HO		DEE = 6 Spd. Manual (5600)			
				EWA = 8.0L V10 MPI		DGP = 4 Spd. Auto.(47RE)			
						DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]  
Figure 48RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4461 030	1	6, 7, 8			ETC	DG8		PLATE, Transmission Clutch Reaction
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
18	5093 167AA	1	6, 7, 8			ETC	DG8		DISC, Direct Clutch
		1	1, 2, 3			ETC	DG8		
		12	6, 7, 8			ETH	DG8		
		12	1, 2, 3			ETC	DG8		
		12	1, 2, 3			ETH	DG8		
19	5093 168AA	11	6, 7, 8			ETH	DG8		DISC, Direct Clutch
		11	6, 7, 8			ETC	DG8		
		11	1, 2, 3			ETC	DG8		
		11	1, 2, 3			ETH	DG8		
		11	1, 2, 3			ETH	DG8		
20	4461 183	1	6, 7, 8			ETH	DG8		PLATE, Pressure
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
21	4461 032	1	6, 7, 8			ETH	DG8		SPRING, Direct Clutch
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
22	4461 064	1	6, 7, 8			ETH	DG8		SNAP RING, 1.875" OD
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
23	4412 583	1	6, 7, 8			ETH	DG8		FILTER, Overdrive Clutch
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
24	5211 7975	1	6, 7, 8			ETH	DG8		RETAINER, Transmission O/Drive Clutch Piston
		1	6, 7, 8			ETH	DG8		

DODGE RAM (DR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EKG = 3.7L V6		DGT = 4 Spd. Auto.(46RE)	
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		EVA = 4.7L V8		DDC = 5 Spd. HD Manual (3500)	
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		EZA = 5.7L V8		DDP,DDX = 5 Spd. Manual (4500)	
		62 = Reg. Cab (140.5 WB)		EML = 5.9L SMPI V8		DGQ,DG4 = Multi-Speed Auto.(45RFE)	
				ETC = 5.9LD V6		DG8 = 4 Spd. Auto.(48RE)	
				ETH = 5.9LD V6 HO		DEE = 6 Spd. Manual (5600)	
				EWA = 8.0L V10 MPI		DGP = 4 Spd. Auto.(47RE)	
						DEC = 5 Spd. Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]  
Figure 48RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	5211 8599	1	1, 2, 3			ETH	DG8		PISTON, Overdrive Clutch
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
26	0152 796	1	6, 7, 8			ETH	DG8		SCREW, .25-20
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
		6	6, 7, 8			ETH	DG8		
27	4431 697	6	1, 2, 3			ETH	DG8		SEAL, Overdrive Clutch Piston
		6	1, 2, 3			ETH	DG8		
		6	1, 2, 3			ETC	DG8		
		6	6, 7, 8			ETC	DG8		
		6	6, 7, 8			ETC	DG8		
28	4431 697	1	6, 7, 8			ETH	DG8		SEAL, Overdrive Clutch Piston
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
29	4431 585	1	6, 7, 8			ETH	DG8		PLATE, Transmission O/Drive Clutch
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]  
Figure 48RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 732	1	6, 7, 8			ETH	DG8		[.168'-.170'] Thick
		1	1, 2, 3			ETH	DG8		[.168'-.170'] Thick
	4431 733	1	6, 7, 8			ETH	DG8		[.198'-.200' Thick ]
		1	1, 2, 3			ETH	DG8		[.198'-.200' Thick ]
	4431 734	1	6, 7, 8			ETH	DG8		[.288'-.230' Thick]
		1	1, 2, 3			ETH	DG8		[.288'-.230' Thick]
	4431 735	1	1, 2, 3			ETH	DG8		[.108'-.110' Thick]
	4431 585	1	1, 2, 3			ETC	DG8		[.123'-.125: Thick]
		1	6, 7, 8			ETC	DG8		[.123'-.125: Thick]
	4431 586	1	1, 2, 3			ETC	DG8		[.153'-.155' Thick]
		1	6, 7, 8			ETC	DG8		[.153'-.155' Thick]
	4431 587	1	1, 2, 3			ETC	DG8		[.183'-.185' Thick]
		1	6, 7, 8			ETC	DG8		[.183'-.185' Thick]
	4431 588	1	1, 2, 3			ETC	DG8		[.213'-.215' Thick]
		1	6, 7, 8			ETC	DG8		[.213'-.215' Thick]
	4431 590	1	1, 2, 3			ETC	DG8		[.243'-.245' Thick]
		1	6, 7, 8			ETC	DG8		[.243'-.245' Thick]
	4431 731	1	1, 2, 3			ETC	DG8		[.138'-.140'] Thick
		1	6, 7, 8			ETC	DG8		[.138'-.140'] Thick
	4431 732	1	1, 2, 3			ETC	DG8		[.168'-.170'] Thick
		1	6, 7, 8			ETC	DG8		[.168'-.170'] Thick
	4431 733	1	1, 2, 3			ETC	DG8		[.198'-.200' Thick ]
		1	6, 7, 8			ETC	DG8		[.198'-.200' Thick ]
	4431 734	1	1, 2, 3			ETC	DG8		[.288'-.230' Thick]
		1	6, 7, 8			ETC	DG8		[.288'-.230' Thick]
	4431 735	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
30									SPACER, Intermediate Shaft, 1.58mm
	4431 916	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-31									SPACER, Intermediate Shaft, .175
	4431 917	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-32									SPACER, Intermediate Shaft, .193

DODGE RAM (DR)		BODY		ENGINE		TRANSMISSION	
SERIES	LINE						
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EKG = 3.7L V6		DGT = 4 Spd. Auto.(46RE)	
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		EVA = 4.7L V8		DDC = 5 Spd. HD Manual (3500)	
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		EZA = 5.7L V8		DDP,DDX = 5 Spd. Manual (4500)	
		62 = Reg. Cab (140.5 WB)		EML = 5.9L SMPI V8		DGQ,DG4 = Multi-Speed Auto.(45RFE)	
				ETC = 5.9LD V6		DG8 = 4 Spd. Auto.(48RE)	
				ETH = 5.9LD V6 HO		DEE = 6 Spd. Manual (5600)	
				EWA = 8.0L V10 MPI		DGP = 4 Spd. Auto.(47RE)	
						DEC = 5 Spd. Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]  
Figure 48RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 918	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
-33									SPACER, Intermediate Shaft, .211
	4431 919	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	1, 2, 3			ETC	DG8		
		1	6, 7, 8			ETC	DG8		
34									SNAP RING, Overdrive Clutch
	4461 082	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
35									PLATE, Transmission Clutch Reaction
	4461 030	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
36									DISC, Direct Clutch
	4461 181	6	6, 7, 8			ETC	DG8		
		5	1, 2, 3			ETC	DG8		
		6	1, 2, 3			ETH	DG8		
		6	6, 7, 8			ETH	DG8		
37									PLATE, Transmission Clutch Reaction
	4461 047	5	1, 2, 3			ETC	DG8		
		6	6, 7, 8			ETC	DG8		
		6	1, 2, 3			ET0	DG8		
		6	6, 7, 8			ET0	DG8		
38									SPRING, Direct Clutch
	4461 032	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		
		1	1, 2, 3			ETC	DG8		
39									SNAP RING, 6.50 OD
	4461 065	1	6, 7, 8			ETH	DG8		
		1	1, 2, 3			ETH	DG8		
		1	6, 7, 8			ETC	DG8		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


### Figure 48RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	1, 2, 3			ETC	DG8		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Controls, Gearshift [48RE]  
Figure 48RE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DGT] = Automatic Transmission [46 RE]

1	52107 846AF	1					DG8		CABLE, Shift
2	52107 845AC	1					DG8		BRACKET, Shift Cable
3	0154 261	1					DG8		BOLT
4	6502 697	1	7, 8						NUT, Hex Flange Lock, M12x1.75
		2	1, 2, 3, 6						
5	52107 678AB	1					DG8		LEVER, Manual Control
6	6022 245	1					DG8		SCREW AND WASHER
7									PLUG, Body, 1.75 Diameter, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual









# Group – 3500

## Manual Transmission 5 Speed


### GROUP 3500 - Manual Transmission 5 Speed

Illustration Title	Group-Fig. No.
<b>Transmission Assembly</b>	
Transmission - [3500] [DDC]	Fig. 3500-110
<b>Case and Extension</b>	
Case And Extension - [3500] [DDC]	Fig. 3500-210
<b>Gear Train</b>	
Gear Train - [3500] [DDC]	Fig. 3500-410
<b>Fork and Rails</b>	
Shift Forks And Rails - [3500] [DDC]	Fig. 3500-910
<b>Gearshift Controls</b>	
Gear Shift Controls - [3500] [DDC]	Fig. 3500-1210



<b>3500-100</b> Transmission Assembly	<b>3500-200</b> Case and Extension	<b>3500-400</b> Gear Train	<b>3500-900</b> Fork and Rails
			
<b>3500-1200</b> Gearshift Controls			
			

**Figure 3500-110**


[illegible]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Case And Extension - [3500] [DDC]  
Figure 3500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[EK0] = All 3.7L 6 Cylinder Engines									
[EV0] = All 4.7L Gas Engines									
1									CASE, Transmission
	5066 234AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
2									CASE, Transmission Rear
	5083 255AB	1	6, 7, 8			EK0, EV0	DDC		
	5083 256AB	1	1, 2, 3			EK0, EV0	DDC		
3									RETAINER, Shaft
	5013 306AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
4									LEVER, Gearshift
	4886 199AB	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
5									SEAL, Shift Lever
	4886 153AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
6									BOLT, M8-1.25x70
	4741 313	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
7									BOLT, Hex Head
	4741 144	4	1, 2, 3			EK0, EV0	DDC		
		4	6, 7, 8			EK0, EV0	DDC		
8									BOLT, Hex Head, M8x1.25x50

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Case And Extension - [3500] [DDC]  
Figure 3500-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 123	11	1, 2, 3			EK0, EV0	DDC		
		11	6, 7, 8			EK0, EV0	DDC		
9									BOLT, Hex
	4741 115	1	1, 2, 3			EK0, EV0	DDC		
		3	6, 7, 8			EK0, EV0	DDC		
10									PIN, Locating
	4741 122	2	1, 2, 3			EK0, EV0	DDC		
		2	6, 7, 8			EK0, EV0	DDC		
11									SWITCH, Back Up Lamp
	5600 7163	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
12									VENT, Transmission
	4740 901	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
13									PLUG, Oil Fill
	4882 280	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
-14									PLUG, Oil Drain
	4740 903	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
15									PIN, Detent
	4740 904	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
16									CAP, Detent

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case And Extension - [3500] [DDC]  
Figure 3500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 128	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
17									SPRING, Shift Detent
	4773 182	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
18									PLUNGER
	5013 348AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
19									BOLT, Hex Head, M6x1.00x25
	4741 300	6	1, 2, 3			EK0, EV0	DDC		
		6	6, 7, 8			EK0, EV0	DDC		
20									BEARING, Ball
	4741 112	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
21									SEAL, Input Shaft
	4741 296	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
22									SEAL, Output Shaft
	4531 216AB	1	1, 2, 3			EK0, EV0	DDC		
	4741 118	1	6, 7, 8			EK0, EV0	DDC		
23									BEARING, Input Shaft
	4874 174AB	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
24									VENT, Transmission

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year


Case And Extension - [3500] [DDC]  
Figure 3500-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4740 901	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
-25									CLIP
	5019 683AA-	3	1, 2, 3			EK0, EV0	DDC		
		3	6, 7, 8			EK0, EV0	DDC		



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Gear Train - [3500] [DDC]  
Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDC] = 5 Speed Heavy Duty Manual Transmission									
[EK0] = All 3.7L 6 Cylinder Gas Engines									
[EV0] = All 4.7L 8 Cylinder Gas Engines									
1									SHAFT, Input
	5019 723AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
2									STOP RING, Synchronizer
	4741 277	3	1, 2, 3			EK0, EV0	DDC		
		2	6, 7, 8			EK0, EV0	DDC		
3									NEEDLE BEARING, Input Shaft
	4741 878	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
4									SNAP RING, Output Shaft Bearing
	4741 266	2	1, 2, 3			EK0, EV0	DDC		
		2	6, 7, 8			EK0, EV0	DDC		
5									SYNCHRONIZER, Third and Fourth
	4741 293AB	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
6									GEAR, Third
	4883 718AB	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
-7									RING, Third and Fourth, Snap
	4741 813	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
8									NEEDLE BEARING, Third Gear

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

**Gear Train - [3500] [DDC]  
Figure 3500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 874	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
9	4897 922AA	1	1, 2, 3			EK0, EV0	DDC		SNAP RING
		1	6, 7, 8			EK0, EV0	DDC		
10	4746 070	2	1, 2, 3			EK0, EV0	DDC		THRUST WASHER, Second And Third Gear
		2	6, 7, 8			EK0, EV0	DDC		
11	4874 358AB	1	1, 2, 3			EK0, EV0	DDC		GEAR, Second
		1	6, 7, 8			EK0, EV0	DDC		
12	5003 039AA	1	1, 2, 3			EK0, EV0	DDC		NEEDLE BEARING, Second Gear
		1	6, 7, 8			EK0, EV0	DDC		
13	4874 356AB	1	1, 2, 3			EK0, EV0	DDC		SYNCHRONIZER, First and Second
		1	6, 7, 8			EK0, EV0	DDC		
14	4874 355AB	1	1, 2, 3			EK0, EV0	DDC		GEAR, First
		1	6, 7, 8			EK0, EV0	DDC		
-15	4874 353	1	1, 2, 3			EK0, EV0	DDC		BEARING, First Gear
		1	6, 7, 8			EK0, EV0	DDC		
16									NEEDLE BEARING, Transmission

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



**Gear Train - [3500] [DDC]  
Figure 3500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 871	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
17									SHAFT, Output
	5003 288AA	1	1, 2, 3			EK0, EV0	DDC		
	5003 289AA	1	6, 7, 8			EK0, EV0	DDC		
18									NEEDLE BEARING, Transmission
	4741 871	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
19									GEAR, Reverse
	5019 029AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
20									STOP RING, Synchronizer
	4741 285	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
21									SYNCHRONIZER, Fifth And Reverse
	4741 278AB	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
22	4741 805	1	6, 7, 8			EK0, EV0	DDC		RING, Transmission
23									BEARING, Needle
	4741 273	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
24									GEAR, Fifth
	4883 300AB	1	1, 2, 3			EK0, EV0	DDC		

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25		1	6, 7, 8			EK0, EV0	DDC		RETAINER, Transmission Output Shaft Bearing
	4741 114	1	6, 7, 8			EK0, EV0	DDC		
26	4741 116	1	1, 2, 3			EK0, EV0	DDC		BEARING, Output Shaft
	4741 866AB	1	1, 2, 3			EK0, EV0	DDC		
27		1	6, 7, 8			EK0, EV0	DDC		SNAP RING, Output Shaft Bearing
	4741 266	2	1, 2, 3			EK0, EV0	DDC		
28		2	6, 7, 8			EK0, EV0	DDC		BEARING, Countershaft
	5066 646AA	1	1, 2, 3			EK0, EV0	DDC		
29		2	6, 7, 8			EK0, EV0	DDC		SHAFT, Counter
	4741 299	1	1, 2, 3			EK0, EV0	DDC		
30		1	6, 7, 8			EK0, EV0	DDC		SUPPORT, Segment Idler Shaft
	4741 312	1	1, 2, 3			EK0, EV0	DDC		
31		1	6, 7, 8			EK0, EV0	DDC		WASHER, Flat
	4741 310	1	1, 2, 3			EK0, EV0	DDC		
32		1	6, 7, 8			EK0, EV0	DDC		WASHER, Idler Gear
						EK0, EV0	DDC		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

**Gear Train - [3500] [DDC]**  
**Figure 3500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 309	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
33	4741 307	2	1, 2, 3			EK0, EV0	DDC		THRUST WASHER, Reverse Idler
		2	6, 7, 8			EK0, EV0	DDC		
34	4741 306	1	1, 2, 3			EK0, EV0	DDC		GEAR, Reverse Idler
		1	6, 7, 8			EK0, EV0	DDC		
35	4874 359	1	1, 2, 3			EK0, EV0	DDC		BEARING, Idler
		1	6, 7, 8			EK0, EV0	DDC		
36	4741 303	1	1, 2, 3			EK0, EV0	DDC		IDLER SHAFT, Transmission
		1	6, 7, 8			EK0, EV0	DDC		
37	4741 891	2	1, 2, 3			EK0, EV0	DDC		BALL, Check, 4 mm
		2	6, 7, 8			EK0, EV0	DDC		
38	4874 403	2	1, 2, 3			EK0, EV0	DDC		RING
		2	6, 7, 8			EK0, EV0	DDC		
39	4874 363	2	1, 2, 3			EK0, EV0	DDC		RING, Synchronizer Blocker
		2	6, 7, 8			EK0, EV0	DDC		
40									CONE, Synchronizer

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Figure 3500-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4874 405	2	1, 2, 3			EK0, EV0	DDC		
		2	6, 7, 8			EK0, EV0	DDC		
41									RING
	4874 403	2	1, 2, 3			EK0, EV0	DDC		
		2	6, 7, 8			EK0, EV0	DDC		
42									SNAP RING
	4741 311	2	1, 2, 3			EK0, EV0	DDC		
		2	6, 7, 8			EK0, EV0	DDC		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

# Shift Forks And Rails - [3500] [DDC] Figure 3500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

## NOTE:

Sales Codes

[DDC] = 5 Speed Heavy Duty Manual Transmission

[EK0] = All 3.7L 6 Cylinder Engines

[EV0] = All 4.7L Gas Engines

1	5014 501AA	1	1, 2, 3			EK0, EV0	DDC		SHAFT, Selector
	5014 502AA	1	6, 7, 8			EK0, EV0	DDC		
2	5072 248AA	1	1, 2, 3			EK0, EV0	DDC		LEVER, Shift Shaft
		1	6, 7, 8			EK0, EV0	DDC		
3	4741 137	3	1, 2, 3			EK0, EV0	DDC		SPRING, Lever
		1	6, 7, 8			EK0, EV0	DDC		
4	5016 233AA	1	1, 2, 3			EK0, EV0	DDC		PLUNGER
		1	6, 7, 8			EK0, EV0	DDC		
5	5012 337AA	1	1, 2, 3			EK0, EV0	DDC		BUSHING, Transmission
		1	6, 7, 8			EK0, EV0	DDC		
6	5019 024AA	1	1, 2, 3			EK0, EV0	DDC		PIN
		1	6, 7, 8			EK0, EV0	DDC		
7	5066 352AB	1	1, 2, 3			EK0, EV0	DDC		FORK, Third and Fourth
		1	6, 7, 8			EK0, EV0	DDC		
8									PIN, Shift Shaft


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Shift Forks And Rails - [3500] [DDC] Figure 3500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4741 139	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
9									SOCKET, Shift Shaft
	4874 352	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
10									FORK, Transmission
	5083 103AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
11									FORK, First and Second
	4886 077AB	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		
12									ISOLATOR, Shift Lever
	5012 020AA	1	1, 2, 3			EK0, EV0	DDC		
		1	6, 7, 8			EK0, EV0	DDC		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Shift Controls - [3500] [DDC]  
Figure 3500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DD0] = All 5 Speed Manual Transmissions

[DBB] = All Manual Transmissions

1	4446 921	1					DD0		INSERT, Transmission Shift Knob
2	6502 556	1					DBB		NUT, Hex, M10-1.5
3	5210 4174	1					DBB		KNOB, Gearshift
4	55366 042AA	1					DD0, DEE		BOOT, Gear Shift Lever
5									SCREW, Tapping, (NOT SERVICED) (Not Serviced)
6	52107 787AA	1					DD0, DEE		LEVER, Gearshift
7									CONSOLE, Floor
	5GT26 1DVAB	1					DD0, DEE		[DV]
	5GT26 1L5AB	1					DD0, DEE		[L5]
8	52107 792AA	1					DD0, DEE		BOOT, Gear Shift Lever

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – 4500

## Manual Transmission 5 Speed

### GROUP 4500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

**Transmission Assembly**

Transmission 5 Speed - [4500] (DDP)(DDX) ..... Fig. 4500-110

**Case and Extension**

Case 5 Speed - [4500] (DDP)(DDX) ..... Fig. 4500-210

**Gear Train**

Gear Train 5 Speed - [4500] (DDP) (DDX) ..... Fig. 4500-410


Gear Train 5 Speed - [4500] (DDP) (DDX) ..... Fig. 4500-420






**Fork and Rails**

Forks And Controls 5 Speed - [4500] (DDP) (DDX) ..... Fig. 4500-910

**Gearshift Controls**


Gear Shift Controls ..... Fig. 4500-1210



<div>4500-100 Transmission Assembly</div> 	<div>4500-200 Case and Extension</div> 	<div>4500-400 Gear Train</div> 	<div>4500-900 Fork and Rails</div> 
<div>4500-1200 Gearshift Controls</div> 			



Transmission 5 Speed - [4500] (DDP)(DDX)  
Figure 4500-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code  
[DDP] = 5 Speed Manual Transmissiion  
[DDX] = 5 Speed Heavy Duty Manual Transmission  
[EM0] = All 5.9L 8 Cylinder Gas Engines  
[ET0]] = All 5.9L Turbo Diesel Engines  
[EW0] = All 8.0L Gas Engines

1							TRANSMISSION, 5 Speed		
	52108 128AE	1	1, 2, 3			EZ0	DDP		
	52108 129AE	1	6, 7, 8			EZ0	DDP		
	52108 130AC	1	1, 2, 3			ETC	DDX		
	52108 131AC	1	6, 7, 8			ETC	DDX		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Case 5 Speed - [4500] (DDP)(DDX)  
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissiion									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[EM0]= All 5.9L 8 Cylinder Gas Engines									
[ET0]= All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	4741 542	1	1, 2, 3			EZ0	DDP		RETAINER, Transmission Drive Gear
		1	6, 7, 8			EZ0	DDP		
	4741 543	1	1, 2, 3			ETC	DDX		SEAL, Input
		1	6, 7, 8			ETC	DDX		
2	5012 115AA	1	1, 2, 3			EZ0	DDP		SEAL, Input
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		PLUG, Oil Fill
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
3	4637 849	1	1, 2, 3			EZ0	DDP		SCREW, Drive Gear
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
4	4637 777	1	1, 2, 3			EZ0	DDP		MAGNET, Transmission
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
5	4773 012	1	1, 2, 3			EZ0	DDP		DOWEL, Gear Shift Cover
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
6	4637 847	1	1, 2, 3			EZ0	DDP		CASE, Transmission
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
7	5019 654AA	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case 5 Speed - [4500] (DDP)(DDX)  
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETC	DDX		
8	5014 100AA	1	1, 2, 3			EZ0	DDP		PLATE, Transmission Module
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
9	0181 088	1	1, 2, 3			EZ0	DDP		BOLT, Hex Head, .312-18x1.00
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
10	4637 785	1	1, 2, 3			EZ0	DDP		PLATE, Transmission Module
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
11	0556 875	1	1, 2, 3			EZ0	DDP		COVER, Power Take Off
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
12	5015 221AA	12	1, 2, 3			EZ0	DDP		SCREW
		12	6, 7, 8			EZ0	DDP		
		12	1, 2, 3			ETC,	DDX		
		12	6, 7, 8			EW0	DDX		
		12	6, 7, 8			ETC,	DDX		
		12	6, 7, 8			EW0	DDX		
13	4637 691	1	1, 2, 3			EZ0	DDP		BEARING CUP, Intermediate Shaft
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
14	4637 689	1	1, 2, 3			EZ0	DDP		PLUG, Countershaft
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
15	4637 804	1	1, 2, 3			EZ0	DDP		DOWEL, Transmission Case

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Case 5 Speed - [4500] (DDP)(DDX)  
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5003 035AA	1	6, 7, 8			EZ0	DDP		RETAINER, Transmission Case Rear
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
17	5014 479AA	1	1, 2, 3			EZ0	DDP		SCREW, Hex Head
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			EZ0	DDP		
18	4637 805	1	6, 7, 8			ETC	DDX		SEAL, Adapter
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			ETC, EW0	DDX		
19	5086 054AA	1	1, 2, 3			EZ0	DDP		SEAL, Output Shaft
		1	1, 2, 3			ETC	DDX		
		1	1, 2, 3			EZ0	DDP		
20	5003 210AA	1	1, 2, 3			EZ0	DDP		BUSHING, Extension Housing
		1	1, 2, 3			ETC	DDX		
		1	1, 2, 3			EZ0	DDP		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Gear Train 5 Speed - [4500] (DDP) (DDX) Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissiion									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[ETC] = 5.9L Cummins Diesel Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
[EZA] = MAGNUM 5.7L SMPI V8 Engine									
1									BEARING, First Gear
	4798 769	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
2									GEAR, First
	4637 728	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
3									GEAR PACKAGE, Reverse Clutch
	5003 055AA	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
4									BEARING, Drive Gear
	4723 145	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
5									SNAP RING PACKAGE, Transmission
	5003 056AA	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
6									SPACER, Reverse Synchronizer
	4882 542	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
7									BEARING, Reverse Synchronizer
	5017 924AA	1	1, 2, 3			EZ0	DDP		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Gear Train 5 Speed - [4500] (DDP) (DDX)  
Figure 4500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5014 478AA	1	6, 7, 8			EZ0	DDP		SYNCHRONIZER, Reverse
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
9	4637 763	1	1, 2, 3			EZ0	DDP		THRUST WASHER, Reverse Gear
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
10	4773 176	1	6, 7, 8			ETC	DDX		PIN, Split Thrust Washer
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
11	4637 771	1	1, 2, 3			ETC	DDX		BEARING CONE, Main Shaft
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			EZ0	DDP		
12	5016 384AA	1	1, 2, 3			ETC	DDX		MAINSHAFT, Transmission
		1	6, 7, 8			EZ0	DDP		
		1	6, 7, 8			ETC	DDX		
13	5066 046AA	1	1, 2, 3			EZ0	DDP		SYNCHRONIZER, First and Second
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
14	4637 726	1	6, 7, 8			ETC	DDX		STOP RING PACKAGE, Synchronizer
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
15		1	1, 2, 3			ETC	DDX		GEAR, Second
		1	6, 7, 8			ETC	DDX		

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Gear Train 5 Speed - [4500] (DDP) (DDX)  
Figure 4500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 730	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
16									THRUST WASHER, Third Gear
	4637 732	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
17									SPACER, Third Gear
	4882 540	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
18									GEAR, Third
	4874 369	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
19									BEARING, Third Gear
	4798 768	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
20									RING, Blocker
	4897 883AA	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
21									SYNCHRONIZER, Third and Fourth
	4740 824	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
22									GEAR, Clutch Drive
	4874 370	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
23									THRUST BEARING, Drive Gear

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Gear Train 5 Speed - [4500] (DDP) (DDX)**  
**Figure 4500-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 755	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
24									NEEDLE BEARING, Input Shaft
	4637 774	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
25									SHAFT, Input
	4882 357	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
	4882 358	1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Gear Train 5 Speed - [4500] (DDP) (DDX) Figure 4500-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissiion									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[ETC] = 5.9L Cummins Diesel Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
[EZA] = MAGNUM 5.7L SMPI V8 Engine									
1									BEARING CUP, Main Shaft
	4637 782	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
2									SHIM PACKAGE, Rear Mainshaft
									Bearing
	4864 284	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
3									GEAR, Overdrive Mainshaft
	4741 551	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
-4									SYNCHRONIZER, Overdrive
	4723 002	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
5									WASHER, Overdrive Gear
	4741 552	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
6									NUT AND WASHER PACKAGE
	5013 887AA	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
7									SEAL, Adapter
	4269 956AB	1	6, 7, 8			EZ0	DDP		

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

**Gear Train 5 Speed - [4500] (DDP) (DDX)**  
**Figure 4500-420**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	4882 366	1	6, 7, 8			ETC	DDX		SHAFT, Idler
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
9	4882 538	1	6, 7, 8			ETC	DDX		WASHER, Reverse Idler
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC, EW0	DDX		
10	5017 923AA	1	6, 7, 8			ETC, EW0	DDX		
		1	1, 2, 3			ETC	DDX		BEARING, Idler Gear
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			EZ0	DDP		
11	4882 364	1	6, 7, 8			ETC	DDX		GEAR, Reverse Idler
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
-12	4897 881AA-	1	6, 7, 8			ETC	DDX		RING, Reverse Blocker
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
13	4637 705	1	6, 7, 8			ETC	DDX		BEARING CONE, Cluster Gear
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
14	4882 367	1	6, 7, 8			ETC	DDX		COUNTERSHAFT
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
15	4773 176	1	6, 7, 8			ETC	DDX		PIN, Split Thrust Washer
		1	1, 2, 3			EZ0	DDP		

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Gear Train 5 Speed - [4500] (DDP) (DDX)**  
**Figure 4500-420**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4637 708	1	6, 7, 8			EZ0	DDP		BEARING CONE, Cluster Gear
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
17	4637 707	1	1, 2, 3			EZ0	DDP		BEARING CUP, Cluster Gear
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
18	4637 780	1	6, 7, 8			ETC	DDX		SHIM PACKAGE, Countershaft
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
19	5003 056AA	1	1, 2, 3			ETC	DDX		SNAP RING PACKAGE, Transmission
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
20	5003 156AA	1	6, 7, 8			ETC	DDX		SYNCHRONIZER PACKAGE, Overdrive
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
21	4637 786	1	1, 2, 3			ETC	DDX		GEAR, Countershaft
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			EZ0	DDP		
22	4882 541	1	1, 2, 3			ETC	DDX		BEARING, Overdrive
		1	6, 7, 8			ETC	DDX		
		1	1, 2, 3			EZ0	DDP		
23		1	6, 7, 8			ETC	DDX		THRUST WASHER, Countershaft
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			ETC	DDX		


**DODGE RAM (DR)**

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Gear Train 5 Speed - [4500] (DDP) (DDX) Figure 4500-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4637 778	1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**


Forks And Controls 5 Speed - [4500] (DDP) (DDX)  
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = 5 Speed Manual Transmissiion									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[ETC] = 5.9L Cummins Diesel Engine									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
[EZA] = MAGNUM 5.7L SMPI V8 Engine									
1	5003 036AA	1	1, 2, 3			EZ0	DDP		HOUSING, Shift Lever
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
-2	0556 882	1	1, 2, 3			EZ0	DDP		PLUNGER
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
3	4741 660	1	1, 2, 3			EZ0	DDP		VENT, Transmission
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
4	4638 633	1	1, 2, 3			EZ0	DDP		CLIP, Vent Tube
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
5	1664 355	1	1, 2, 3			EZ0	DDP		PIN, Shift Fork
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
6	5003 214AA	1	1, 2, 3			EZ0	DDP		SPACER, Shift Tower
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
7	5003 212AA	1	1, 2, 3			EZ0	DDP		BUSHING, Gearshift Lever
		1	6, 7, 8			EZ0	DDP		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Forks And Controls 5 Speed - [4500] (DDP) (DDX) Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5003 213AA	1	1, 2, 3			ETC	DDX		BOLT
		1	6, 7, 8			ETC	DDX		
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
9	5086 539AA	1	1, 2, 3			ETC	DDX		LEVER, Gearshift
		1	6, 7, 8			ETC	DDX		
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
10	0181 088	1	1, 2, 3			ETC	DDX		BOLT, Hex Head, .312-18x1.00
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC, EW0	DDX		
		1	6, 7, 8			ETC, EW0	DDX		
11	4294 036	1							CLIP
12									CLIP, Vacuum Harness
13	6016 203	1	6, 7, 8			EZ0	DDP		GASKET, Back Up Lamp Switch
		1	6, 7, 8			ETC	DDX		
	5207 8479	1				EKG, EV0			
14	5600 7270	1	2, 3, 7, 8			EWD			SWITCH, Back Up Lamp
		1	1, 2, 3			EZ0	DDP		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
15	4637 692	1	6, 7, 8			ETC	DDX		LUG, Overdrive
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			EZ0	DDP		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Forks And Controls 5 Speed - [4500] (DDP) (DDX)  
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETC	DDX		
16	4778 216	1	1, 2, 3			EZ0	DDP		RAIL, Over Drive Lug
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
17	5012 019AA	1	1, 2, 3			EZ0	DDP		PAD PACKAGE, Shift Fork
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
18	4773 178	1	1, 2, 3			EZ0	DDP		FORK, Transmission
		1	6, 7, 8			EZ0	DDP		
	5012 128AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
19	1664 355	1	1, 2, 3			EZ0	DDP		PIN, Shift Fork
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
20	5012 018AA	1	1, 2, 3			EZ0	DDP		PAD, Shift Fork
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC,	DDX		
		1	6, 7, 8			EW0	DDX		
		1	6, 7, 8			ETC,	DDX		
		1	6, 7, 8			EW0	DDX		
-21	4882 279	1	1, 2, 3			EZ0	DDP		PLUG, Transmission
		1	1, 2, 3			ETC	DDX		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Gear Shift Controls  
Figure 4500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Code									
[DBB] = All Manual Transmissions									
[DD0] = All 5 Speed Manual Transmission									
1	4446 921	1					DD0		INSERT, Transmission Shift Knob
2	6502 556	1					DBB		NUT, Hex, M10-1.5
3	5210 4174	1					DBB		KNOB, Gearshift
4	55366 042AA	1					DD0, DEE		BOOT, Gear Shift Lever
5									SCREW, Tapping, (NOT SERVICED) (Not Serviced)
6	5086 539AA	1	1, 2, 3			EZ0	DDP		LEVER, Gearshift
		1	6, 7, 8			EZ0	DDP		
		1	1, 2, 3			ETC	DDX		
		1	6, 7, 8			ETC	DDX		
7	5GT26 1DVAB	1					DD0, DEE		CONSOLE, Floor [DV]
	5GT26 1L5AB	1					DD0, DEE		[L5]
8	52107 792AA	1					DD0, DEE		BOOT, Gear Shift Lever

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Group – 5600

## Manual Transmission 6 Speed

### GROUP 5600 - Manual Transmission 6 Speed

Illustration Title Group-Fig. No.

**Transmission Assembly**

Transmission - 6 Speed [5600] (DEE) ..... Fig. 5600-110

**Case and Extension**

Case and Related Parts - 6 Speed [5600] (DEE) ..... Fig. 5600-210

**Gear Train**

Gear Train - 6 Speed [5600] (DEE) Main Shaft ..... Fig. 5600-410


Gear Train - 6 Speed [5600] (DEE) Counter Shaft ..... Fig. 5600-420






**Fork and Rails**

Fork & Rail [DEE] ..... Fig. 5600-910

**Gear Shift Controls**

Controls, Gearshift- 6 Speed [5600] [DEE] ..... Fig. 5600-1210




<b>5600-100</b> Transmission Assembly	<b>5600-200</b> Case and Extension	<b>5600-400</b> Gear Train	<b>5600-900</b> Fork and Rails
			
<b>5600-1200</b> Gear Shift Controls			
			

Transmission - 6 Speed [5600] (DEE)  
Figure 5600-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes  
[DEE] = 6 Speed Heavy Duty Manual Transmission  
[ETH] = 5.9L Cummins Turbo Diesel  
1 TRANSMISSION, 6 speed

52108 501AC	1	1, 2, 3				ETH	DEE		
52108 502AC	1	6, 7, 8				ETH	DEE		



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Case and Related Parts - 6 Speed [5600] (DEE)  
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel


1	5003 578AA	1	1, 2, 3			ETH	DEE		CASE, Transmission
		1	6, 7, 8			ETH	DEE		
-2	4882 280	1	1, 2, 3			ETH	DEE		PLUG, Oil Fill
		1	6, 7, 8			ETH	DEE		
-3	5003 579AA-	1	1, 2, 3			ETH	DEE		BUSHING, Shift Rail
		1	6, 7, 8			ETH	DEE		
-4	4761 099	1	1, 2, 3			ETH	DEE		PIN, Locating
		1	6, 7, 8			ETH	DEE		
5	0556 875	1	1, 2, 3			ETH	DEE		COVER, Power Take Off
		1	6, 7, 8			ETH	DEE		
6	5016 174AA	1	1, 2, 3			ETH	DEE		LABEL, Equipmemt Identification
		1	6, 7, 8			ETH	DEE		
7	5015 221AA	1	1, 2, 3			ETH	DEE		SCREW
		1	6, 7, 8			ETH	DEE		
8	5003 580AA	1	1, 2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ETH	DEE		
9	5012 134AA	1	1, 2, 3			ETH	DEE		CUP, Bearing Inner [Timken# 554241]
		1	6, 7, 8			ETH	DEE		[Timken# 554241]
10	5003 582AA	1	1, 2, 3			ETH	DEE		HOUSING, Clutch
		1	6, 7, 8			ETH	DEE		
11	5003 583AA	1	1, 2, 3			ETH	DEE		BEARING CUP, Input Shaft
		1	6, 7, 8			ETH	DEE		
12	5003 584AA	1	1, 2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ETH	DEE		
13									GUIDE, Oil

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Case and Related Parts - 6 Speed [5600] (DEE)  
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5015 205AA	1	1, 2, 3			ETH	DEE		[Input]
		1	6, 7, 8			ETH	DEE		[Input]
	5012 112AA	1	1, 2, 3			ETH	DEE		GUIDE, Oil
		1	6, 7, 8			ETH	DEE		[Countershaft]
15	5208 7542	1	1, 2, 3			ETH	DEE		PIVOT, Clutch Release
		1	6, 7, 8			ETH	DEE		
-16	6022 190	1	1, 2, 3			ETH	DEE		WASHER, Clutch Pivot
		1	6, 7, 8			ETH	DEE		
17	5222 757	1	1, 2, 3			ETH	DEE		DOWEL
		1	6, 7, 8			ETH	DEE		
18	5015 213AA	1	1, 2, 3			ETH	DEE		RETAINER, Transmission Input Shaft
		1	6, 7, 8			ETH	DEE		
-19	5015 214AA-	1	1, 2, 3			ETH	DEE		SEAL, Input
		1	6, 7, 8			ETH	DEE		
20	5003 585AA	1	1, 2, 3			ETH	DEE		HOUSING, Transmission Rear Extension
	5003 586AA	1	6, 7, 8			ETH	DEE		
-21	4740 901	1	1, 2, 3			ETH	DEE		VENT, Transmission
		1	6, 7, 8			ETH	DEE		
-22	5003 587AA-	1	1, 2, 3			ETH	DEE		BUSHING, Crossover Shaft
		1	6, 7, 8			ETH	DEE		
-23	4269 956AB-	1	6, 7, 8			ETH	DEE		SEAL, Adapter
-24	5086 054AA-	1	1, 2, 3			ETH	DEE		SEAL, Output Shaft
25									CAM, Alignment
26	5011 966AB	1	1, 2, 3			ETH	DEE		WASHER
		1	6, 7, 8			ETH	DEE		
27	6100 880	1	1, 2, 3			ETH	DEE		BOLT, Hex Head, M8x1.25x16
		1	6, 7, 8			ETH	DEE		
	6501 474	1	1, 2, 3			ETH	DEE		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Case and Related Parts - 6 Speed [5600] (DEE)  
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETH	DEE		
-28	5003 589AA-	1	1, 2, 3			ETH	DEE		PLUNGER
		1	6, 7, 8			ETH	DEE		
-29	5011 967AB-	1	1, 2, 3			ETH	DEE		SPRING, Crossover Lever
		1	6, 7, 8			ETH	DEE		
-30	4210 616	1	1, 2, 3			ETH	DEE		PLUG, Oil Fill, Plug w/Washer Detent
		1	6, 7, 8			ETH	DEE		
31	5210 3101	1	1, 2, 3			ETH	DEE		BRACKET, Exhaust Pipe to T/Case
		1	6, 7, 8			ETH	DEE		
32	5208 5085	1	1, 2, 3			ETH	DEE		BUSHING, Exhaust Hanger
		1	6, 7, 8			ETH	DEE		
33	5600 7270	1	1, 2, 3			ETH	DEE		SWITCH, Back Up Lamp
		1	6, 7, 8			ETH	DEE		
-34	5012 138AA-	1	1, 2, 3			ETH	DEE		GASKET, Back Up Lamp Switch
		1	6, 7, 8			ETH	DEE		
-35	5300 8550	1	1, 2, 3			ETH	DEE		CLIP
		1	6, 7, 8			ETH	DEE		
-36	5012 136AA-	1	1, 2, 3			ETH	DEE		CLIP, Wiring
		1	6, 7, 8			ETH	DEE		
37	4773 012	1	1, 2, 3			ETH	DEE		MAGNET, Transmission
		1	6, 7, 8			ETH	DEE		
-38	5003 210AA-	1	1, 2, 3			ETH	DEE		BUSHING, Extension Housing
-39									SPACER, Final Drive, 1.14mm
	4659 261	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-40									SPACER, Final Drive, 1.18mm
	4659 262	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-41									SPACER, Final Drive, 1.22mm
	4659 263	1	1, 2, 3			ETH	DEE		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Case and Related Parts - 6 Speed [5600] (DEE)  
Figure 5600-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETH	DEE		
-42	4659 264	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.26mm
		1	6, 7, 8			ETH	DEE		
-43	4659 265	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.30mm
		1	6, 7, 8			ETH	DEE		
-44	4659 266	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.34mm
		1	6, 7, 8			ETH	DEE		
-45	4659 267	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.38mm
		1	6, 7, 8			ETH	DEE		
-46	4659 268	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.42mm
		1	6, 7, 8			ETH	DEE		
-47	4659 269	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.46mm
		1	6, 7, 8			ETH	DEE		
-48	4659 270	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.50mm
		1	6, 7, 8			ETH	DEE		
-49	4659 271	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.54mm
		1	6, 7, 8			ETH	DEE		
-50	4659 272	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.58mm
		1	6, 7, 8			ETH	DEE		
-51	4659 273	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.62mm
		1	6, 7, 8			ETH	DEE		
-52	4659 274	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.66mm
		1	6, 7, 8			ETH	DEE		
-53	4659 275	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.70mm
		1	6, 7, 8			ETH	DEE		
-54	4659 276	1	1, 2, 3			ETH	DEE		SPACER, Final Drive, 1.74mm
		1	6, 7, 8			ETH	DEE		
-55									SPACER, Final Drive, 1.78mm

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Case and Related Parts - 6 Speed [5600] (DEE)  
Figure 5600-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 277	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-56									SPACER, Final Drive, 1.82mm
	4659 278	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-57									SPACER, Final Drive, 1.86mm
	4659 279	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
58									LEVER, Gearshift
	5086 622AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
59									SPACER, Shift Tower
	5003 214AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
60									BUSHING, Gearshift Lever
	5003 212AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
61									BOLT
	5003 213AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# **Gear Train - 6 Speed [5600] (DEE) Main Shaft** **Figure 5600-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = 6 Speed Heavy Duty Manual Transmission									
[ETH] = 5.9L Cummins Turbo Diesel									
1									BEARING CONE, Input Shaft
	5010 047AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
2									GEAR AND CONE PACKAGE
	5066 027AC	1	1, 2, 3			ETH	DEE		Input Shaft and Fifth gear
		1	6, 7, 8			ETH	DEE		Input Shaft and Fifth gear
3									BEARING CUP, Input Shaft
	5010 046AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
4									CONE, Input Shaft
	5083 021AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
5									RING, Blocker
	5010 054AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
6									RETAINING RING, Bearing
	5010 058AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
7									BEARING CONE, Output Shaft
	5010 057AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-8									SHIM PACKAGE, Drive Pinion
									Bearing
	5011 376AA-	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
9									SYNCHRONIZER, Fifth
	5010 055AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
10									SPRING, Synchronizer
	5080 807AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
11									KEY, Synchronizer
	5010 056AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
12									BALL, Shift Lever, M5
	4741 136	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
13									GEAR, Sixth

## **DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

### LINE

1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

### ENGINE


EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual



# Gear Train - 6 Speed [5600] (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-14	5019 885AA	1	1, 2, 3			ETH	DEE		BEARING, Sixth Gear
		1	6, 7, 8			ETH	DEE		
	5010 051AA-	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
15									SHAFT, Output
16	5010 049AA	1	1, 2, 3			ETH	DEE		SLEEVE, First Gear
	5010 050AA	1	6, 7, 8			ETH	DEE		
17	5010 077AA	1	1, 2, 3			ETH	DEE		BEARING
		1	6, 7, 8			ETH	DEE		
18	5010 059AA	1	1, 2, 3			ETH	DEE		GEAR, Second
		1	6, 7, 8			ETH	DEE		
19	5019 906AA	1	1, 2, 3			ETH	DEE		RING, Blocker
		1	6, 7, 8			ETH	DEE		
20	5015 202AA	1	1, 2, 3			ETH	DEE		SYNCHRONIZER, First and Second
		1	6, 7, 8			ETH	DEE		
21	5010 062AA	1	1, 2, 3			ETH	DEE		GEAR, First
		1	6, 7, 8			ETH	DEE		
22	5019 907AA	1	1, 2, 3			ETH	DEE		BEARING
		1	6, 7, 8			ETH	DEE		
23	5010 059AA	1	1, 2, 3			ETH	DEE		THRUST WASHER, First Gear
		1	6, 7, 8			ETH	DEE		
24	5010 064AA	1	1, 2, 3			ETH	DEE		FORK, Transmission, Reverse
		1	6, 7, 8			ETH	DEE		
25	5012 128AA	1	1, 2, 3			ETH	DEE		RING
		1	6, 7, 8			ETH	DEE		
26	5012 127AA	1	1, 2, 3			ETH	DEE		SYNCHRONIZER, Reverse
		1	6, 7, 8			ETH	DEE		
26	5012 125AA	1	1, 2, 3			ETH	DEE		
		1	1, 2, 3			ETH	DEE		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# **Gear Train - 6 Speed [5600] (DEE) Main Shaft** **Figure 5600-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETH	DEE		
27	5019 887AA	1	1, 2, 3			ETH	DEE		GEAR, Reverse
		1	6, 7, 8			ETH	DEE		
28	5017 924AA	1	1, 2, 3			ETH	DEE		BEARING, Reverse Synchronizer
		1	6, 7, 8			ETH	DEE		
29	5012 129AA	1	1, 2, 3			ETH	DEE		SLEEVE, Reverse
		1	6, 7, 8			ETH	DEE		
30	5012 131AA	1	1, 2, 3			ETH	DEE		WASHER, Reverse Thrust
		1	6, 7, 8			ETH	DEE		
31	5003 580AA	1	1, 2, 3			ETH	DEE		BEARING CUP, Output Shaft
		1	6, 7, 8			ETH	DEE		
32	5010 065AA	1	1, 2, 3			ETH	DEE		BEARING CONE, Output Shaft
		1	6, 7, 8			ETH	DEE		
-33	5011 352AA-	1	1, 2, 3			ETH	DEE		SNAP RING PACKAGE, Mainshaft
		1	6, 7, 8			ETH	DEE		
34	5012 133AA	1	1, 2, 3			ETH	DEE		NUT, Locking
		1	6, 7, 8			ETH	DEE		
-35	4882 952	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, .5642
		1	6, 7, 8			ETH	DEE		
-36	4882 953	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, .6042
		1	6, 7, 8			ETH	DEE		
-37	4882 954	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, .6442
		1	6, 7, 8			ETH	DEE		
-38	4882 955	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, .6842
		1	6, 7, 8			ETH	DEE		
-39	4882 956	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, .7242
		1	6, 7, 8			ETH	DEE		
-40									SHIM, Intermediate Shaft, .7642

## **DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

## **LINE**

1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

## **BODY**

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

## **ENGINE**

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


## **TRANSMISSION**

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Gear Train - 6 Speed [5600] (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 957	1	1, 2, 3			ETH	DEE		
-41		1	6, 7, 8			ETH	DEE		SHIM, Intermediate Shaft, .8042
	4882 958	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-42									SHIM, Intermediate Shaft, .8442
	4882 959	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-43									SHIM, Intermediate Shaft, .9242
	4882 960	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-44									SHIM, Intermediate Shaft, .9242
	4882 961	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-45									SHIM, Intermediate Shaft, .9642
	4882 962	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-46									SHIM, Intermediate Shaft, 1.0042
	4882 963	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-47									SHIM, Intermediate Shaft, 1.0442
	4882 964	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-48									SHIM, Intermediate Shaft, 1.0842
	4882 967	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-49									SHIM, Intermediate Shaft, 1.1242
	4882 968	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-50									SHIM, Intermediate Shaft, 1.1642
	4882 969	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-51									SHIM, Intermediate Shaft, 1.2042
	4882 970	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-52									SHIM, Intermediate Shaft, 1.2442
	4882 971	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-53									SHIM, Intermediate Shaft, 1.2842
	4882 972	1	1, 2, 3			ETH	DEE		

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train - 6 Speed [5600] (DEE) Main Shaft  
Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	6, 7, 8			ETH	DEE		
-54	4882 973	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, 1.3242
		1	6, 7, 8			ETH	DEE		
-55	4882 974	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, 1.3642
		1	6, 7, 8			ETH	DEE		
-56	4882 975	1	1, 2, 3			ETH	DEE		SHIM, Intermediate Shaft, 1.4042
		1	6, 7, 8			ETH	DEE		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Gear Train - 6 Speed [5600] (DEE) Counter Shaft Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

## NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel

1	5012 124AA	1	1, 2, 3			ETH	DEE		CONE ASSEMBLY, Countershaft
		1	6, 7, 8			ETH	DEE		
2	5012 122AA	1	1, 2, 3			ETH	DEE		GEAR, Countershaft, Reverse
		1	6, 7, 8			ETH	DEE		
3	5012 123AA	1	1, 2, 3			ETH	DEE		SLEEVE, Reverse
		1	6, 7, 8			ETH	DEE		
4	5010 076AA	1	1, 2, 3			ETH	DEE		CONE ASSEMBLY, Countershaft, Center
		1	6, 7, 8			ETH	DEE		
5	5102 873AA	1	1, 2, 3			ETH	DEE		COUNTERSHAFT, Serviced w/ Bearing
		1	6, 7, 8			ETH	DEE		
6	5010 059AA	1	1, 2, 3			ETH	DEE		BEARING
		1	6, 7, 8			ETH	DEE		
7	5012 111AB	1	1, 2, 3			ETH	DEE		BEARING, Countershaft
		1	6, 7, 8			ETH	DEE		
8	5019 908AA	1	1, 2, 3			ETH	DEE		THRUST WASHER, Second And Third Gear
		1	6, 7, 8			ETH	DEE		
9	5019 909AA	1	1, 2, 3			ETH	DEE		GEAR, Third
		1	6, 7, 8			ETH	DEE		
10	5083 021AA	1	1, 2, 3			ETH	DEE		CONE, Input Shaft
		1	6, 7, 8			ETH	DEE		
11	5010 054AA	1	1, 2, 3			ETH	DEE		RING, Blocker
		1	6, 7, 8			ETH	DEE		
12									SYNCHRONIZER, Third and Fourth

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)


DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Gear Train - 6 Speed [5600] (DEE) Counter Shaft Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5010 070AA	1	1, 2, 3			ETH	DEE		BALL, Shift Lever, M5
		1	6, 7, 8			ETH	DEE		
	4741 136	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
14	5010 056AA	1	1, 2, 3			ETH	DEE		KEY, Synchronizer
		1	6, 7, 8			ETH	DEE		
15	5080 807AA	1	1, 2, 3			ETH	DEE		SPRING, Synchronizer
		1	6, 7, 8			ETH	DEE		
16	5010 071AA	1	1, 2, 3			ETH	DEE		SLEEVE, Fourth Gear
		1	6, 7, 8			ETH	DEE		
17	5019 904AA	1	1, 2, 3			ETH	DEE		GEAR, Fourth
		1	6, 7, 8			ETH	DEE		
18	5010 074AA	1	1, 2, 3			ETH	DEE		GEAR, Countershaft, Sixth
		1	6, 7, 8			ETH	DEE		
19	5010 073AA	1	1, 2, 3			ETH	DEE		GEAR, Countershaft, Input
		1	6, 7, 8			ETH	DEE		
20	5010 075AA	1	1, 2, 3			ETH	DEE		CONE ASSEMBLY, Countershaft, Front
		1	6, 7, 8			ETH	DEE		
-21	5011 358AA-	1	1, 2, 3			ETH	DEE		SNAP RING PACKAGE, Countershaft
		1	6, 7, 8			ETH	DEE		
22	5012 118AA	1	1, 2, 3			ETH	DEE		WASHER, Idler Gear
		1	6, 7, 8			ETH	DEE		
23	5012 121AA	1	1, 2, 3			ETH	DEE		GEAR, Idler
		1	6, 7, 8			ETH	DEE		
24	5012 119AB	1	1, 2, 3			ETH	DEE		BEARING, Idler
		1	6, 7, 8			ETH	DEE		
25									SPACER, Idler

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500


BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



### Gear Train - 6 Speed [5600] (DEE) Counter Shaft Figure 5600-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5012 120AA	1	1, 2, 3			ETH	DEE		
26		1	6, 7, 8			ETH	DEE		SHAFT, Idler
	5012 117AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
-27									SLINGER, Oil
	5010 067AB-	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Fork & Rail [DEE]  
Figure 5600-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel

1	5010 078AB	1	6, 7, 8			ETH	DEE		RAIL, Shift
	5010 079AC	1	1, 2, 3			ETH	DEE		
2	5010 086AA	1	1, 2, 3			ETH	DEE		SOCKET, Shift Shaft
		1	6, 7, 8			ETH	DEE		
3	4741 139	1	1, 2, 3			ETH	DEE		PIN, Shift Shaft
		1	6, 7, 8			ETH	DEE		
-4	4761 094	1	1, 2, 3			ETH	DEE		DETENT, Valve Body
		1	6, 7, 8			ETH	DEE		
-5	5012 137AA-	1	1, 2, 3			ETH	DEE		SPRING, Detent
		1	6, 7, 8			ETH	DEE		
-6	4740 904	1	1, 2, 3			ETH	DEE		PIN, Detent
		1	6, 7, 8			ETH	DEE		
7	5010 090AB	1	1, 2, 3			ETH	DEE		FORK, Third and Fourth
		1	6, 7, 8			ETH	DEE		
8	5010 083AA	1	1, 2, 3			ETH	DEE		PIN, Roll
		1	6, 7, 8			ETH	DEE		
9	5010 091AB	1	1, 2, 3			ETH	DEE		FORK, First and Second
		1	6, 7, 8			ETH	DEE		
10	5010 079AC	1	1, 2, 3			ETH	DEE		RAIL, Shift
		1	6, 7, 8			ETH	DEE		
11	5010 082AB	1	1, 2, 3			ETH	DEE		PIN, Roll
		1	6, 7, 8			ETH	DEE		
-12	5083 735AA-	1	1, 2, 3			ETH	DEE		GATE, Gearshift Rod
		1	6, 7, 8			ETH	DEE		
13									RAIL, Reverse Shift, Rail and Gate Serviced in Assembly

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Fork & Rail [DEE]  
Figure 5600-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5010 097AA	1	1, 2, 3			ETH	DEE		FORK, Transmission, Reverse
		1	6, 7, 8			ETH	DEE		
	5012 128AA	1	1, 2, 3			ETH	DEE		
		1	6, 7, 8			ETH	DEE		
15	5010 093AA	1	1, 2, 3			ETH	DEE		FORK, Fifth Shift
		1	6, 7, 8			ETH	DEE		
16	5016 173AA	1	1, 2, 3			ETH	DEE		ARM, Transmission Shift
		1	6, 7, 8			ETH	DEE		
-17	5010 084AA-	1	1, 2, 3			ETH	DEE		PIN, Shift Shaft
		1	6, 7, 8			ETH	DEE		
18	5010 095AA	1	1, 2, 3			ETH	DEE		BRACKET, Shift Fork
		1	6, 7, 8			ETH	DEE		
19	5010 096AB	2	1, 2, 3			ETH	DEE		BOLT, M8
		2	6, 7, 8			ETH	DEE		
-20	5010 085AA-	1	1, 2, 3			ETH	DEE		PIN, Shift Shaft
		1	6, 7, 8			ETH	DEE		
-21	5012 135AA-	2	1, 2, 3			ETH	DEE		ROLLER, Transmission
		2	6, 7, 8			ETH	DEE		
-22	5013 419AA-	13	1, 2, 3			ETH	DEE		BOLT, Hex Head, M8
		13	6, 7, 8			ETH	DEE		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Controls, Gearshift- 6 Speed [5600] [DEE]  
Figure 5600-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DEE] = 6 Speed Heavy Duty Manual Transmission

[ETH] = 5.9L Cummins Turbo Diesel Engine

[ET0] = All 5.9L Turbo Diesel Engines

1	52107 787AA	1					DD0, DEE		LEVER, Gearshift
2	5210 4174	1					DD0, DEE		KNOB, Gearshift
3	5210 8192	1				ET0	DEE		INSERT, Transmission Shift Knob
4	6502 556	1					DBB		NUT, Hex, M10-1.5
5	55366 042AA	1					DD0, DEE		BOOT, Gear Shift Lever
6	52107 792AA	1					DD0, DEE		BOOT, Gear Shift Lever
7	5GT26 1DVAB	1					DD0, DEE		CONSOLE, Floor [DV]
	5GT26 1L5AB	1					DD0, DEE		[L5]
8									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – T56

## Manual Transmission 6 Speed

### GROUP T56 - Manual Transmission 6 Speed




Illustration Title	Group-Fig. No.
<b>Transmission</b>	
Transmission Assembly [DEC] .....	Fig. T56-110
<b>Case &amp; Extension</b>	
Case & Extension [DEC] .....	Fig. T56-210
<b>Gear Train</b>	
Input Shaft, Mainshaft & Countershaft [DEC] .....	Fig. T56-410
Countershaft Extension [DEC] .....	Fig. T56-420
Reverse Idler & Driven Gears [DEC] .....	Fig. T56-430
<b>Forks and Rails</b>	
Shift Forks & Rails [DEC] .....	Fig. T56-910
<b>Gear Shift Controls</b>	
Gearshift Control [DEC] .....	Fig. T56-1210

<b>T56-100</b> Transmission	<b>T56-200</b> Case & Extension	<b>T56-400</b> Gear Train	<b>T56-900</b> Forks and Rails
<b>T56-1200</b> Gear Shift Controls			

Transmission Assembly [DEC]  
Figure T56-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Service Transmission Does Not Include Clutch Housing.

Sales Code:

[DEC]=6 Speed Manual Transmission


1	5037 432AB	1	1, 2, 3			EWC	DEC		TRANSMISSION
2	0153 371	4				EWC	DBB		BOLT, Hex Head, .375-16x2.25
3	0154 927AA	4				EWC	DBB		SCREW
4	0181 148	2				EWC	DBB		SCREW, Hex Head, .437-14x2.75
5	9417 838	2				EWC	DBB		WASHER, Flat
6									WIRING, Transmission, See Electrical Group, (NOT SERVICED) (Not Serviced)



DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Case & Extension [DEC]  
Figure T56-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4626 462	1	1, 2, 3			EWC	DEC		CUP
2	4626 460	1	1, 2, 3			EWC	DEC		CASE, Transmission
-3	4626 573	1	1, 2, 3			EWC	DEC		BREATHER, Transmission Case
4	4626 591	1	1, 2, 3			EWC	DEC		PLUG, Oil Fill
5	4626 593	1	1, 2, 3			EWC	DEC		SWITCH, Back Up Lamp
6	4626 572	1	1, 2, 3			EWC	DEC		SOLENOID, Transmission Skip Shift
7	4626 567	1	1, 2, 3			EWC	DEC		MAGNET, Transmission
8	4626 508	2	1, 2, 3			EWC	DEC		BOLT, Shift Lever Guide
9	4626 569	1	1, 2, 3			EWC	DEC		PLATE, Transmission Shifter
10	4626 571	4	1, 2, 3			EWC	DEC		BOLT, Shifter Cover
11	4626 592	1	1, 2, 3			EWC	DEC		VENT, Transmission Pipe
12	4626 570	1	1, 2, 3			EWC	DEC		CLIP, Vent Tube
13	4626 577	1	1, 2, 3			EWC	DEC		DETENT, Gearshift
14	4626 526	1	1, 2, 3			EWC	DEC		BALL, Check
15	4626 521	1	1, 2, 3			EWC	DEC		PLATE, Transmission Shifter
16	4626 527	2	1, 2, 3			EWC	DEC		BOLT
17	4626 523	1	1, 2, 3			EWC	DEC		SPRING, Detent Offset
18	4626 513	2	1, 2, 3			EWC	DEC		DOWEL, Transmission Case
19	4626 512	1	1, 2, 3			EWC	DEC		BUSHING, Shift Rail
20	4626 579	1	1, 2, 3			EWC	DEC		LEVER, Offset
21	4626 493	2	1, 2, 3			EWC	DEC		PIN, Roll
22	5166 052AA	1	1, 2, 3			EWC	DEC		EXTENSION HOUSING, transmission
-23	4626 461	2	1, 2, 3			EWC	DEC		STUD
24	4626 520	6	1, 2, 3			EWC	DEC		BOLT, Transmission Case
-25	4626 568	2	1, 2, 3			EWC	DEC		NUT, Transmission Case
26	4762 005	1	1, 2, 3			EWC	DEC		HOUSING, reverse lockout
27	4746 271	1	1, 2, 3			EWC	DEC		SOLENOID, Transmission
-28	4762 004	1	1, 2, 3			EWC	DEC		O RING
29	4762 008	1	1, 2, 3			EWC	DEC		BOLT
30	4762 004	1	1, 2, 3			EWC	DEC		O RING
31	5093 271AA	1	1, 2, 3			EWC	DEC		LEVER, Offset
32	4626 493	1	1, 2, 3			EWC	DEC		PIN, Roll
33	5161 428AA	1	1, 2, 3			EWC	DEC		LEVER, Gearshift
34	4626 571	4	1, 2, 3			EWC	DEC		BOLT, Shifter Cover
35	4626 520	8	1, 2, 3			EWC	DEC		BOLT, Transmission Case
36	5166 053AA	1	1, 2, 3			EWC	DEC		SEAL, Output Shaft
37	5093 034AA	1	1, 2, 3			EWC	DEC		HOUSING, Clutch

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Input Shaft, Mainshaft & Countershaft [DEC] Figure T56-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Shim Kit Contains All The Shims Required For Complete Transmission Repair.									
Sales Codes:									
[DEC]=6 Speed Manual Transmission									
1	5093 265AA	1	1, 2, 3			EWC	DEC		ADAPTER, Transmission
2	4626 513	2	1, 2, 3			EWC	DEC		DOWEL, Transmission Case
3	4626 520	11	1, 2, 3			EWC	DEC		BOLT, Transmission Case
4	4626 512	1	1, 2, 3			EWC	DEC		BUSHING, Shift Rail
5	4626 514	2	1, 2, 3			EWC	DEC		DOWEL, Transmission Case
6	5139 857AA	1	1, 2, 3			EWC	DEC		SEAL, Input Shaft
7	5018 856AA	1	1, 2, 3			EWC	DEC		SHIM KIT, Transmission
8	4626 490	1	1, 2, 3			EWC	DEC		CUP
9	4626 510	1	1, 2, 3			EWC	DEC		CONE, Input Shaft
10	4626 737	1	1, 2, 3			EWC	DEC		BEARING PACKAGE, Input Shaft
11	5139 854AA	1	1, 2, 3			EWC	DEC		INPUT SHAFT, Transmission
12	4626 519	1	1, 2, 3			EWC	DEC		CUP
13	4626 465	1	1, 2, 3			EWC	DEC		BEARING
14	5139 853AA	1	1, 2, 3			EWC	DEC		COUNTERSHAFT
15	4626 466	1	1, 2, 3			EWC	DEC		BEARING
16	4626 517	1	1, 2, 3			EWC	DEC		CUP
17	4626 476	2	1, 2, 3			EWC	DEC		STOP RING, Synchronizer
18	4626 487	1	1, 2, 3			EWC	DEC		SNAP RING
19	5018 859AA	1	1, 2, 3			EWC	DEC		SYNCHRONIZER, Third and Fourth
20	4626 471	1	1, 2, 3			EWC	DEC		GEAR, Third
21	5093 261AA	1	1, 2, 3			EWC	DEC		SPACER, Third Gear
22	4626 469	2	1, 2, 3			EWC	DEC		NEEDLE BEARING
23	4626 563	1	1, 2, 3			EWC	DEC		BEARING
24	4626 467	1	1, 2, 3			EWC	DEC		MAINSHAFT, Transmission
25	4626 469	2	1, 2, 3			EWC	DEC		NEEDLE BEARING
26	4626 478	1	1, 2, 3			EWC	DEC		GEAR, Second
27	4626 486	2	1, 2, 3			EWC	DEC		THRUST WASHER, First And Second Gear
28	4626 484	2	1, 2, 3			EWC	DEC		CONE, Inner
29	5093 262AA	2	1, 2, 3			EWC	DEC		FRICTION CONE, Second Gear Inner
30	4626 483	2	1, 2, 3			EWC	DEC		RING, 1st and 2nd Speed Blocker
31	5018 860AA	1	1, 2, 3			EWC	DEC		SYNCHRONIZER, First and Second
32	4626 484	2	1, 2, 3			EWC	DEC		CONE, Inner
33	4626 486	2	1, 2, 3			EWC	DEC		THRUST WASHER, First And Second Gear

## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Input Shaft, Mainshaft & Countershaft [DEC]  
Figure T56-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
34	4626 536	3	1, 2, 3			EWC	DEC		SNAP RING
35	4626 488	1	1, 2, 3			EWC	DEC		NEEDLE BEARING, First Gear
36	4626 489	1	1, 2, 3			EWC	DEC		GEAR, First
37	4626 490	1	1, 2, 3			EWC	DEC		CUP
38	4626 463	1	1, 2, 3			EWC	DEC		CUP

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Countershaft Extension [DEC] Figure T56-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

## NOTE:

Shim Kit Contains All The Shims Required For Complete Transmission Repair

Internal Parts For Synchronizers Are Not Serviced.

Sales Codes:

[DEC]=6 Speed Manual Transmission

1									CASE, Transmission, See Illustration 210, (NOT SERVICED) (Not Serviced)
2	4626 462	1	1, 2, 3			EWC	DEC		CUP
3	4626 541	1	1, 2, 3			EWC	DEC		THRUST WASHER, Sixth Gear
4	5093 272AA	1	1, 2, 3			EWC	DEC		GEAR, Sixth
5	4626 538	1	1, 2, 3			EWC	DEC		BEARING, Sixth Gear
6	4626 496	1	1, 2, 3			EWC	DEC		PAD, Shift Fork
7	4626 553	1	1, 2, 3			EWC	DEC		FORK, Transmission
8	4626 561	1	1, 2, 3			EWC	DEC		SNAP RING, Shift Fork
9	4626 535	2	1, 2, 3			EWC	DEC		STOP RING, Synchronizer
10	4626 537	1	1, 2, 3			EWC	DEC		SPACER, Sixth Gear
11	4626 536	1	1, 2, 3			EWC	DEC		SNAP RING
12	5018 863AA	1	1, 2, 3			EWC	DEC		SYNCHRONIZER, Fifth and Sixth
13	5093 273AA	1	1, 2, 3			EWC	DEC		GEAR, Fifth
14	4626 530	1	1, 2, 3			EWC	DEC		NEEDLE BEARING, Fifth Gear
15	4626 540	1	1, 2, 3			EWC	DEC		FORK, Fifth Shift
16	4626 542	1	1, 2, 3			EWC	DEC		SNAP RING, Shift Fork
17	4626 496	2	1, 2, 3			EWC	DEC		PAD, Shift Fork
18	4626 529	1	1, 2, 3			EWC	DEC		COUNTERSHAFT, Extension
19	4626 468	1	1, 2, 3			EWC	DEC		BEARING
20	4626 544	1	1, 2, 3			EWC	DEC		CUP
21	5018 856AA	1	1, 2, 3			EWC	DEC		SHIM KIT, Transmission
22	4626 545	1	1, 2, 3			EWC	DEC		FUNNEL, Counter Shaft
23									EXTENSION, Transmission, See Illustration 210, (NOT SERVICED) (Not Serviced)

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Reverse Idler & Driven Gears [DEC] Figure T56-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

## NOTE:

Internal Parts For Synchronizers Are Not Serviced.

Sales Codes:

[DEC]=6 Speed Manual Transmission

1									CASE, Transmission, See Illustrstion 210, (NOT SERVICED) (Not Serviced)
2	4626 552	1	1, 2, 3			EWC	DEC		GEAR, Fifth
3	5018 865AA	1	1, 2, 3			EWC	DEC		SYNCHRONIZER, Reverse
4	4626 555	1	1, 2, 3			EWC	DEC		WASHER, Reverse Thrust
5	4626 536	1	1, 2, 3			EWC	DEC		SNAP RING
6	4626 557	1	1, 2, 3			EWC	DEC		RING, Reverse Blocker
7	4626 556	1	1, 2, 3			EWC	DEC		WASHER, Reverse Wave
8	4626 558	1	1, 2, 3			EWC	DEC		NEEDLE BEARING, Reverse Gear
9	5093 287AA	1	1, 2, 3			EWC	DEC		GEAR, Reverse
10	4626 560	1	1, 2, 3			EWC	DEC		WASHER, Reverse Thrust
11	4626 562	2	1, 2, 3			EWC	DEC		WASHER, Mainshaft
12	4626 563	1	1, 2, 3			EWC	DEC		BEARING
13	4626 562	2	1, 2, 3			EWC	DEC		WASHER, Mainshaft
14	4626 564	1	1, 2, 3			EWC	DEC		SNAP RING, Mainshaft
15	4626 463	1	1, 2, 3			EWC	DEC		CUP
16	4626 527	3	1, 2, 3			EWC	DEC		BOLT
17	4626 551	1	1, 2, 3			EWC	DEC		BRACKET, Reverse Idler Shaft
18	5093 289AA	1	1, 2, 3			EWC	DEC		SNAP RING
19	4626 548	1	1, 2, 3			EWC	DEC		GEAR, Reverse Idler
20	4626 549	1	1, 2, 3			EWC	DEC		BEARING CONE, Idler Gear
21	4626 547	1	1, 2, 3			EWC	DEC		IDLER SHAFT, Transmission
22	4626 555	1	1, 2, 3			EWC	DEC		WASHER, Reverse Thrust
23									EXTENSION, Transmission, See Illustration 210, (NOT SERVICED) (Not Serviced)

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Shift Forks & Rails [DEC]  
Figure T56-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
No Service Parts For 5/6 & Reverse Shift Rail									
Sales Codes:									
[DEC]=6 Speed Manual Transmission									
1	5018 861AA	1	1, 2, 3			EWC	DEC		RAIL, Reverse Shift
-2	4626 496	2	1, 2, 3			EWC	DEC		PAD, Shift Fork
3	4626 498	1	1, 2, 3			EWC	DEC		RAIL, Top
4	4626 502	2	1, 2, 3			EWC	DEC		PAD, Shift Fork
5	5018 862AA	1	1, 2, 3			EWC	DEC		FORK, Third and Fourth
6	4626 507	1	1, 2, 3			EWC	DEC		PLATE, interlock
7	4626 506	1	1, 2, 3			EWC	DEC		ARM, Gearshift Selector
8	5093 271AA	1	1, 2, 3			EWC	DEC		LEVER, Offset
9	4626 505	1	1, 2, 3			EWC	DEC		FORK, First and Second
10	4626 502	2	1, 2, 3			EWC	DEC		PAD, Shift Fork
11	4626 493	1	1, 2, 3			EWC	DEC		PIN, Roll
12	4626 503	1	1, 2, 3			EWC	DEC		LINK, Shift
-13	4886 342AA-	1	1, 2, 3			EWC	DEC		CLIP
-14	4626 587	1	1, 2, 3			EWC	DEC		O RING, Reverse Inhibitor, Manual Transmission
-15	4626 586	1	1, 2, 3			EWC	DEC		SNAP RING, Reverse Inhibitor



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Gearshift Control [DEC]  
Figure T56-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5037 433AA	1					DEC		KNOB, Gearshift
2	5093 230AA	1					DEC		RING
3	YN73 1DVAA	1					DEC		BOOT, Gear Shift Lever
4	5037 436AA	1					DEC		LEVER, Gearshift
5	5029 493AA	1					DEC		BOOT, Gear Shift Lever
6									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 241

## Transfer Case Model 241 [DHE]

### GROUP 241 - Transfer Case Model 241 [DHE]

Illustration Title

Group-Fig. No.

**Transfer Case Assembly**

Transfer Case (DHE) Manual Shift on the Fly ..... Fig. 241-110

**Case and Related Parts**

Case, Transfer And Related Parts (DHE) Manual Shift on the Fly ..... Fig. 241-210

**Gear Train**


Gear Train (DHE) Manual Shift on the Fly ..... Fig. 241-410

**Fork and Rails**

Forks (DHE) Manual Shift on the Fly ..... Fig. 241-910

**Gearshift Controls**

Controls (DHE) Manual Shift on the Fly ..... Fig. 241-1210




<div>241-100</div> <div>Transfer Case Assembly</div> <div></div>	<div>241-200</div> <div>Case and Related Parts</div> <div></div>	<div>241-400</div> <div>Gear Train</div> <div></div>	<div>241-900</div> <div>Fork and Rails</div> <div></div>
<div>241-1200</div> <div>Gearshift Controls</div> <div></div>			

Transfer Case (DHE) Manual Shift on the Fly  
Figure 241-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

1	52853 059AB	1	6						TRANSFER CASE, NP241
---	-------------	---	---	--	--	--	--	--	----------------------




DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case, Transfer And Related Parts (DHE) Manual Shift on the Fly  
Figure 241-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 154AA	1	6						CASE, Front
2	4505 365	6	6						STUD
3	4219 065	1	6						SNAP RING, Annulus Gear
4	5080 221AA	1	6						CASE, Transfer Case Rear
5	5080 859AA	1	6						BOLT, Hex Flange Head
6	5080 859AA	1	6						BOLT, Hex Flange Head
7	6501 371	6	6						BOLT, Retainer
8	6033 172	6	6, 7, 8						NUT AND WASHER, Hex, .375-24
9	5019 026AA	1	6						SEAL, Output Shaft
10	4796 910	1	6						VENT, Transfer Case
11	6502 081	1	6						CLAMP, Oil Cooler Line
12	HFV00 516AB	1	6						HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
13	4213 328	1	6						VENT, Cap
14	5012 326AA	1	6						FILTER, Transfer Case Oil
15	5012 327AA	1	6						CONNECTOR, Oil Tube Pickup
16	5080 223AA	1	6						TUBE, Oil Pickup
17	5013 016AB	1	6						SEAL, Transfer Case
18	5080 218AA	1	6						MAGNET
19	4856 641	1	6						PLUG, Oil Fill
20	4886 473AA	1	6						SCREW
21	5300 8217	1	6						PLUNGER
22	5080 386AA	1	6						EXTENSION, Transfer Case
23	5222 757	2	6						DOWEL
24	4798 122	1	6						CLAMP, Boot
25	5080 236AA	1	6						CLAMP, Boot
26	5080 231AA	1	6						BOOT, Output Shaft, None
27	4638 497	1	6						SPRING, Shift Detent
28	5134 375AA	1	6						SWITCH, Transfer Case
29	4338 956	1	6						SEAL, Vacuum Switch

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train (DHE) Manual Shift on the Fly  
Figure 241-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5072 460AA	1	6						SNAP RING
2	5072 459AA	2	6						SNAP RING
3	5072 458AA	1	6						BEARING, Input Gear
4	4338 908	2	6						THRUST WASHER, Planetary Carrier
5	5072 464AA	1	6						GEAR, Input
6	5080 499AA	1	6						BEARING, Input Gear
7	4796 903AB	1	6						PLANETARY, Transfer Case
8	5086 104AA	1	6						SLEEVE, Shift Range
9	5080 503AA	2	6						SNAP RING, Clutch Gear
10	5080 207AA	1	6						SLEEVE, Mode Synchronizer
11	5080 504AA	1	6						HUB, Synchronizer
12	5135 692AA	1	6						CHAIN, Transfer Case
13	5080 180AA	1	6						MAINSHAFT, Transfer Case
14	4897 981AA	1	6						BEARING, Output Shaft
15	6025 755	1	6						SNAP RING, 1.28 ID
16	4269 189	1	6						BEARING, Output Shaft
17	5159 998AA	1	6						SPROCKET, Transfer Case
18	5080 229AA	1	6						SLINGER, Oil
19	4897 981AA	1	6						BEARING, Output Shaft
20	6025 755	1	6						SNAP RING, 1.28 ID
21	5080 155AA	1	6						SEAL, Output
22	5080 504AA	1	6						HUB, Synchronizer
23	5159 999AA	1	6						GEAR, Clutch Drive
24	5019 020AA	1	6						SEAL, Input Gear

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Forks (DHE) Manual Shift on the Fly Figure 241-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4798 136	1	6						FORK, Range
2	5080 158AA	1	6						FORK, Transfer Case Mode Shift
3	4167 969	2	6						PAD, Shift Fork
4	4219 073	1	6						PAD, Shift Fork
5	8350 3515	1	6						CUP, Shift Fork Spring
6	0013 816	1	6						SPRING, Mode Fork
7	5134 374AA	1	6						SECTOR, Transfer Case
8	S243 6163	1	6						WASHER, Flat
9	5014 046AA	1	6						SEAL, Sector Shaft
10	5080 761AA	1	6						SEAL, Gearshift Lever
11	5137 798AA	1	6						LEVER, Transfer Case
12	6030 310	1	6						NUT
13	5083 351AA	1	6						SPACER
14	5080 760AA	1	6						SUPPORT, Gearshift Lever

## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Controls (DHE) Manual Shift on the Fly  
Figure 241-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DBB] = All Manual Transmissions									
[DD0] = All 5 Speed Manual Transmissions									
[DGP] = 4 Speed Automatic Transmission 47 RE									
[DGQ] = 5 Speed Automatic Transmission 45RFE									
[DGT] = 4 Speed Automaticd Transmission 46 RE									
[DG4] = Multi Speed Automatic Transmission 45RFE									
1	52105 551AB	1	6, 7, 8						SHIFTER, Transfer Case
2	52105 582AA	1	1, 2, 3						PLATE, Transfer Case Shifter
3	6102 141AA	4	6, 7, 8						SCREW, M6x1x25
4	6505 622AA	1	6, 7, 8						SCREW, Hex Head
5	52105 550AA	1	6, 7, 8						LEVER, Transfer Case
6	55366 043AA	1	6, 7, 8						BOOT, Gearshift
7	5210 4174	1					DBB		KNOB, Gearshift
8	6502 556	1					DBB		NUT, Hex, M10-1.5
9	5210 5001	1	6, 7, 8						INSERT, Gearshift Knob
10									ROD, Gear Shift Control, Transfer Case
	52105 555AA	1	6, 7, 8				DD0		
		1	6, 7, 8				DG0		
11	J018 0077	1	6, 7, 8						BOLT, Hex Head, .312-18x.75
12									CLAMP, Shift Rod
	5210 5212	1	6, 7, 8				DD0		
		1	6, 7, 8				DG0		
13	52022 048AB	1	6						SKID PLATE, Front
14	6502 282	1	1, 6						SCREW, Hex Head, M8x1.25x30

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – 243

## Transfer Case Model 243 [DH5]

GROUP 243 - Transfer Case Model 243 [DH5]

Illustration Title

Group-Fig. No.

Transfer Case Assembly

Transfer Case (DH5) Electric Shift on The Fly Part Time ..... Fig. 243-110

Case and Related Parts

Case, and Related Parts (DH5) Electric Shift on the Fly Part Time ..... Fig. 243-210

Gear Train


Gear Train (DH5) Electric Shift on the Fly Part Time ..... Fig. 243-410






Fork and Rails

Forks (DH5) Electric Shift on the Fly Part Time ..... Fig. 243-910

Gearshift Controls


Gearmotor and Skid Plate ..... Fig. 243-1210



<div><div>243-100</div><div>Transfer Case Assembly</div></div>	<div><div>243-200</div><div>Case and Related Parts</div></div>	<div><div>243-400</div><div>Gear Train</div></div>	<div><div>243-900</div><div>Fork and Rails</div></div>
<div><div>243-1200</div><div>Gearshift Controls</div></div>			


Transfer Case (DH5) Electric Shift on The Fly Part Time  
Figure 243-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52105 980AD	1	6						TRANSFER CASE, NV243



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Case, and Related Parts (DH5) Electric Shift on the Fly Part Time  
Figure 243-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 303AA	1	6						CASE, Transfer Front
2	5013 013AA	17	6						BOLT, Hex Flange Head
3	4219 065	1	6						SNAP RING, Annulus Gear
4	5080 221AA	1	6						CASE, Transfer Case Rear
5	5222 757	1	6						DOWEL
6	6033 172	6	6, 7, 8						NUT AND WASHER, Hex, .375-24
7	5019 026AA	1	6						SEAL, Output Shaft
8	4796 910	1	6						VENT, Transfer Case
9	6502 081	1	6						CLAMP, Oil Cooler Line
10	HFV00 516AB	1	6						HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
11	4213 328	1	6						VENT, Cap
12	5012 326AA	1	6						FILTER, Transfer Case Oil
13	5012 327AA	1	6						CONNECTOR, Oil Tube Pickup
14	5080 223AA	1	6						TUBE, Oil Pickup
15	5013 016AB	1	6						SEAL, Transfer Case
16	5080 218AA	1	6						MAGNET
17	4856 641	2	6						PLUG, Oil Fill
18	4886 473AA	1	6						SCREW
19	4338 956	1	6						SEAL, Vacuum Switch
20	5019 538AA	1	6						SPRING, Poppet Plunger
21	5300 8217	1	6						PLUNGER
22	8350 3512	1	6						WASHER, Flat
23	5013 013AA	17	6						BOLT, Hex Flange Head
24	4505 365	6	6						STUD
25	5080 386AA	1	6						EXTENSION, Transfer Case
26	5080 859AA	1	6						BOLT, Hex Flange Head
27	5080 231AA	1	6						BOOT, Output Shaft, None
28	4798 122	1	6						CLAMP, Boot
29	5080 236AA	1	6						CLAMP, Boot
30	6501 371	6	6						BOLT, Retainer

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Gear Train (DH5) Electric Shift on the Fly Part Time Figure 243-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5019 020AA	1	6						SEAL, Input Gear
2	3821 558	1	6						SNAP RING
3	5019 579AA	1	6						PLATE
4	5072 458AA	1	6						BEARING, Input Gear
5	4338 910	1	6						SNAP RING
6	4338 908	2	6						THRUST WASHER, Planetary Carrier
7	5072 464AA	1	6						GEAR, Input
8	5066 692AA	1	6						SLEEVE, Range Fork
9	5072 458AA	1	6						BEARING, Input Gear
10	4796 903AB	1	6						PLANETARY, Transfer Case
11	5066 692AA	1	6						SLEEVE, Range Fork
12	4798 130	1	6						SNAP RING
13	5080 207AA	1	6						SLEEVE, Mode Synchronizer
14	5159 999AA	1	6						GEAR, Clutch Drive
15	5135 692AA	1	6						CHAIN, Transfer Case
16	5080 180AA	1	6						MAINSHAFT, Transfer Case
17	5080 503AA	2	6						SNAP RING, Clutch Gear
18	4897 981AA	1	6						BEARING, Output Shaft
19	5080 503AA	1	6						SNAP RING, Clutch Gear
20	4269 189	1	6						BEARING, Output Shaft
21	5080 201AA	1	6						SPROCKET, Transfer Case
22	5080 211AA	1	6						OUTPUT SHAFT, Transfer Case
23	6025 755	1	6						SNAP RING, 1.28 ID
24	4897 981AA	1	6						BEARING, Output Shaft
25	5080 155AA	1	6						SEAL, Output
26	5080 504AA	1	6						HUB, Synchronizer
27	5080 229AA	1	6						SLINGER, Oil

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Forks (DH5) Electric Shift on the Fly Part Time  
Figure 243-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 321AA	1	6						FORK, Range
-2	5066 980AA-	1	6						SHIM
3	5080 325AA	1	6						PAD, Shift Fork
4	5080 327AA	2	6						PAD, Shift Fork
5	5019 582AB	1	6						BRACKET
6	5019 580AB	1	6						SPRING
7	5080 158AA	1	6						FORK, Transfer Case Mode Shift
8	5080 327AA	2	6						PAD, Shift Fork
9	4219 073	1	6						PAD, Shift Fork
10	8350 3515	1	6						CUP, Shift Fork Spring
11	0013 816	1	6						SPRING, Mode Fork
12	5019 031AB	1	6						SECTOR, Transfer Case
13	4167 963	1	6						SEAL, O-Ring
14	4167 963	1	6						SEAL, O-Ring

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

### Gearmotor and Skid Plate Figure 243-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52105 582AA	1	6, 7, 8						PLATE, Transfer Case Shifter
2	6102 141AA	4	6, 7, 8						SCREW, M6x1x25
3	52022 047AB	1	6						SKID PLATE, Transfer Case
4	6507 342AA	8	6, 7, 8						SCREW, M8x1.25x30
5	5086 345AA	1	6						GEAR MOTOR, Transfer Case
6	5066 925AA	3	6						BOLT



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

# Group – 244

## Transfer Case Model 244 [DHU]

### GROUP 244 - Transfer Case Model 244 [DHU]

Illustration Title Group-Fig. No.

**Transfer Case Assembly**

Transfer Case (DHU) Electric Shift on The Fly Part Time ..... Fig. 244-110

**Case and Related Parts**

Case, and Related Parts (DHU) Electric Shift on the Fly Part Time ..... Fig. 244-210

**Gear Train**


Gear Train (DHU) Electric Shift on the Fly Part Time ..... Fig. 244-410

**Fork and Rails**

Forks (DHU) Electric Shift on the Fly Part Time ..... Fig. 244-910

**Gearshift Controls**

Gearmotor and Skid Plate ..... Fig. 244-1210




<b>244-100</b> Transfer Case Assembly	<b>244-200</b> Case and Related Parts	<b>244-400</b> Gear Train	<b>244-900</b> Fork and Rails
<b>244-1200</b> Gearshift Controls			




Transfer Case (DHU) Electric Shift on The Fly Part Time  
Figure 244-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52853 107AB	1	6						TRANSFER CASE, NV244



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Case, and Related Parts (DHU) Electric Shift on the Fly Part Time  
Figure 244-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 303AA	1	6						CASE, Transfer Front
2	5013 013AA	15	6						BOLT, Hex Flange Head
3	4219 065	1	6						SNAP RING, Annulus Gear
4	5080 221AA	1	6						CASE, Transfer Case Rear
5	5222 757	2	6						DOWEL
6	6033 172	6	6, 7, 8						NUT AND WASHER, Hex, .375-24
7	5019 026AA	1	6						SEAL, Output Shaft
8	4796 910	1	6						VENT, Transfer Case
9	6502 081	1	6						CLAMP, Oil Cooler Line
10	HFV00 516AB	1	6						HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
11	4213 328	1	6						VENT, Cap
12	5012 326AA	1	6						FILTER, Transfer Case Oil
13	5012 327AA	1	6						CONNECTOR, Oil Tube Pickup
14	5080 223AA	1	6						TUBE, Oil Pickup
15	5013 016AB	1	6						SEAL, Transfer Case
16	5080 218AA	1	6						MAGNET
17	4856 641	2	6						PLUG, Oil Fill
18	4886 473AA	1	6						SCREW
19	4338 956	1	6						SEAL, Vacuum Switch
20	5019 538AA	1	6						SPRING, Poppet Plunger
21	5300 8217	1	6						PLUNGER
22	8350 3512	1	6						WASHER, Flat
23	5013 013AA	15	6						BOLT, Hex Flange Head
24	4505 365	6	6						STUD
25	5080 386AA	1	6						EXTENSION, Transfer Case
26	5080 859AA	2	6						BOLT, Hex Flange Head
27	5080 231AA	1	6						BOOT, Output Shaft, None
28	4798 122	1	6						CLAMP, Boot
29	5080 236AA	1	6						CLAMP, Boot
30	6501 371	6	6						BOLT, Retainer

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# **Gear Train (DHU) Electric Shift on the Fly Part Time** **Figure 244-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5019 020AA	1	6						SEAL, Input Gear
2	3821 558	1	6						SNAP RING
3	5019 579AA	1	6						PLATE
4	5072 458AA	1	6						BEARING, Input Gear
5	4338 910	1	6						SNAP RING
6	4338 908	2	6						THRUST WASHER, Planetary Carrier
7	5072 464AA	1	6						GEAR, Input
8	5103 298AA	1	6						SLEEVE, Range Fork
9	5080 499AA	1	6						BEARING, Input Gear
10	4796 903AB	1	6						PLANETARY, Transfer Case
11	5103 298AA	1	6						SLEEVE, Range Fork
12	5103 269AA	1	6						SLEEVE, Mode Synchronizer
13	5003 453AA	1	6						CHAIN, Transfer Case
14	5103 303AA	1	6						MAINSHAFT, Transfer Case
15	5080 503AA	1	6						SNAP RING, Clutch Gear
16	4897 981AA	1	6						BEARING, Output Shaft
17	5080 503AA	1	6						SNAP RING, Clutch Gear
18	4897 981AA	1	6						BEARING, Output Shaft
19	5003 451AA	1	6						SPROCKET, Transfer Case
20	5103 271AA	1	6						OUTPUT SHAFT, Transfer Case
21	6025 755	2	6						SNAP RING, 1.28 ID
22	4897 981AA	1	6						BEARING, Output Shaft
23	5080 155AA	1	6						SEAL, Output
24	5080 229AA	1	6						SLINGER, Oil
25	5080 503AA	1	6						SNAP RING, Clutch Gear
26	8350 3540	1	6						SNAP RING
27	5103 212AA	3	6						GEAR, Planetary

## **DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Forks (DHU) Electric Shift on the Fly Part Time  
Figure 244-910





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5103 300AB	1	6						FORK, Range
2	5103 305AB	1	6						FORK, Transfer Case Mode Shift
3	5015 832AA	1	6						PAD, Shift Fork
4	5080 325AA	1	6						PAD, Shift Fork
5	8350 3515	1	6						CUP, Shift Fork Spring
6	0013 816	1	6						SPRING, Mode Fork
7	5133 179AA	1	6						SECTOR, Transfer Case
8	4167 963	1	6						SEAL, O-Ring
9	4167 963	1	6						SEAL, O-Ring
10	5015 832AA	1	6						PAD, Shift Fork
11	5080 327AA	2	6						PAD, Shift Fork
12	5019 582AB	1	6						BRACKET
-13	5066 980AA-	1	6						SHIM, Range Fork

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Gearmotor and Skid Plate  
Figure 244-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52105 582AA	1	6, 7, 8						PLATE, Transfer Case Shifter
2	6102 141AA	4	6, 7, 8						SCREW, M6x1x25
3	52022 047AB	1	6						SKID PLATE, Transfer Case
4	6502 282	1	1, 6						SCREW, Hex Head, M8x1.25x30
5	5086 345AA	1	6						GEAR MOTOR, Transfer Case
6	5019 465AA	3	6						BOLT




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual






# Group – 271

## Transfer Case Model 271 [DH1]

GROUP 271 - Transfer Case Model 271 [DH1]

Illustration Title	Group-Fig. No.
<b>Transfer Case Assembly</b>	
Transfer Case Assembly [DH1] .....	Fig. 271-110
<b>Case and Extension</b>	
Case and Related Parts [DH1] .....	Fig. 271-210
<b>Gear Train</b>	
Gear Train [DH1] .....	Fig. 271-410
<b>Fork and Rails</b>	
Fork and Rails [DH1] .....	Fig. 271-910
<b>Gearshift Controls and Skid Plates</b>	
Gearshift Controls and Skid Plate .....	Fig. 271-1210




<div><div>271-100</div><div>Transfer Case Assembly</div><div></div></div>	<div><div>271-200</div><div>Case and Extension</div><div></div></div>	<div><div>271-400</div><div>Gear Train</div><div></div></div>	<div><div>271-900</div><div>Fork and Rails</div><div></div></div>
<div><div>271-1200</div><div>Gearshift Controls and Skid Plates</div><div></div></div>			

Transfer Case Assembly [DH1]  
Figure 271-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes  
[DDP] = 5 Speed Manual Transmission  
[DDX] = 5 Speed Heavy Duty Manual Transmission  
[DGP]= 4 Speed Automatic Transmission [47RE}  
[DG8]= 4 Speed Automatic Transmission [48RE]

1							TRANSFER CASE, NVG271		
	52853 060AB	1	7, 8				DG8		
		1	7, 8				DGQ		
	52853 061AB	1	7, 8				DDX,		
							DEE		
		1	7, 8				DDP		



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Case and Related Parts [DH1] Figure 271-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DGP]= 4 Speed Automatic Transmission [47RE]									
[DG8]= 4 Speed Automatic Transmission [48RE]									
1	5103 490AA	1	7, 8				DGQ		CASE, Transfer Front
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX,		
							DEE		
2	5086 570AA	1	7, 8				DDP		STUD
		1	7, 8				DDX,		
							DEE		
		1	7, 8				DGQ		
		1	7, 8				DG8		
3	4219 065	1	7, 8				DGQ		SNAP RING, Annulus Gear
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX,		
							DEE		
4	5086 332AA	1	7, 8				DGQ		CASE, Transfer Rear
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX,		
							DEE		
5	5086 336AA	24	7, 8				DDX,		BOLT, Transfer Case
							DEE		
		24	7, 8				DDP		
		24	7, 8				DG8		
		24	7, 8				DGQ		
6	5080 859AA	1	7, 8				DGQ		BOLT, Hex Flange Head
		1	7, 8				DG8		
		1	7, 8				DDP		

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Case and Related Parts [DH1]  
Figure 271-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5086 342AA	1	7, 8				DDX, DEE		BOLT, Transfer Case
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
8	6033 172	1	7, 8				DG8		NUT AND WASHER, Hex, .375-24
		1	7, 8						
		6	6, 7, 8						
		1	7, 8						
9	5086 341AA	1	7, 8				DGQ		SEAL, Output Shaft
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
10	4796 910	1	7, 8				DGQ		VENT, Transfer Case
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
11	6502 081	1	6, 7, 8						CLAMP, Oil Cooler Line
12	HFV00 516AB	1							HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
13	4213 328	1	6, 7, 8						VENT, Cap
14	4338 943	1	7, 8				DGQ		FILTER, Transfer Case Oil
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
15	5086 329AA	1	7, 8				DGQ		CONNECTOR, Oil Tube Pickup
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
16	4338 944	1	7, 8				DDX, DEE		CONNECTOR, Oil Tube Pickup
		1	7, 8						

DODGE RAM (DR)										
SERIES	LINE	BODY	ENGINE	TRANSMISSION						
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)						
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)						
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)						
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)						
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)						
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)						
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)						
				DEC = 5 Spd. Manual						

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Case and Related Parts [DH1] Figure 271-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	5086 330AA	1	7, 8				DDP		TUBE, Oil Pickup
		1	7, 8				DG8		
		1	7, 8				DGQ		
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
18	5086 331AA	1	7, 8				DDP		TUBE, Oil Pickup
		1	7, 8				DG8		
		1	7, 8				DGQ		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
19	4338 942	1	7, 8				DGQ		SEAL, Oil
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
20	3681 601	1	7, 8				DGQ		MAGNET, Transmission
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
21	4856 641	1	7, 8				DDP		PLUG, Oil Fill
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDX, DEE		
22	4338 956	1	7, 8				DGQ		SEAL, Vacuum Switch
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
23		1	7, 8				DDP		SWITCH, Transfer Case
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDX, DEE		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Case and Related Parts [DH1] Figure 271-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5134 375AA	1	7, 8				DDX, DEE DDP DG8 DGQ		
24	4886 473AA	1	7, 8				DDX, DEE DDP DG8 DGQ		SCREW
25	4638 497	1	7, 8				DGQ		SPRING, Shift Detent
		1	7, 8				DG8 DDX, DEE DDP		
26	5300 8217	1	7, 8				DGQ		PLUNGER
		1	7, 8				DG8 DDP		
27	5086 340AA	1	7, 8				DDX, DEE DGQ		EXTENSION, Transfer Case
		1	7, 8				DG8 DDP DDX, DEE		
28	5086 335AA	2	7, 8				DGQ		DOWEL, Transfer Case
		2	7, 8				DG8 DDP		
		2	7, 8				DDX, DEE		


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH1]  
Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DD0]= All 5 Speed Manual Transmissions									
[DEE]= 6 Speed Heavy Duty Manual Transmission									
[DGT]= 4 Speed Automatic Transmission [46RE]									
[DGQ]= 5 Speed Automatic Transmission [45RFE]									
1	5086 315AA	1	7, 8				DGQ		SEAL, Input
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
2	5086 314AA	1	7, 8				DGQ		SNAP RING
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
3	5019 579AA	1	7, 8				DGQ		PLATE
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
4	5103 488AA	1	7, 8				DGQ		BEARING, Input Gear
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
5	5086 304AA	1	7, 8				DGQ		SNAP RING
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
6	5086 313AA	1	7, 8				DGQ		THRUST WASHER, Planetary Carrier
		1	7, 8				DG8		
		1	7, 8				DDP		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH1]  
Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5086 348AA	1	7, 8				DDX,		GEAR, Input
		1	7, 8				DEE		
	5086 311AA	1	7, 8				DGQ		
		1	7, 8				DG8		
8	5086 312AA	1	7, 8				DDP		BEARING, Input Shaft
		1	7, 8				DDX,		
		1	7, 8				DEE		
	4338 908	1	7, 8				DDP		
9	4338 908	1	7, 8				DGQ		THRUST WASHER, Planetary Carrier
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX,		
10	5086 316AA	1	7, 8				DEE		SLEEVE, Range Fork
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
11	5086 333AB	1	7, 8				DDX,		BEARING, Output Shaft
		1	7, 8				DEE		
		1	7, 8				DGQ		
		1	7, 8				DG8		
12	5086 310AA	1	7, 8				DDP		PLANETARY, Transfer Case
		1	7, 8				DDX,		
		1	7, 8				DEE		
		1	7, 8				DGQ		
13	5086 310AA	1	7, 8				DG8		SLEEVE, Range Fork
		1	7, 8				DDP		
		1	7, 8				DDX,		
		1	7, 8				DEE		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

Gear Train [DH1]  
Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 316AA	1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
14	5080 503AA	2	7, 8				DDX, DEE		SNAP RING, Clutch Gear
		2	7, 8				DDP		
		2	7, 8				DG8		
		2	7, 8				DGQ		
15	4796 909	1	7, 8				DDX, DEE		SLEEVE, Mode Synchronizer
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
16	5161 431AA	1	7, 8				DGQ		CARRIER, Sprocket
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
17	5086 326AA	1	7, 8				DDP		SPROCKET, Driven
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
		1	7, 8				DG8		
18	5086 328AA	1	7, 8				DGQ		CHAIN, Transfer Case
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
19	5161 429AA	1	7, 8				DGQ		MAINSHAFT, Transfer Case
		1	7, 8				DG8		
		1	7, 8				DDP		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH1]  
Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	5086 338AA	1	7, 8				DDX, DEE		SNAP RING
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
21	5086 333AB	1	7, 8				DDX, DEE		BEARING, Output Shaft
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
22	5086 334AA	1	7, 8				DDX, DEE		SNAP RING
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
23	4269 189	1	7, 8				DDX, DEE		BEARING, Output Shaft
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
24	5161 432AA	1	7, 8				DDX, DEE		OUTPUT SHAFT, Transfer Case
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
25	5143 728AA	1	7, 8				DDX, DEE		SNAP RING
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
26	4219 085	1	7, 8				DDX, DEE		RING, Transmission
		1	7, 8				DGQ		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

Gear Train [DH1]  
Figure 271-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
27									BEARING, Output Shaft
	5103 489AA	1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
28									SEAL, Output Shaft
	5086 343AA	1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
29									HUB, Synchronizer
	5159 201AA	1	7, 8				DDX, DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
30									FLANGE, Driveshaft Yoke
	5086 344AA	1	7, 8				DDX, DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
31									SLINGER, Transfer Case Flange
	5161 433AA	1	7, 8				DG8		
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
32									NUT, Transfer Case Yoke
	4167 924	1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
33									PUMP, Transfer Case Oil


DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Gear Train [DH1]  
Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 339AA	1	7, 8				DDX,		
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Fork and Rails [DH1]  
Figure 271-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DGP]= 4 Speed Automatic Transmission [47RE]									
[DG8]= 4 Speed Automatic Transmission [48RE]									
1	5086 352AA	1	7, 8				DGQ		FORK, Range
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
2	5086 318AA	2	7, 8				DGQ		PAD, Shift Fork
		2	7, 8				DG8		
		2	7, 8				DDP		
		2	7, 8				DDX, DEE		
3	5086 319AA	1	7, 8				DDX, DEE		FORK, Mode
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
4	4167 969	2	7, 8				DDX, DEE		PAD, Shift Fork
		2	7, 8				DDP		
		2	7, 8				DG8		
		2	7, 8				DGQ		
5	4219 073	1	7, 8				DGQ		PAD, Shift Fork
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
6	5086 320AA	1	7, 8				DGQ		SPRING, Mode Fork
		1	7, 8				DG8		
		1	7, 8				DDP		

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					

Fork and Rails [DH1]  
Figure 271-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5134 449AA	1	7, 8				DDX, DEE		SECTOR, Transfer Case
		1	7, 8				DGQ DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
8	5103 491AA	1	7, 8				DGQ DG8		SEAL, O-Ring
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
		1	7, 8				DDX, DEE		
9	5103 492AA	1	7, 8				DDP DG8 DGQ		SUPPORT, Gearshift Lever
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
		1	7, 8				DG8 DGQ		
10	5086 353AA	1	7, 8				DDX, DEE DDP DG8		SPACER
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP DG8 DGQ		
11	5080 227AA	1	7, 8				DDX, DEE		LEVER, Transfer Case
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
12	S243 6163	1	7, 8				DGQ DG8		WASHER, Flat
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
13	6030 310	1	7, 8				NUT		NUT
		1	7, 8				DGQ		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Fork and Rails [DH1]  
Figure 271-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Gearshift Controls and Skid Plate  
Figure 271-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DD0]= All Five Speed Manual Transmissions

[DEE]= Six Speed Heavy Duty Manual Transmission

[DGT]= Four Speed Automatic Transmission [46RE]

[DGQ]= Five Speed Automatic Transmission [45RFE]

[DG0]= All Automatic Transmissions

1	52105 551AB	1	6, 7, 8						SHIFTER, Transfer Case
2	52105 582AA	1	6, 7, 8						PLATE, Transfer Case Shifter
3	6102 141AA	4	6, 7, 8						SCREW, M6x1x25
4	6505 622AA	1	6, 7, 8						SCREW, Hex Head
5	52105 550AA	1	6, 7, 8						LEVER, Transfer Case
6	55366 043AA	1	6, 7, 8						BOOT, Gearshift
7	5210 4174	1	6, 7, 8						KNOB, Gearshift
8	6502 556	1	6, 7, 8						NUT, Hex, M10-1.5
9	5210 5001	1	6, 7, 8						INSERT, Gearshift Knob
10									ROD, Gear Shift Control, Transfer Case
	52105 580AA	1	7, 8				DEE		
	52105 555AA	1	6, 7, 8				DD0		
		1	6, 7, 8				DG0		
11	J018 0077	1	6, 7, 8						BOLT, Hex Head, .312-18x.75
12									CLAMP, Shift Rod, (NOT SERVICED) (Not Serviced)
13	52022 047AB	1	7, 8						SKID PLATE, Transfer Case
14	6502 282	2	2, 3, 7, 8						SCREW, Hex Head, M8x1.25x30

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – 273

## Transfer Case Model 273 [DH3]

### GROUP 273 - Transfer Case Model 273 [DH3]

Illustration Title

Group-Fig. No.

**Transfer Case Assembly**

Transfer Case Assembly [DH3] ..... Fig. 273-110

**Case and Related Parts**

Case and Related Parts [DH3] ..... Fig. 273-210

**Gear Train**


Gear Train [DH3] ..... Fig. 273-410

**Fork and Rails**

Fork and Rail [DH3] ..... Fig. 273-910

**Gearshift Controls**

Gearmotor and Skid Plate ..... Fig. 273-1210




<div>273-100</div> <div>Transfer Case Assembly</div> <div></div>	<div>273-200</div> <div>Case and Related Parts</div> <div></div>	<div>273-400</div> <div>Gear Train</div> <div></div>	<div>273-900</div> <div>Fork and Rails</div> <div></div>
<div>273-1200</div> <div>Gearshift Controls</div> <div></div>			

Transfer Case Assembly [DH3]  
Figure 273-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes  
[DDP] = 5 Speed Manual Transmission  
[DDX] = 5 Speed Heavy Duty Manual Transmission  
[DGP] = 4 Speed Automatic Transmission [47RE}  
[DG8] = 4 Speed Automatic Transmission [48RE]

1									TRANSFER CASE, nvg273
	52105 650AC	1	7, 8				DG8		
	52105 651AC	1	7, 8				DDX, DEE		
		1	7, 8				DDP		
	52105 650AC	1	7, 8				DGQ		



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Case and Related Parts [DH3]  
Figure 273-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DGP] = 4 Speed Automatic Transmission [47RE]									
[DG8] = 4 Speed Automatic Transmission [48RE]									
[ET0] = All 5.9L Turbo Diesel Engines									
[EW0] = All 8.0L Gas Engines									
1	5086 302AB	1	7, 8				DDX,		CASE, Transfer Front
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
2	5080 859AA	1	7, 8				DGQ		BOLT, Hex Flange Head
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX,		
							DEE		
3	4219 065	1	7, 8				DDX,		SNAP RING, Annulus Gear
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
4	5086 332AA	1	7, 8				DDX,		CASE, Transfer Rear
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
5	5086 335AA	1	7, 8				DG8		DOWEL, Transfer Case
		1	7, 8				DGQ		
		1	7, 8				DDX,		
							DEE		
		1	7, 8				DDP		
6	6033 172	6	6, 7, 8						NUT AND WASHER, Hex, .375-24
7									SEAL, Output Shaft


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Case and Related Parts [DH3]  
Figure 273-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 341AA	1	7, 8				DDX, DEE DDP DG8 DGQ		
8	4796 910	1	7, 8				DGQ DG8 DDP		VENT, Transfer Case
		1	7, 8				DDX, DEE		
9	6502 081	1	6, 7, 8						CLAMP, Oil Cooler Line
10	HFV00 516AB	1							HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
11	4213 328	1	7, 8						VENT, Cap
12	4338 943	1	7, 8				DDX, DEE DDP DG8 DGQ		FILTER, Transfer Case Oil
		1	7, 8						
13	4338 944	1	7, 8				DGQ DG8 DDP		CONNECTOR, Oil Tube Pickup
		1	7, 8				DDX, DEE		
14	5086 331AA	1	7, 8				DDX, DEE DDP DG8 DGQ		TUBE, Oil Pickup
		1	7, 8						
		1	7, 8						
15	5086 329AA	1	7, 8				DDX, DEE DDP		CONNECTOR, Oil Tube Pickup
		1	7, 8				DG8		
16		1	7, 8				DGQ		TUBE, Oil Pickup

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

Case and Related Parts [DH3]  
Figure 273-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 330AA	1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
17	4338 942	1	7, 8				DDX, DEE		SEAL, Oil
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		MAGNET, Transmission
18	3681 601	1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
19	4856 641	1	7, 8				DDP		PLUG, Oil Fill
		1	7, 8				DDX, DEE		
		1	7, 8				DGQ		
		1	7, 8				DG8		
20	4886 473AA	1	7, 8				DDX, DEE		SCREW
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
21	4338 956	1	7, 8				DDX, DEE		SEAL, Vacuum Switch
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
22	5019 538AA	1	7, 8				DGQ		SPRING, Poppet Plunger
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case and Related Parts [DH3]  
Figure 273-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	5300 8217	1	7, 8				DG8		PLUNGER
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
24	8350 3512	1	7, 8				DDX, DEE		WASHER, Flat
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
25	5080 859AA	1	7, 8				DDX, DEE		BOLT, Hex Flange Head
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
26	5086 570AA	1	7, 8				DDX, DEE		STUD
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
27	5086 340AA	1	7, 8				DDX, DEE		EXTENSION, Transfer Case
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
28	5019 465AA	1	7, 8				DDX, DEE		BOLT
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
29	5080 859AA	1	7, 8				DGQ		BOLT, Hex Flange Head
		1	7, 8				DG8		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case and Related Parts [DH3]  
Figure 273-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
30	5300 8550	2				ET0, EW0			CLIP
31	5086 336AA	24	7, 8				DGQ		BOLT, Transfer Case
		24	7, 8				DG8		
		24	7, 8				DDX, DEE		
		24	7, 8				DDP		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH3]  
Figure 273-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DDP] = 5 Speed Manual Transmission

[DDX] = 5 Speed Heavy Duty Manual Transmission

[DGP] = 4 Speed Automatic Transmission [47RE]

[DG8] = 4 Speed Automatic Transmission [48RE]

1	5086 314AA	1	7, 8				DGQ		SNAP RING
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
2	4338 910	1	7, 8				DGQ		SNAP RING
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
3	5103 488AA	1	7, 8				DGQ		BEARING, Input Gear
		1	7, 8				DG8		[Front Input]
		1	7, 8				DDP		[Front Input]
		1	7, 8				DDX, DEE		[Front Input]
4	5019 579AA	1	7, 8				DDX, DEE		PLATE
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
5	5086 313AA	1	7, 8				DGQ		THRUST WASHER, Planetary Carrier
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
6	5086 311AA	1	7, 8				DDX, DEE		GEAR, Input
		1	7, 8				DDP		


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH3]  
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5086 348AA	1	7, 8				DGQ		BEARING, Input Shaft [Inner]
		1	7, 8				DG8		
	5086 312AA	1	7, 8				DDX, DEE		
		1	7, 8				DDP		
8		1	7, 8				DG8		THRUST WASHER, Planetary Carrier
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
9	4338 908	1	7, 8				DGQ		BEARING, Output Shaft
		1	7, 8				DG8		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
10	5086 333AB	1	7, 8				DGQ		PLANETARY, Transfer Case
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX, DEE		
11	5086 310AA	1	7, 8				DDX, DEE		SLEEVE, Range Fork
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
12	5086 316AA	1	7, 8				DDX, DEE		SNAP RING
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
13	8350 3532	3	7, 8				DG8		SLEEVE, Mode Synchronizer
		3	7, 8				DDX, DEE		
		3	7, 8				DDP		
		3	7, 8				DGQ		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

Gear Train [DH3]  
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4796 909	1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
14	5086 324AA	1	7, 8				DDX, DEE DDP		CLUTCH, Oneway
		1	7, 8				DG8		
		1	7, 8				DGQ		
15	5161 431AA	1	7, 8				DDX, DEE DDP DG8 DGQ		CARRIER, Sprocket
		1	7, 8				DDX, DEE DDP DG8 DGQ		
16	5086 326AA	1	7, 8				DG8 DGQ DDX,		SPROCKET, Driven
		1	7, 8				DEE DDP		
17	5086 328AA	1	7, 8				DDX, DEE DDP DG8 DGQ		CHAIN, Transfer Case
		1	7, 8				DDX, DEE DDP DG8 DGQ		
18	5161 429AA	1	7, 8				DGQ DG8 DDP		MAINSHAFT, Transfer Case
		1	7, 8				DDX, DEE		
19	5086 333AB	1	7, 8				DGQ DG8 DDP		BEARING, Output Shaft
		1	7, 8						
		1	7, 8						

DODGE RAM (DR)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)				
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)				
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)				
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)				
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)				
				DEC = 5 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH3]  
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	5086 334AA	1	7, 8				DDX, DEE		SNAP RING
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
21	5086 338AA	1	7, 8				DDX, DEE		SNAP RING
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
22	4269 189	1	7, 8				DDX, DEE		BEARING, Output Shaft [Lower rear]
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
23	5161 432AA	1	7, 8				DDX, DEE		OUTPUT SHAFT, Transfer Case
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
24	5086 306AA	1	7, 8				DDP		SNAP RING
		1	7, 8				DG8		
		1	7, 8				DDX,		
		1	7, 8				DEE		
25	5086 314AA	1	7, 8				DDP		BEARING, Output Shaft [Front Output]
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		
26	5103 489AA	1	7, 8				DDX, DEE		RING, Transmission
		1	7, 8				DGQ		
		1	7, 8				DG8		
		1	7, 8				DDP		

DODGE RAM (DR)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)			
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)			
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)			
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)			
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)			
				DEC = 5 Spd. Manual			



Gear Train [DH3]  
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4219 085	1	7, 8				DDX,		
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
27	5086 343AA	1	7, 8				DGQ		SEAL, Output Shaft
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX,		
							DEE		
28	5159 201AA	1	7, 8				DG8		HUB, Synchronizer
		1	7, 8				DGQ		
		1	7, 8				DDP		
		1	7, 8				DDX,		
							DEE		
29	5086 315AA	1	7, 8				DGQ		SEAL, Input
		1	7, 8				DG8		
		1	7, 8				DDP		
		1	7, 8				DDX,		
							DEE		
30	5086 344AA	1	7, 8				DDX,		FLANGE, Driveshaft Yoke
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
31	5161 433AA	1	7, 8				DDX,		SLINGER, Transfer Case Flange
		1	7, 8				DEE		
		1	7, 8				DDP		
32	4167 924	1	7, 8				DDX,		NUT, Transfer Case Yoke
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
33									PUMP, Transfer Case Oil

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH3]  
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 339AA	1	7, 8				DDX,		
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		
34	4210 603	1	7, 8				DDX,		SEAL, Main Shaft
		1	7, 8				DEE		
		1	7, 8				DDP		
		1	7, 8				DG8		
		1	7, 8				DGQ		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Fork and Rail [DH3]  
Figure 273-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DGP] = 4 Speed Automatic Transmission [47RE]									
[DG8] = 4 Speed Automatic Transmission [48RE]									
1	5086 317AA	1	7, 8				DDX, DEE DDP		FORK, Range
		1	7, 8				DG8		
		1	7, 8				DGQ		
2	5086 318AA	1	7, 8				DDP		PAD, Shift Fork
		1	7, 8				DDX, DEE DGQ		
		1	7, 8				DG8		
3	5086 319AA	1	7, 8				DDX, DEE DDP		FORK, Mode
		1	7, 8				DG8		
		1	7, 8				DGQ		
4	4167 969	2	7, 8				DGQ		PAD, Shift Fork
		2	7, 8				DG8		
		2	7, 8				DDP		
		2	7, 8				DDX, DEE		
5	4219 073	1	7, 8				DDX, DEE DDP		PAD, Shift Fork
		1	7, 8				DG8		
		1	7, 8				DGQ		
6	5086 320AA	1	7, 8				DDX, DEE DDP DG8		SPRING, Mode Fork
		1	7, 8						
		1	7, 8						

DODGE RAM (DR)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)					
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)					
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)					
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)					
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)					
				DEC = 5 Spd. Manual					


Fork and Rail [DH3]  
Figure 273-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5086 309AA	1	7, 8				DGQ		SECTOR, Transfer Case
		1	7, 8				DG8		
		1	7, 8				DGQ		
		1	7, 8				DDP		
8	4167 963	1	7, 8				DDX, DEE		SEAL, O-Ring
		1	7, 8				DDX,		
		1	7, 8				DEE		
		1	7, 8				DDP		
9	4167 964	1	7, 8				DG8		SEAL, O-Ring
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
10	5103 491AA	1	7, 8				DG8		SEAL, O-Ring
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
11	5103 512AA	1	7, 8				DG8		ADAPTER
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Gearmotor and Skid Plate  
Figure 273-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes									
[DDP] = 5 Speed Manual Transmission									
[DDX] = 5 Speed Heavy Duty Manual Transmission									
[DGP] = 4 Speed Automatic Transmission [47RE]									
[DG8] = 4 Speed Automatic Transmission [48RE]									
1	52105 582AA	1	6, 7, 8						PLATE, Transfer Case Shifter
		1	1, 2, 3						
2	6102 141AA	4	6, 7, 8						SCREW, M6x1x25
3	52022 047AB	1	7, 8						SKID PLATE, Transfer Case
4	6502 282	2	2, 3, 7, 8						SCREW, Hex Head, M8x1.25x30
5	5086 345AA	1	7, 8				DG8		GEAR MOTOR, Transfer Case
		1	7, 8				DGQ		
		1	7, 8				DDX, DEE		
		1	7, 8				DDP		
6	5066 925AA	3	7, 8				DDX, DEE		BOLT
		3	7, 8				DDP		
		3	7, 8				DGP, DGQ		
		3	7, 8				DG8		


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual




Group – 022  
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks


Illustration Title Group-Fig. No.

<b>Wheels and Hardware</b>	
Wheels And Hardware .....	Fig. 022-130
<b>Jack Stowage</b>	
Jack And Stowage .....	Fig. 022-340
<b>Spare Tire Stowage</b>	
Wheel, Spare Underslung Mounting .....	Fig. 022-430



<b>022-100</b> Wheels and Hardware	<b>022-300</b> Jack Stowage	<b>022-400</b> Spare Tire Stowage	
			

# Wheels And Hardware Figure 022-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEEL, Steel
	XJ45 S4AAA	4	1, 6						[WF8]
		4	1, 6						[WEA]
	52110 456AB	1	1, 6						[WGA]
	5GY14 S4AAC	4	1, 6						[WGB]
	52110 366AB	4	2, 3, 7, 8		41, 42, 62				[WGS]
	52110 457AB	1	1, 6						[WF1]
	52113 265AC	4	1, 6						[WF2]
	52121 267AA	6	3, 8		42, 62				[WD4]
	ZZ23 S4AAA	6	3, 8		42, 62				[WFU]
	52121 267AA	1	3, 8		42, 62				[WF1], With [WLA], Spare
	52121 325AA	1	2, 3, 7, 8		41, 42, 62				[WF1], Without [WLA], Spare
	5GY15 S4AAA	4	2, 3, 7, 8		41, 42, 62				[WD2]
2									WHEEL, Aluminum
	52110 356AB	4	1, 6		41, 61, 62				[WPG]
	52110 166AB	4	1, 6		41, 61				[WF3]
	5GY24 PAKAC	4	1, 6						[WF5]
	5HW99 PAKAB	4	1, 6						[WFO]
	5JG15 PAKAB	4	2, 3, 7, 8		41, 42, 62				[WD3]
	55366 234AA	4	1		61				[WPZ]
	5HK22 PAKAD	4	1, 6						[WF4]
	52013 663AA	4	2, 3, 7, 8		41, 42, 62				[WGD]
3	6036 433AA	20	1, 6						NUT, Wheel
-4	6034 726	32	3, 8		42, 62				NUT, Hex Flange, .56-18
-5	6034 727	32	2, 3, 7, 8		41, 42, 62				NUT, Hex, .516-18
6									STEM, Wheel Valve
	52057 949AC	4	2, 3, 7, 8		41, 42, 62				
	3461 079	2	3, 8		42, 62				[WD4]
	2530 153	2	3, 8		42, 62				With [WLA]
	2073 355	4	1, 6						
7									CAP, Wheel Center, Chrome

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE

1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wheels And Hardware  
Figure 022-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52110 398AA	4	1, 6		41, 61, 62				[WMJ,WPG]
	52110 444AA	4	1, 6						[WF8]
	52106 876AA	2	3, 8		42, 62				[WD4,WMG,WMJ], Front
	52106 877AA	2	3, 8		42, 62				[WD4,WMG,WMJ], Rear
	4753 123	4	1, 6						[WV,WV4,WV5,WV3]
	5290 814AA	4	1, 6						[WPZ]
	52121 450AB	4	2, 3, 7, 8		41, 42, 62				[WGS,WGD]
8	52110 444AA	4	1, 6						[WEA] CAP, Wheel Center, Chrome
	52106 536AC	4	1, 6						[WF2]
	52106 937AA	2	3, 8		42, 62				[WD4,WMG,WMJ] Wheel Skin, Front
	52106 882AA	2	3, 8		42, 62				[WD4,WMG,WMJ] Wheel Skin, Rear
9									CAP, Wheel Center, Argent
	5HC16 S4AAC	4	1, 6						[WGB]
	XY18 PAKAB	4	2, 3, 7, 8		41, 42, 62				[WD3,WD2]
	1AB03 S4AAA	2	3, 8		42, 62				[WV], Front
	1AB04 S4AAA	2	3, 8		42, 62				[WV], Rear
10									WEIGHT, Balance, Perf Part, (NOT SERVICED) (Not Serviced)
-11	52121 073AA-	1	3, 8		41, 42, 62				ADAPTER, Wheel Nut
-12	5086 804AA-	2	2		41, 42, 62				RETAINER, Hub Nut


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Jack And Stowage  
Figure 022-340




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET AND LOCATOR, Jack Stowage
	52110 480AA	1	2, 7		41, 42, 62				
	52110 479AA	1	3, 8		41, 42, 62				
-2									WRENCH, Wheel Lug Nut
	52021 646AA-	1	1, 6						
	52021 647AA-	1	2, 7		41, 42, 62				
		1	3, 8		41, 42, 62				
3	6506 759AA	2							SCREW, Jack
4									EXTENSION KIT, JACK HANDLE
	5072 841AB	1	3, 8		41, 42, 62				
		1	2, 7		41, 42, 62				
	5093 163AA	1	1, 6						Bottle Jack
	5093 510AA	1	1, 6						Scissor Jack
5									WINGSCREW, M6X1.25X65.00
	6507 666AA	1	1, 6						
	52021 663AA	1	2, 3, 7, 8		41, 42, 62				
6									JACK
	52021 288AA	1	2, 7		41, 42, 62				
	52021 289AA	1	3, 8		41, 42, 62				
	52110 302AA	1	1, 6						
-7									BRACKET AND LOCATOR, Jack Stowage
	52110 479AA-	1	3, 8		41, 42, 62				
	52110 480AA-	1	2, 7		41, 42, 62				
-8	52110 304AA-	1	1, 6						BAG, Jack Tool Storage

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Wheel, Spare Underslung Mounting  
Figure 022-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52020 568AB	1							WINCH, Spare Tire Carrier
2	6102 153AA	2							SCREW, Tapping, M8x20
3	52021 649AA	1							GROMMET, Spare Tire Winch Tube
4									PIN, [.625 SHAFT 2.50], (NOT SERVICED) (Not Serviced)
5	52020 572AA	1							TUBE, Winch Actuator
6	52021 669AB	1							GROMMET, Spare Tire Winch Tube



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
<b>Lock Cylinders and Keys</b>	
Lock Cylinders & Components .....	Fig. 23D-110
<b>Windshield Wiper and Washer Systems</b>	
Windshield Wiper & Washer .....	Fig. 23D-230



<div>23D-100</div> <div>Lock Cylinders and Keys</div> <div></div>	<div>23D-200</div> <div>Windshield Wiper and Washer Systems</div> <div></div>		
--	--	--	--

Lock Cylinders & Components  
Figure 23D-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5018 702AA	1							CYLINDER, Ignition Lock
2	5073 356AA	1							CYLINDER, Door Lock
	5073 357AA	1							Right
	4778 117	1							Left
3	4778 117	1							TUMBLER, Door and Deck Number
									1, Wide
4	4778 118	1							TUMBLER, Door and Deck Number
									2, Wide
5	4778 119	1							TUMBLER, Door and Deck Number
									3, Wide
6	4778 120	1							TUMBLER, Door and Deck Number
									4, Wide
7	5010 879AA	1							TUMBLER, Ignition Number 1,
									Sidebar
8	5010 880AA	1							TUMBLER, Ignition Number 2,
									Sidebar
9	5010 881AA	1							TUMBLER, Ignition Number 3,
									Sidebar
10	5010 882AA	1							TUMBLER, Ignition Number 4,
									Sidebar
11	5010 883AB	1							SPRING, Ignition Tumbler, Sidebar
12	4778 121	1							SPRING, Door and Deck Tumbler
13	5018 689AA	1							KEY, Blank
									Key Master without Theft Deterrent
									System
	5018 690AA	1							Key Master with Theft Deterrent
									System (Sentry)
14	4778 149	1							CAP, Door Lock Cylinder, Bright,
									Serviced with Key Cylinder &
									Service Repair Kit
15	5019 605AA	1							SHUTTER, Lock Cylinder, Serviced
									with Key Cylinder & Service Repair
									Kit
16	5071 039AA	1							LEVER, Door Lock
17	4686 481AC	2							TRANSMITTER, Keyless Entry
-18	56045 755AB-	1							RECEIVER, Keyless Entry
19	8350 4802	2							BATTERY, Transmitter
-20	5071 155AA-	1							RETAINER, Lock Rod
-21	6035 412	2							SCREW, Door Lock Cylinder to
									Handle Attaching

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Windshield Wiper & Washer  
Figure 23D-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 100AA	1							BLADE, Wiper, Right & Left
2	55077 132AB	1							ARM, Wiper Right
	55077 133AB	1							Left
3	55077 098AE	1							MODULE, Wiper
4									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
5									RESERVOIR, Washer [ET0] [EW0]
	55077 476AC	1							[EK0] [EV0] [EZ0]
	55077 354AA	1							
6	55077 261AA	1							CAP, Washer Reservoir
7	5103 452AA	1							PUMP, Washer, Windshield
8									SENSOR, Washer Fluid Level [ET0] [EW0]
	55077 351AA	1							[EK0] [EV0] [EZ0]
	55077 484AA	1							
9	HWV00 532AB	1							HOSE 1FT, Windshield Washer, 5/ 32"
10	55056 006AD	1							PANEL, Cowl Top
11	6505 411AA	6							PIN, Push
12	6034 912	4							SCREW, Pan Head, .19-16x.75
-13	5018 105AA-	1							CONNECTOR, Washer Hose, In Line
-14	5011 809AA-	1							GROMMET, Windshield Washer Pump
-15	5013 755AA-	1							GROMMET, Washer Reservoir
-16	55077 248AA-	1							HOSE AND NOZZLE, WINDSHIELD
-17	55077 255AA-	2							NOZZLE, Washer, Windshield

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – 024

## Air Conditioning & Heater

### GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

#### Air Conditioner and Heater Units

Air Conditioner And Heater Unit [HAA]	Fig. 024-110
Air Conditioner And Heater Unit [HAD]	Fig. 024-120

#### Air Conditioner and Heater Plumbing

Plumbing Air Conditioning	Fig. 024-220
Air Conditioning Condenser and Fan	Fig. 024-230
Plumbing, Heater 3.7 and 4.7L Engines	Fig. 024-250
Plumbing, Heater 5.7L Engine	Fig. 024-255
Plumbing, Cabin Heater Diesel Engine	Fig. 024-265
Plumbing, Heater 8.3L Engine	Fig. 024-270
Plumbing, Heater Diesel Engine	Fig. 024-280

#### Air Conditioner and Heater Controls

Controls Heater and Air Conditioning	Fig. 024-310
--------------------------------------	--------------

#### Air Conditioning Compressor


Compressor	Fig. 024-410
------------	--------------

#### Air Conditioning Compressor Mounting

Mounting, Compressor 3.7 and 4.7L Engine	Fig. 024-505
Mounting, Compressor 5.7L Engine	Fig. 024-510
Mounting, Compressor 8.3L Engine	Fig. 024-530
Mounting, Compressor Diesel Engine	Fig. 024-540


#### Air Ducts and Outlets

Air Ducts	Fig. 024-630
-----------	--------------



<b>024-100</b> Air Conditioner and Heater Units 	<b>024-200</b> Air Conditioner and Heater Plumbing 	<b>024-300</b> Air Conditioner and Heater Controls 	<b>024-400</b> Air Conditioning Compressor 
<b>024-500</b> Air Conditioning Compressor Mounting 	<b>024-600</b> Air Ducts and Outlets 		

# Air Conditioner And Heater Unit [HAA] Figure 024-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 955AB	1							CASE, Heater And A/C Unit
2	5073 956AA	1							CASE, Heater And A/C Unit
3	5073 957AA	2							CASE, Heater And A/C Unit
4	5073 958AA	1							CASE, Heater And A/C Unit
5	5073 959AA	1							COVER, A/C and Heater
6	5086 718AA	1							DOOR KIT, A/C And Heater, Includes items 7-10
7	5073 960AB	1							CASE, Heater And A/C Unit
8	5073 963AA	1							DOOR, Panel
-9	5086 921AA-	2							SPRING
10	5019 632AA	3							COUPLING, Servo
11	5073 961AA	1							DUCT, A/C And Heater
12	5073 992AA	2							DOOR, Blend Door
13	4746 573	2							SEAL, Blower Motor
14	5073 962AA	1							DOOR, Recirculation
15	5073 964AA	1							DOOR, Defroster
16	4720 029	2							CLIP, Fresh Air Door
17	5073 965AA	1							CLIP, Motor
18	5073 966AA	1							SHAFT
19	5073 967AA	1							CLIP, Link
20									PACKING, 05142321aa, (NOT SERVICED) (Not Serviced)
21									PACKING, 05142326aa, (NOT SERVICED) (Not Serviced)
22	5019 631AA	4							SERVO, A/C Temperature Door
23	5096 255AA	1							MOTOR, Blower, With Wheel
24	4720 278	1							RESISTOR, Blower Motor
25	5073 994AA	1							HARNESS
26	4720 032	2							STUD, A/C Heater Housing
27	4720 533	46							SCREW, Heater Housing
28	5073 970AA	1							EVAPORATOR, Air Conditioning
-29									EVAPORATOR, Air Conditioning, 05140726aa, (NOT SERVICED) (Not Serviced)
-30									SENSOR, Evaporator Fin Probe, 05140727aa, (NOT SERVICED) (Not Serviced)
31	5073 969AA	1							INSULATOR
32	5073 971AA	1							CORE, Heater
33	5073 972AA	1							CLAMP, Heater Core
34	5073 973AA	1							PACKING


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Conditioner And Heater Unit [HAA]  
Figure 024-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
35	5073 974AA	1							PACKING
36	5073 975AA	1							PACKING
37	5073 976AA	1							PACKING
38	5073 978AA	1							PACKING
39	4746 573	2							SEAL, Blower Motor
40	6101 442	1							U-NUT, M6 x 1.00, M6x1.00
41	5073 979AA	1							PACKING


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



# Air Conditioner And Heater Unit [HAD] Figure 024-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 955AB	1							CASE, Heater And A/C Unit
2	5073 956AA	1							CASE, Heater And A/C Unit
3	5073 957AA	2							CASE, Heater And A/C Unit
4	5073 958AA	1							CASE, Heater And A/C Unit
5	5073 959AA	1							COVER, A/C and Heater
6	5086 718AA	1							DOOR KIT, A/C And Heater, Includes items 7-10
7	5073 960AB	1							CASE, Heater And A/C Unit
8	5073 963AA	1							DOOR, Panel
-9	5086 921AA-	2							SPRING
10	5019 632AA	3							COUPLING, Servo
11	5073 961AA	1							DUCT, A/C And Heater
12	5073 985AA	2							DOOR, Blend Door
13	5073 984AA	2							DOOR, Blend Door
14	5073 962AA	1							DOOR, Recirculation
15	5073 964AA	1							DOOR, Defroster
16	5073 982AA	1							PLATE
17	5073 981AA	1							PLATE
18	5073 965AA	1							CLIP, Motor
19	5073 966AA	1							SHAFT
20	5073 967AA	1							CLIP, Link
21	5073 983AA	1							SERVO, Mode Door
22	5019 631AA	4							SERVO, A/C Temperature Door
23	5096 255AA	1							MOTOR, Blower, With Wheel
24	4720 278	1							RESISTOR, Blower Motor
25	5073 980AA	1							HARNESS
26	4720 032	2							STUD, A/C Heater Housing
27	4720 533	46							SCREW, Heater Housing
28	5073 970AA	1							EVAPORATOR, Air Conditioning
29	5073 969AA	1							INSULATOR
30	5073 971AA	1							CORE, Heater
31	5073 972AA	1							CLAMP, Heater Core
32	5073 973AA	1							PACKING
33	5073 974AA	1							PACKING
34	5073 975AA	1							PACKING
35	5073 976AA	1							PACKING
36	5073 978AA	1							PACKING
37	4746 573	2							SEAL, Blower Motor
38	6101 442	1							U-NUT, M6 x 1.00, M6x1.00
39	5073 979AA	2							PACKING
40	5142 321AA	1							PACKING

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

## LINE

1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

## BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

## ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


## TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Air Conditioner And Heater Unit [HAD]  
Figure 024-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
41	5142 326AA	1							PACKING
42	5142 318AA	1							PACKING

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Plumbing Air Conditioning Figure 024-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EK0 = 3.7L Engine									
Note: Sales Code EV0 = 4.7L Engine									
Note: Sales Code EM0 = 5.9L Engine									
1	6101 445	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
2	55057 044AC	1				EZ0			LINE, A/C Suction & Discharge
	55056 936AC	1				ET0			
3	5073 618AA	1				EK0			O RING, Condenser
		1				EV0			
		1				EZ0			
		1				EWC			
4	5073 616AA	1				EV0			O RING, A/C Line, Compressor
	5080 520AA	1				EWC			
-5	5019 242AA-	1				EWC			CAP, A/C Check Valve
6	5096 084AA	1				EK0			TRANSDUCER, Air Conditioning
		1				EV0			
		1				EZ0			
-7	5073 612AA-	1				EV0			SEAL
-8	5073 618AA-	1				EV0			O RING, A/C Line
	5072 893AA-	1				EWC			
9	5073 260AA	1				EV0			CAP
		1				EZ0			
10	5011 346AA	1				EZ0			VALVE CORE, Service Port
		1				EV0			
		1				EK0			
		1				EWC			
-11	5073 619AA-	1				EV0			SEAL
12	55056 012AC	1				ET0			CONDENSER, A/C
13	4596 152	2							CLIP, A/C Quick Disconnect
14	55055 960AB	1							LINE, A/C Liquid
15	5073 611AA	1							O RING, A/C Liquid Line
16									CLIP, Wiring


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Plumbing Air Conditioning Figure 024-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55056 131AB	4				EK0, EV0, EZ0			
		4				ET0, EW0			
17	55056 020AC	1				EK0, EV0, EZ0			LINE, A/C Liquid
	5290 457AB	1				EWC			
	55056 541AA	1				ET0			[+XCK]
	55056 935AC	1				ET0			[-XCK]
-18	5073 612AA-	1				EV0			SEAL
19	55055 963AC	1							ACCUMULATOR, Suction and Discharge Line
20	55056 239AA	2							CLIP, A/C Quick Disconnect
-21									O RING
	5093 526AA-	1				EZ0			5/8'
		1				EK0			5/8'
		1				EV0			5/8'
	5093 527AA-	1				EWC			1/2'
		2				EK0			1/2'
		2				EV0			1/2'
		2				EZ0			1/2'
-22									LINE, A/C Discharge
	55057 006AB-	1				EK0			
	5290 571AB-	1				EWC			
	55057 045AD-	1				EZ0			
	55057 006AB-	1				EV0			
-23									LINE, A/C Suction
	5290 570AB-	1				EWC			
	55057 007AB-	1				EK0			
		1				EV0			
-24									CLIP, A/C Quick Disconnect Suction Line
	4596 153	2							
	55056 238AA-	2							
25									VALVE
	5073 613AA	1				EWC			


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

## Plumbing Air Conditioning Figure 024-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				EK0,			
		1				EVO, EZ0 ET0			
-26									VALVE CORE, High Flow
	5073 614AA-	1				EK0, EVO, EZ0 ET0			
27		1							COVER, 55056248ab, (NOT SERVICED) (Not Serviced)
-28									GASKET, A/C Compressor, Suction line to compressor
	5127 373AA-	1				EZ0			
		1				EK0			
		1				EVO			

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year


**September 19, 2005**

[illegible]

[« RETURN TO GROUP INDEX](#)

 AR = Use as required   - = Non illustrated part   # = New this model year   September 19, 2005

Plumbing, Heater 3.7 and 4.7L Engines  
 Figure 024-250




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EK0 = 3.7L Engine									
Note: Sales Code EV0 = 4.7L Engine									
1									HOSE, Heater
	55056 231AB	1	1, 6			EV0			
	55056 233AB	1	1, 6			EK0			
2									HOSE, Heater
	5080 540AA	1	1, 6			EK0			Hose only [Return]
	5080 541AA	1	1, 6			EK0			Hose only [Supply]
	55057 265AA	1	1, 6			EV0			
3	6032 277	1				EK0,			CLAMP, Radiator
						EV0,			
						EZ0			
4	55056 233AB	1	1, 6			EK0			HOSE, Heater
5									HOSE, Heater
	5080 545AA	1	1, 6			EV0			
	55057 266AA	1	1, 6			EK0			
-6	5080 539AA-	1	1, 6			EK0			BRACKET, A/C and Heater Hose

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

September 19, 2005

Plumbing, Heater 5.7L Engine  
Figure 024-255




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55057 236AC	1				EZ0			HOSE, Heater
2	55057 237AC	1				EZ0			HOSE, Heater

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



# Plumbing, Cabin Heater Diesel Engine

## Figure 024-265



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COUPLING, Elbow Hose
	5086 824AA	1				ETC			
		1				ETH			
2									PLUG, Pipe
	4429 568	1				ETC			
		3				ETH			
3									PLUG, Pipe
	4429 369	1				ETC			
		1				ETH			
4									HOSE
	5086 818AA	1				ETC			
		1				ETH			
5									NUT, Hex Flange, M10x1.5
	4429 862	1				ETC			
		1				ETH			
6									NUT
	4429 316	2				ETC			
		2				ETH			
7									CLAMP, Hose
	5086 819AA	4				ETC			
		4				ETH			
8									TUBE, Heater
	5086 823AA	1				ETC			[DBB]
		1				ETH			[DBB]
	5093 091AB	1				ETC			[DG0]
		1				ETH			[DG0]
9									HOSE
	5086 822AA	1				ETC			
		1				ETH			
10									COUPLING, Hose
	5093 491AA	1				ETC			
		1				ETH			
11									TUBE, Heater
	5093 091AB	1				ETC			
		1				ETH			

### DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Plumbing, Heater 8.3L Engine  
Figure 024-270


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 329AC	1				EWC			TUBE AND HOSE, Supply
2	5290 449AA	1				EWC			CLIP, Heater Hose
3	5290 449AA	1				EWC			CLIP, Heater Hose
4									HOSE, Heater Supply and Return, (NOT SERVICED) (Not Serviced)



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Plumbing, Heater Diesel Engine  
Figure 024-280


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55056 507AB	1				ET0			HOSE, Heater, Supply with Sleeve
2	55037 607AB	1				ET0			HOSE, Heater, Return with Sleeve
-3	HHR00 034AA-	1							HOSE 1FT, Heater, 3/4"



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Controls Heater and Air Conditioning  
Figure 024-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, Air Conditioning
	55056 323AC	1							[HAD]
	55056 321AC	1							[HAA], With [GVB]
	55056 322AC	1							[HAA], Without [GVB]
	55057 100AC	1							[HCA]
-2	5013 815AA-	1							BULB AND SOCKET, Heater and A/C Control
3									KNOB, A/C And Heater Control - Rotary
	5073 373AA	1							
	5073 374AA	2							Heated Mirror
-4	6101 945	4							SCREW
-5	56045 634AA-	2							COVER, Switch Opening



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Compressor  
Figure 024-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code:  
EV0 = All 4.7L 8 Cyl Gas Engines  
EM0 = All 5.9L 8 Cyl Gas Engines  
EK0 = All 3.7L 6 Cyl Gas Engines

1									COMPRESSOR, Air Conditioning, With Clutch
	55055 339AI	1				ET0			
	55056 336AB	1				EZ0			
	55056 444AB	1				EK0,			
						EV0			
	5290 012AB	1				EWC			
2	5016 127AA	1				ET0			CLUTCH, A/C Compressor
-3	6505 487AA-	1				EK0,			SCREW AND WASHER, M10x1.
						EV0			5x45, Mounting
-4	5093 485AA-	1				EWC			PULLEY HUB KIT, A/C Compressor
-5	5003 681AA-	1				EWC			COIL, Air Conditioning Clutch
-6	5066 228AA-	1				EWC			CLUTCH OVERHAUL KIT, A/C Compressor
-7	5264 454	1				EWC			SNAP RING KIT, A/C Clutch
-8	5127 373AA-	1				EK0			GASKET, A/C Compressor

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Mounting, Compressor 3.7 and 4.7L Engine  
Figure 024-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EV0 = 4.7 L Engine  
Note: Sales Code EK0 = 3.7L Gas Engine


1	6504 344	1				EK0, EV0			SCREW AND WASHER, Hex Head
2	6505 487AA	1				EK0, EV0			SCREW AND WASHER, M10x1. 5x45
3	6102 047AA	6				EV0			SCREW, Hex Head, M8x1.25x50
4	55056 444AB	1				EK0, EV0			COMPRESSOR, Air Conditioning
5	6504 441	1				EK0, EV0			SCREW AND WASHER, [M24x2. 0x40.0]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

## Mounting, Compressor 5.7L Engine Figure 024-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW AND WASHER, Hex Head, M8x1.25x35, (NOT SERVICED) (Not Serviced)
2	6506 688AA	1				EZ0			SCREW AND WASHER, Hex
-3	6506 723AA-	1				EZ0			STUD, Double Ended

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

Mounting, Compressor 8.3L Engine  
Figure 024-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Code  
EL0 = All 5.2L 8 Cyl Gas Engines  
EM0 = All 5.9L 8 Cyl Gas Engines  
EW0 = All 8.0L Gas Engines

1									SCREW, (NOT SERVICED) (Not Serviced)
2									SCREW, (NOT SERVICED) (Not Serviced)
3									SCREW, (NOT SERVICED) (Not Serviced)
4									SCREW, (NOT SERVICED) (Not Serviced)
5	5037 348AC	1				EWC			BRACKET, A/C Compressor

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Mounting, Compressor Diesel Engine  
 Figure 024-540




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code ET0 = 5.9L Diesel Engine

1	5093 120AA	1				ETC			CONNECTOR, Water Inlet
		1				ETH			
2									SCREW, (M8x1.25x100, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Air Ducts  
Figure 024-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5GT31 WL8AA	1							COVER, Instrument Panel
	5GT31 XDVA	1							[L5]
2	WP33 WL5AA	1							OUTLET, Air
	WP33 XDVA	1							[L5]
-3	6504 067	10							CLIP, Hood
4	WP34 1L5AA	1							OUTLET, Air
	WP34 XDVA	1							[L5]
-5	5080 598AA-	1							DUCT, Demister
	5080 599AA-	1							Right
6	WL88 1L5AA	1							GRILLE, Demister
	WL88 XDVA	1							[L5], Right
	WL89 1L5AA	1							[DV], Right
	WL89 XDVA	1							[L5], Left
7	WP36 1DVAA	1							OUTLET, Air
	WP36 1L5AA	1							[DV], Right
	WP37 1DVAA	1							[L5], Right
	WP37 1L5AA	1							[DV], Left
-8	6504 067	10							[L5], Left
9	55055 978AA	1							CLIP, Hood, Air Outlet
10	55056 045AA	1							ADAPTER, A/C And Heater Unit
-11	5080 590AA-	1							ADAPTER, Defroster Duct
-12	5142 321AA-	1							DUCT, Defroster
	5142 326AA-	1							PACKING
13	6101 945	4							Upper
									Lower
									SCREW

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – 025

## Emission Systems

### GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

#### EGR Systems

EGR System ..... Fig. 025-205

#### Vacuum Canister

Vacuum Canister ..... Fig. 025-310


#### Emission Harness




Emission Control Vacuum Harness, 3.7L [EKG], 4.7L [EVA] 8.3L [EWC] 5,7 [EZ0] ..... Fig. 025-410

Emission Control Vacuum Harness 5.7L ..... Fig. 025-415


Vacuum Pump Plugs ..... Fig. 025-420

Leak Detection Pump, ..... Fig. 025-430



<b>025-200</b> EGR Systems	<b>025-300</b> Vacuum Canister	<b>025-400</b> Emission Harness	
			

EGR System  
Figure 025-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									GASKET, EGR Valve
	53032 212AA	1	2, 3, 7, 8		41, 42, 62	EZ0			
		1	1, 6			EZ0			
2	53032 509AE	1	1, 6			EZ0			VALVE, EGR
3	53032 511AF	1	1, 6			EZ0			TUBE, EGR
4									SEAL, EGR Tube
	4591 250	1	2, 3, 7, 8		41, 42, 62	EZ0			
		1	1, 6			EZ0			
5	5277 928	1	1, 6			EZ0			GASKET, EGR Tube Flange
-6	4591 251AB-	1				EZ0			CLIP, Emission, EGR Tube to Intake Manifold
-7	53032 739AA-	1	2, 3, 7, 8		41, 42, 62	EZ0			COVER, EGR Valve, This also contian Item #5 and #9
-8	4891 312AA-	1	2, 3, 7, 8		41, 42, 62	EZ0			ISOLATOR AND SEAL, EGR Blocker
-9	6102 230AA-	2	2, 3, 7, 8		41, 42, 62	EZ0			SCREW, m8x1.25x22.00, EGR Valve Cover Plate to head mounting
-10	6504 793AA-	2	1, 6			EZ0			SCREW, Hex Flange Head, M8x1. 25x28.00, EGR Valve mounting to Head
-11	6507 071AA-	2				EZ0			SCREW AND WASHER, Hex, EGR Cover To Cylinder Head
-12	6504 829AA-	2	1, 6			EZ0			SCREW, Hex Flange Head, EGR Tube To EGR Valve

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Vacuum Canister  
Figure 025-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EK0]= All 3.7L, 6 Cylinder Gas Engines

[EM0]= All 5.9L, 8 Cylinder Gas Engines

[EV0]= All 4.7L, 8 Cylinder Gas Engines

1									HOSE, Vapor Canister Pass Thru
	53032 052AC	1	2, 3, 7, 8		41, 42, 62	EZA			
	52110 237AC	1	1, 6		41	EK0, EV0, EZA			
		1	1, 6		42	EK0, EV0, EZA			
		1	1, 6		62	EK0, EV0, EZA			
2	3820 667	1	2, 3, 7, 8		41, 42, 62	EWD, EZA			CAP, Vapor Canister
3	53032 172AB	1	2, 3, 7, 8		41, 42, 62	EWD, EZA			BRACKET, Vapor Canister
4									CANISTER, Vapor
	4891 567AA	1	1, 6		42, 62	EK0, EV0, EZA			
		1	1, 6		41	EK0, EV0, EZA			
	5290 428AB	1	1			EWC			
	5303 0837	1	2, 3, 7, 8		41, 42, 62	EZA			
	52110 232AD	1	1, 6			EK0, EV0, EZA			
5	53031 584AC	1	2, 3, 7, 8		41, 42, 62	EWD, EZA			CANISTER, Fuel Vapor
6									COVER, Vapor Canister
	52102 872AA	1	2, 3		41, 42, 62	EWD, EZA			
		1	7, 8		41, 42, 62	EWD, EZA			


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Vacuum Canister  
Figure 025-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52113 724AA	1	1		42, 62	EK0, EV0, EZA			
		1	1		41	EK0, EV0, EZA			
7									SCREW, M6x1.00x11.00, (NOT SERVICED) (Not Serviced)
-8									CAP, Vent Tube
	53031 643AA-	1	2, 3, 7, 8		41, 42, 62	EZA			
		1	2, 3, 7, 8		41, 42, 62	EWD			
-9									HARNESS, Vacuum Canister Purge
	52102 941AB-	1	2, 3, 7, 8		41	EW0			
		1	2, 3, 7, 8		42	EW0			
		1	2, 3, 7, 8		62	EW0			
	52121 313AB-	1	2, 3, 7, 8		41	EZA			
		1	2, 3, 7, 8		62	EZA			
		1	2, 3, 7, 8		42	EZA			
10									STUD, M6X1.00X.250-14X30.00
	6503 951	1	1, 6			EK0, EV0, EZA			
		3	2, 3, 7, 8		41, 42, 62	EZA			
		3	2, 3, 7, 8		41, 42, 62	EWD, EZA			
-11	4364 375	2	2, 3, 7, 8		41, 42, 62	EZA			TUBE, Convolved
-12	52110 273AA-	1	1, 6			EK0, EV0, EZA			HOSE, Filter to Canister
-13	55366 625AA-	1				EK0, EV0, EZ0			CAP, Bolt Cover
-14	4885 827AA-	1	1, 6			EK0, EV0, EZA			SEAL, Canister and NVLD Mounting

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Vacuum Canister  
Figure 025-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-15	6101 445	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Vapor Canister & Filter To Brkt
-16	6100 048	2							NUT, Hex, M6x1.00, Attaches Canister and Filter

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

**Emission Control Vacuum Harness, 3.7L [EKG], 4.7L [EVA] 8.3L [EWC] 5,7 [EZ0]  
Figure 025-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5290 463AA	1				EWC			SOLENOID AND BRACKET, Duty Purge Cycle
-2	4669 475AB-	1				EWC			SOLENOID, Duty Cycle Purge
3	5303 0987	1	2, 3, 7, 8		41, 42, 62	EZA			BUSHING, Isolator
4	5029 496AC	1				EWC			HARNESS, Vapor Canister Purge
5	53032 053AB	1	1, 6			EK0			HARNESS, Vacuum Emission
	53032 054AC	1	1, 6			EV0			
6	52110 270AC	1	1, 6			EK0, EV0			HARNESS, Vapor Canister Purge
-7	6035 625	2				EK0, EV0, EW0, EZ0			SCREW
-8	4669 569	1				EK0, EV0, EZ0			SOLENOID, Proportional Purge
-9	52121 071AB-	1				EK0, EV0, EZ0			BRACKET, Solenoid
-10									ELBOW, Vapor Tube Harness, .25x. 25 90 Degree
	4275 637	1	2, 3, 7, 8		41	EZA			
		1	2, 3, 7, 8		41	EW0			
-11	4669 657	1				EV0			CAP, Vacuum Port
-12	52121 114AA-	1				EK0, EV0, EZ0			BRACKET, Proportional Purge Solenoid
-13	5037 421AA-	1				EWC			HARNESS, CCV To Air Cleaner
-14	52121 115AB-	1				EK0, EV0, EZ0			HARNESS, Proportional Purge Solenoid
-15	5290 534AA-	1				EWC			HOSE, Vacuum

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual




Emission Control Vaccum Harness 5.7L  
Figure 025-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52121 035AD	1				EZ0			HARNESS, Vacuum Emission, Light Duty
2	52110 290AC	1	1, 6			EZA			HARNESS, Vapor Canister Purge
3	53032 056AB	1	2, 3, 7, 8		41, 42, 62	EZA			SOLENOID AND BRACKET, Duty Purge Cycle
4	52121 036AE	1	2, 3, 7, 8		41, 42, 62	EZA			HARNESS, Vapor Canister Purge
-5	55366 863AA-	1				EZ0			CLIP, Vacuum Harness

5.7L LD




5.7L HD



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Vacuum Pump Plugs  
Figure 025-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:[ ETC]= 5.9L Cummins 24 Valve Diesel,  
[ ETH]= 5.9L HO Cummins Turbo Diesel,  
[ DBB]= Manual Transmissions

1									PLUG, Expansion
	5003 614AA	2				ETC	DBB		
		2				ETC	DG0		
		2				ETH	DBB		
		2				ETH	DG0		
2									O RING
	5003 604AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
3									PLUG, Expansion
	5086 738AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		
4									O RING
	5003 602AA	1				ETC	DBB		
		1				ETC	DG0		
		1				ETH	DBB		
		1				ETH	DG0		

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Leak Detection Pump, Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52102 793AA	1	2, 3, 7, 8		41, 42, 62	EZA			HOSE, Leak Detection Pump to Canister
2	52121 099AA	1	2, 3, 7, 8		41, 42, 62	EZA			BRACKET
3	52102 792AA	1	2, 3, 7, 8		41, 42, 62	EWD			BRACKET, Leak Detection Pump
4	5290 423AA	1				EWC			DETECTOR, Natural Vacuum Leak Detection
	4891 427AB	1	2, 3, 7, 8		41, 42, 62	EZA			
	4891 524AA	1	1, 6			EK0, EV0, EZA			
5	6503 343	1	2, 3, 7, 8		41, 42, 62	EWD, EZA			SCREW
6	52121 100AA	1	2, 3, 7, 8		41, 42, 62	EZA			HOSE, Filter to NVLD
7									SCREW, M6x1.00x11.00, [M6X1.00X11.00], (NOT SERVICED) (Not Serviced)
8	4891 561AA	1	1, 6			EK0, EV0, EZ0			FILTER, Leak Detection Pump
	53013 376AB	1	2, 3, 7, 8		41, 42, 62	EZ0			
	5085 164AA	1	1			EWC			
	53013 376AB	1	2, 3, 7, 8		41, 42, 62	EWD, EZ0			
-9									BRACKET, Natural Vacuum Leak Detection
	52110 314AC-	1	1, 6			EK0, EV0, EZA			Filter Assembly
		1	1			EWC			Filter Assembly
10									HOSE, Vapor Canister Pass Thru


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Leak Detection Pump, Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52110 233AB	1	1, 6		42, 62	EK0, EV0, EZA			
		1	1, 6		41	EK0, EV0, EZA			
	53032 052AC	1	2, 3, 7, 8		41, 42, 62	EZA			
11	3820 667	1	2, 3, 7, 8		41, 42, 62	EZA			CAP, Vapor Canister
12	6100 048	2	1, 6		42, 62	EK0, EV0, EZA			NUT, Hex, M6x1.00
		4	1			EZ0 EWC			
13	52113 869AB	1	1, 6			EK0, EV0, EZA			BRACKET, Vapor Canister
	53032 172AB	1	2, 3, 7, 8		41, 42, 62	EZA			
14									SCREW, [M8X1.25X25.00], (NOT SERVICED) (Not Serviced)
15	53031 584AC	1	2, 3, 7, 8		41, 42, 62	EWD, EZA			CANISTER, Fuel Vapor
16	4891 567AA	1	1, 6		42, 62	EK0, EV0, EZA			CANISTER, Vapor
	52110 232AB	1	1, 6			EK0, EV0, EZA			
	5303 0837	1	2, 3, 7, 8		41, 42, 62	EZA			
	5290 428AB	1	1			EWC			
17	52102 872AA	1	7, 8		41, 42, 62	EZA			COVER, Vapor Canister
		1	2, 3		41, 42, 62	EZA			

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)

DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)


DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Leak Detection Pump,  
Figure 025-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52113 724AA	1	1		42, 62	EK0, EV0, EZA			
		1	1		41	EK0, EV0, EZA			
18									SCREW, [M6X1.00X11.00], (NOT SERVICED) (Not Serviced)
-19	52107 851AA-	1					DG8		CLIP, Secures Leak Detection pump
20	5093 205AA	2	2, 3, 7, 8		41, 42, 62	EZA			CLAMP
-21	4669 865	2				EWC			VALVE, Vent
-22	4891 416AB-	1				EWC			PUMP, Leak Detection
-23	6036 039AA-	3	2, 3, 7, 8		41, 42, 62	EWD			SCREW, .190-16x.542 Leak detection pump to bracket mounting
		3				EWC			Leak detection pump to bracket mounting
-24	52102 772AA-	1	2, 3, 7, 8		41, 42, 62	EWD			HOSE, Filter to Leak Detection Pump
-25	4885 827AA-	1	1, 6			EK0, EV0, EZA			SEAL, Canister and NVLD Mounting

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – DDR

## Doors and Related Parts

### GROUP DDR - Doors and Related Parts

Illustration Title Group-Fig. No.

#### Front Door

Door, Front Shell And Hinges .....	Fig. DDR-110
Door, Front Glass And Regulator .....	Fig. DDR-120
Door, Front Lock And Controls .....	Fig. DDR-130

#### Rear Door


Door, Rear Shell And Hinges .....	Fig. DDR-210
Door, Rear Glass And Regulator .....	Fig. DDR-220
Door, Rear Lock And Controls .....	Fig. DDR-230

#### Exterior Mirror

Mirrors, Exterior .....	Fig. DDR-510
-------------------------	--------------


#### Weatherstrips and Seals

Weatherstrips, Door Conventional Cab .....	Fig. DDR-610
Weatherstrips, Door Quad Cab .....	Fig. DDR-620



<b>DDR-100</b> Front Door	<b>DDR-200</b> Rear Door	<b>DDR-500</b> Exterior Mirror	<b>DDR-600</b> Weatherstrips and Seals

Door, Front Shell And Hinges  
Figure DDR-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55275 852AE	1			41, 42				Right
	55275 853AE	1			41, 42				Left
	55276 054AE	1			61, 62				Right
	55276 055AE	1			61, 62				Left
2									PANEL, Front Door Outer Repair
	55276 056AC	1			61, 62				Right
	55276 057AC	1			61, 62				Left
	55275 856AB	1			41, 42				Right
	55275 857AB	1			41, 42				Left
3									HINGE, Door
	55275 630AB	1							Right,Upper
	55275 631AB	1							Left,Upper
4	55275 634AA	2							HINGE, Door, Lower
5	6101 809	1							NUT AND WASHER, Hex, M8x1.25
6	6503 538	12							SCREW AND WASHER, Hex Head, M8x1.25x30
7	6505 269AA	4							SCREW AND WASHER, Head Head Lock, M8-1.25x30.00
8	55256 920AC	4							WASHER, Flat
9	6504 804	4							STUD, M8-1.25x46

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Door, Front Glass And Regulator  
Figure DDR-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Front Door Window
	55276 206AD	1							Right
	55276 207AD	1							Left
	55275 598AC	1							Power, with Motor, Right
	55275 599AC	1							Power, with Motor, Left
2	6504 055	4							SCREW, Hex Head, M6x1x16
3									NUT, M6X1.00, (NOT SERVICED)
									(Not Serviced)
-4	5HK37 DX9AB-	2							HANDLE, Window Regulator
5									CHANNEL, Front Door Glass Lower
	55276 836AB	1			61, 62				Right
	55276 837AB	1			61, 62				Left
	55275 942AC	1			41, 42				Right
	55275 943AC	1			41, 42				Left
6									CHANNEL, Front Door Glass Lower
	55276 128AD	1			41, 42				Right
	55276 129AD	1			41, 42				Left
	55276 444AD	1			61, 62				Long, Right
	55276 445AD	1			61, 62				Long, Left
7									GLASS, Front Door
	55276 600AC	1			61, 62				Right
	55276 601AC	1			61, 62				Left
	55276 602AC	1			41, 42				Right
	55276 603AC	1			41, 42				Left
8									SCREW AND WASHER, Tapping,
									M6-1.0x20.0
	6504 987AA	4			41, 42				
		2			61, 62				


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Door, Front Lock And Controls  
Figure DDR-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 949AB	1							HANDLE, Front Door Exterior
	55276 882AA	1							With Lock Cylinder, Left
	55275 948AB	1							Without Lock Cylinder, With [GXM], Right
2									Without Lock Cylinder, Without [GXM], Right
	55275 946AA	1			41, 42				LINK, Outside Handle To Latch, Front Door Right
	55275 947AA	1			41, 42				Left
	55276 394AA	1			61, 62				Right
3	55276 395AA	1			61, 62				Left
									LINK, Key Cylinder To Latch
	55276 392AA	1			61, 62				Right
	55276 393AA	1			61, 62				Left
4	55276 142AA	1			41, 42				Right
	55276 143AA	1			41, 42				Left
									LATCH, Front Door
	55276 883AA	1			61, 62				[JPB+GXM], Right
	55276 888AB	1			41, 42				[JPB+GXM], Right
	55276 584AD	1			61, 62				[JPB-GXM], Right
	55276 790AE	1			41, 42				[JPB-GXM], Right
	55276 585AD	1			61, 62				[JPB], Left
	55276 791AE	1			41, 42				[JPB], Left
	55276 586AD	1			61, 62				[-JPB], Right
	55276 587AD	1			61, 62				[-JPB], Left
	55276 792AE	1			41, 42				[-JPB], Right
5	55276 793AE	1			41, 42				[-JPB], Left
	6101 443	4							NUT AND WASHER, Hex, M5x.80
6									LINK AND SLEEVE, INSIDE
	55275 944AB	1			41, 42				REMOTE Right
	55275 945AB	1			41, 42				Left
	55276 346AB	1			61, 62				Right
7	55276 347AB	1			61, 62				Left
									NUT, M6X1.00, (NOT SERVICED) (Not Serviced)
8	55276 350AA	1							HOUSING, Door Remote Control Right
	55276 351AA	1							Left
9									HANDLE, Inside Release

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door, Front Lock And Controls  
Figure DDR-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55276 126AB	1							Right
	55276 127AB	1							Left
10	4780 259	2							STRIKER, Door
11									SCREW, Oval Head, SCREW, (NOT SERVICED) (Not Serviced)
12									KNOB AND LINK, Door Lock
	5GT66 DX9AA	2			41, 42				Right & Left
	5029 748AA	1	1, 6		61, 62				[GXL], Right
	5029 749AA	1	1, 6		61, 62				[GXL], Left
	5HB51 DX9AA	1			61, 62				[-GXL], Right
	5HB52 DX9AA	1			61, 62				[-GXL], Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Door, Rear Shell And Hinges  
Figure DDR-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	55276 118AF	1			41, 42				Right
	55276 119AF	1			41, 42				Left
2									PANEL, Door Outer
	55276 120AB	1			41, 42				Right
	55276 121AB	1			41, 42				Left
3									HINGE, Door Half
	55276 106AB	1			41, 42				Right,Upper
	55276 107AB	1			41, 42				Left,Upper
4									HINGE, Door Half
	55276 416AA	1			41, 42				Lower,Right
	55276 417AA	1			41, 42				Lower,Left
5									SCREW, M8X1.25X33.32, (NOT SERVICED) (Not Serviced)
6	6101 809	1							NUT AND WASHER, Hex, M8x1.25
7	6503 538	12			41, 42				SCREW AND WASHER, Hex Head, M8x1.25x30
8	6505 269AA	4			41, 42				SCREW AND WASHER, Head Head Lock, M8-1.25x30.00
9	55256 920AC	4			41, 42				WASHER, Flat
10	6504 804	4							STUD, M8-1.25x46
11	5056 072AA	2			41, 42				LABEL, Child Protection Lock, English

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door, Rear Glass And Regulator  
Figure DDR-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Rear Door Window
	55276 116AC	1			41, 42				Right
	55276 117AC	1			41, 42				Left
	55276 102AC	1			41, 42				Power, with Motor, Right
	55276 103AC	1			41, 42				Power, with Motor, Left
2	6504 055	4			41, 42				SCREW, Hex Head, M6x1x16
3									NUT, M6X1.00, (NOT SERVICED) (Not Serviced)
4									CHANNEL, Rear Door Front
	55276 112AC	1			41, 42				Right
	55276 113AC	1			41, 42				Left
5									CHANNEL, Rear Door Glass
	55276 114AC	1			41, 42				Right
	55276 115AC	1			41, 42				Left
6									GLASS, Rear Door
	55276 108AB	1			41, 42				Right
	55276 109AB	1			41, 42				Left
7	6504 987AA	4			41, 42				SCREW AND WASHER, Tapping, M6-1.0x20.0

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Door, Rear Lock And Controls  
Figure DDR-230


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Rear Door
	55276 794AB	1			41, 42				With [JPB], Right
	55276 795AB	1			41, 42				With [JPB], Left
	55276 796AB	1			41, 42				Without [JPB], Right
	55276 797AB	1			41, 42				Without [JPB], Left
2									LINK AND SLEEVE, Rear Door Inside Remote to Latch
	55276 146AC	1			41, 42				Right
	55276 147AC	1			41, 42				Left
3	6507 121AA	6			41, 42				SCREW
4									TAPE, (NOT SERVICED) (Not Serviced)
5									HANDLE, Cargo Door Shutface
	55275 684AB	1			41, 42				Right
	55275 685AB	1			41, 42				Left
6									LINK, Outside Handle To Latch, Front Door
	55276 334AA	1			41, 42				Right
	55276 335AA	1			41, 42				Left
7									LINK AND SLEEVE, INSIDE REMOTE
	55276 148AC	1			41, 42				Right
	55276 149AC	1			41, 42				Left
8	4673 358	2			41, 42				CLIP, Anti Rattle
9									KNOB AND LINK, Door Lock
	5GT74 DX9AA	1			41, 42				Right
	5GT75 DX9AA	1			41, 42				Left
10	55276 150AA	2			41, 42				BELLCRANK, Outside Door Handle
11									HOUSING, Door Remote Control
	55276 350AA	1			41, 42				Right
	55276 351AA	1			41, 42				Left
12	4780 259	2			41, 42				STRIKER, Door
13									SCREW, Oval Head, SCREW, (NOT SERVICED) (Not Serviced)
14	5HK37 DX9AB	2			41, 42				HANDLE, Window Regulator
15									HANDLE, Inside Release
	55276 126AB	1			41, 42				Right
	55276 127AB	1			41, 42				Left
16	6101 443	4			41, 42				NUT AND WASHER, Hex, M5x.80
17									NUT, M6X1.00, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

### Door, Rear Lock And Controls Figure DDR-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5008 292AB	2			41, 42				SEAL, Child Lock Lever
19	5257 081	4			41, 42				PLUG, Door

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

Mirrors, Exterior  
Figure DDR-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code GPU= Mirrors 6x9 Black									
Note: Sales Code GPD= Mirrors Trailer Tow									
1									MIRROR, Outside Rearview, Manual
	55077 438AF	1							[GPU], Right
	55077 439AE	1							[GPU,GPT], Left
	55077 493AF	1							[GPD], Left
	55077 752AB	1							[GPT], Right
	55077 442AF	1							[GTS+ABD], Right
	55077 441AE	1							[GTS,GPV], Left
	55077 492AG	1							[GPD], Right
2									MIRROR, Outside Rearview
	55077 440AE	1							[GTS], Right
	55077 702AA	1							[GPV], Right
	55077 442AF	1							[GTS+ABD], Right
	55077 441AE	1							[GTS,GPV] Up To 2-11-04, Left
	55077 925AA	1							[GTS,GPV] After 2-11-04, Left
	55077 444AG	1							[GPG], Right
	55077 445AF	1							[GPG], Left
3	6100 047	6							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
-4									GLASS, Mirror Replacement
	5101 862AA-	1							[GPT], Right
	5101 860AA-	1							[GPT], Left
	5086 218AA-	1							[GPG], Right
	5086 219AA-	1							[GPG], Left
	5086 216AA-	1							[GPU], Right
	5086 217AA-	1							[GPU], Left
	5086 220AA-	1							[GTS-ABD], Right
	5086 221AA-	1							[GTS,GPV], Left
	55078 092AA-	1							[GTS+ABD], Right
-5	6101 447	6							NUT, [GVA=GVB]

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Weatherstrips, Door Conventional Cab Figure DDR-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAL, Body Side
	55257 430AA	1							Right
	55257 431AA	1							Left
2									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
3									RETAINER, Bodyside Seal
	55276 200AC	1			61, 62				Right
	55276 201AC	1			61, 62				Left
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
4									SCREW
	6507 595AA	26			41, 42				
		20			61, 62				
5									SEAL, Body Side
	55276 944AA	2			61, 62				
	55276 941AA	2			41, 42				
6									WEATHERSTRIP, Door Opening
	55275 611AD	2			61, 62				
	55275 609AD	2			41, 42				
7									SEAL, Glass Run, Front
	55275 612AE	1			61, 62				Right
	55275 613AE	1			61, 62				Left
	55276 180AD	1			41, 42				Right
	55276 181AD	1			41, 42				Left
8	55359 869AA	2							SEAL, Front Door
9									WEATHERSTRIP, Door Belt
	55276 897AB	2			61, 62				
	55276 896AB	2			41, 42				
10									WEATHERSTRIP, Door Belt
	55276 942AA	1			61, 62				Right
	55276 943AA	1			61, 62				Left
	55276 202AC	1			41, 42				Right
	55276 203AC	1			41, 42				Left
11									WATERSHIELD, Front Door
	55276 174AH	1			61, 62				Right
	55276 175AH	1			61, 62				Left
	55276 172AH	1			41, 42				Right
	55276 173AH	1			41, 42				Left
12	55276 593AD	2			61, 62				SEAL, B-Pillar

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Weatherstrips, Door Quad Cab  
Figure DDR-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55276 593AD	2							SEAL, B-Pillar
2	55276 895AB	2			41, 42				SEAL, Rear Door
3									SEAL, B-Pillar
	55276 438AC	1			41, 42				Right
	55276 439AC	1			41, 42				Left
4									SCREW, Tapping, .19-16x.625, (NOT SERVICED) (Not Serviced)
5									WATERSHIELD, Rear Door
	55276 170AE	1			41, 42				Right
	55276 171AE	1			41, 42				Left
6	55276 896AB	2			41, 42				WEATHERSTRIP, Door Belt
7									SEAL, Foam, (NOT SERVICED) (Not Serviced)
8									WATERSHIELD, Front Door
	55276 172AH	1			41, 42				Right
	55276 173AH	1			41, 42				Left
9									SEAL, Body Side
	55257 430AA	1							Right
	55257 431AA	1							Left
10									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
11									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
12	6036 548AA	1							SCREW
13	55276 941AA	2			41, 42				SEAL, Body Side
14	55275 609AD	2			41, 42				WEATHERSTRIP, Door Opening, Front
15	55275 608AE	2			41, 42				WEATHERSTRIP, Door Opening, Rear
16									SEAL, Rear Door
	55276 164AD	1			41, 42				Right
	55276 165AD	1			41, 42				Left
17									WEATHERSTRIP, Door Belt
	55276 958AA	1			41, 42				Right
	55276 959AA	1			41, 42				Left
18									SCREW, M4X.7X10.0, (NOT SERVICED) (Not Serviced)
19	55359 868AA	2			41, 42				SEAL
20									WEATHERSTRIP, Door Belt


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Weatherstrips, Door Quad Cab  
Figure DDR-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	55276 202AC	1			41, 42				Right
	55276 203AC	1			41, 42				Left
	55276 180AD	1			41, 42				SEAL, Glass Run, Front
	55276 181AD	1			41, 42				Right
	55276 181AD	1			41, 42				Left
22	55275 610AC	2							SEAL, Front Door

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Group – EDR

## Exterior Ornamentation

### GROUP EDR - Exterior Ornamentation

Illustration Title

Group-Fig. No.

#### Nameplates

Nameplates

Fig. EDR-110

#### Moldings and Ornamentation

Moldings and Ornamentation

Fig. EDR-210

Cladding and Sill Moldings, SRT


Fig. EDR-220






Claddings and Tapes, Rumble Bee

Fig. EDR-230


Claddings and Tapes, Hemi Sport

Fig. EDR-240



<div>EDR-100</div> <div>Nameplates</div> <div></div>	<div>EDR-200</div> <div>Moldings and Ornamentation</div> <div></div>		
--	---	--	--

Nameplates  
Figure EDR-110





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55077 300AA	1							NAMEPLATE, Dodge, [MUR]
2	55077 299AA	1	6, 7, 8						NAMEPLATE, 4x4 [MUS]
	55077 670AA	1							Laramie
3	55077 326AB	1							NAMEPLATE, SLT, Bodyside or Tailgate, [MTD]
4	55077 336AA	2	1, 6						NAMEPLATE, Door, Ram 1500
5	55077 331AB	2	2, 7			41, 42, 62			NAMEPLATE, Ram 2500
6	55077 332AB	2	3, 8			41, 42, 62			NAMEPLATE, Ram 3500
-7	55077 329AB-	2							NAMEPLATE CUMMINS TURBO DIESEL
	55077 661AA-	2							HEMI
	55077 671AA-	1	2, 3, 7, 8			41, 42, 62			HEAVY DUTY
-8	55077 672AA-	2	6, 7, 8						DECAL, 4X4 OFFROAD
-9	8220 8074	1							DECAL KIT, Body Hemi 5.7
	8220 8160	1							Flames, Body Side
	8220 8348	1							ThunderRoad Hemi
	8220 8349	1							Hemi Express, With California
	8220 8437	1							Hemi Express, Without California
-10	5029 641AA-	2							NAMEPLATE, SRT 10 [MTZ] Bodyside
	5029 628AB-	1							[MUC] Tailgate
-11	5029 627AA-	2							NAMEPLATE, Viper Powered, [MUN]
-12	5159 969AA-	AR	1	H	61				DECAL, Viper Club of America, [AVA]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Mouldings and Ornamentation Figure EDR-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Front Door
	55077 170AC	1			61, 62				[K10], Right
	55077 171AC	1			61, 62				[K10], Left
	5HC18 DX8AA	1			61, 62				[K4X], Right
	5HC18 GW7AA	1			61, 62				[K4W], Right
	5HC18 PR4AA	1			61, 62				[K4R], Right
	5HC18 WS2AA	1			61, 62				[K4S], Right
	5HC18 WSBAA	1			61, 62				[K4A], Right
	5HC18 ZBJAA	1			61, 62				[K4C], Right
	5HC18 ZDRAA	1			61, 62				[K4D], Right
	5HC18 VYHAA	1			61, 62				[K4Y], Right
	5HC19 DX8AA	1			61, 62				[K4X], Left
	5HC19 GW7AA	1			61, 62				[K4W], Left
	5HC19 PR4AA	1			61, 62				[K4R], Left
	5HC19 WS2AA	1			61, 62				[K4S], Left
	5HC19 WSBAA	1			61, 62				[K4A], Left
	5HC19 ZBJAA	1			61, 62				[K4C], Left
	5HC19 ZDRAA	1			61, 62				[K4D], Left
	5HC19 VYHAA	1			61, 62				[K4Y], Left
	55077 724AA	1			61, 62				[MJB], Right
	55077 725AA	1			61, 62				[MJB], Left
2									MOLDING, Cab
	55077 166AC	1			61, 62				[K10], Right
	55077 167AC	1			61, 62				[K10], Left
	5HC46 DX8AA	1			61, 62				[K4X], Right
	5HC46 GW7AA	1			61, 62				[K4W], Right
	5HC46 PR4AA	1			61, 62				[K4R], Right
	5HC46 WS2AA	1			61, 62				[K4S], Right
	5HC46 WSBAA	1			61, 62				[K4A], Right
	5HC46 ZBJAA	1			61, 62				[K4C], Right
	5HC46 ZDRAA	1			61, 62				[K4D], Right
	5HC46 VYHAA	1			61, 62				[K4Y], Right
	5HC47 DX8AA	1			61, 62				[K4X], Left
	5HC47 GW7AA	1			61, 62				[K4W], Left
	5HC47 PR4AA	1			61, 62				[K4R], Left
	5HC47 WS2AA	1			61, 62				[K4S], Left
	5HC47 WSBAA	1			61, 62				[K4A], Left
	5HC47 ZBJAA	1			61, 62				[K4C], Left
	5HC47 ZDRAA	1			61, 62				[K4D], Left
	5HC47 VYHAA	1			61, 62				[K4Y], Left

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500


BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

## Mouldings and Ornamentation

### Figure EDR-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
3	55077 726AA	1			61, 62				[MJB], Right
	55077 727AA	1			61, 62				[MJB], Left
	55275 794AA	1			61, 62				MOLDING, Roof Quarter Joint Right
	55275 795AA	1			61, 62				Left
4									MOLDING, Front Door
	55077 174AD	2			41, 42				[K10]
	5HC48 DX8AB	2			41, 42				[K4X]
	5HC48 GW7AB	2			41, 42				[K4W]
5	5HC48 PR4AB	2			41, 42				[K4R]
	5HC48 WSBAB	2			41, 42				[K4A]
	5HC48 ZBJAB	2			41, 42				[K4C]
	5HC48 WS2AA	2			41, 42				[K4S]
	5HC48 ZDRAB	2			41, 42				[K4D]
	55077 728AA	2			41, 42				[MJB]
									MOLDING, Rear Door
	55077 172AD	2			41, 42				[K10]
	5HC44 DX8AB	2			41, 42				[K4X]
	5HC44 GW7AB	2			41, 42				[K4W]
	5HC44 PR4AB	2			41, 42				[K4R]
	5HC44 WSBAB	2			41, 42				[K4A]
6	5HC44 ZBJAB	2			41, 42				[K4C]
	5HC44 ZDRAB	2			41, 42				[K4D]
	5HC44 WS2AA	2			41, 42				[K4S]
	55077 729AA	2			41, 42				[MJB]
									MOLDING, Roof Quarter Joint
	55275 796AA	1			41, 42				Right
	55275 797AA	1			41, 42				Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

# Cladding and Sill Moldings, SRT Figure EDR-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5JR31 TZZAB	1	1						SPOILER, Rear Air Dam, [MXW]
-2	5029 846AA-	1	1						TOOL, Nut Driver, [MXW]
3	6101 718	2	1						SCREW AND WASHER, Oval Head, M6x1x25
4	6102 126AA	2	1						NUT AND WASHER, Hex, M6x1.0
5									SCREW, .190-16x1.00, (NOT SERVICED) (Not Serviced)
6									CLADDING, Fender
	YH70 DX8AB	1	1, 6		61				[K6X], Right
	YH70 PR4AB	1	1, 6		61				[K6R], Right
	YH70 WS2AB	1	1, 6		61				[K6S], Right
	YH71 DX8AB	1	1, 6		61				[K6X], Left
	YH71 PR4AB	1	1, 6		61				[K6R], Left
	YH71 WS2AB	1	1, 6		61				[K6S], Left
7									CLADDING, Front Door
	YH66 DX8AC	1	1, 6		61				[K6X], Right
	YH66 PR4AC	1	1, 6		61				[K6R], Right
	YH66 WS2AC	1	1, 6		61				[K6S], Right
	YH67 DX8AC	1	1, 6		61				[K6X], Left
	YH67 PR4AC	1	1, 6		61				[K6R], Left
	YH67 WS2AC	1	1, 6		61				[K6S], Left
8									CLADDING, Sill
	YH68 DX8AB	1	1, 6		61				[K6X], Right
	YH68 PR4AB	1	1, 6		61				[K6R], Right
	YH68 WS2AB	1	1, 6		61				[K6S], Right
	YH69 DX8AB	1	1, 6		61				[K6X], Left
	YH69 PR4AB	1	1, 6		61				[K6R], Left
	YH69 WS2AB	1	1, 6		61				[K6S], Left
9									CLADDING, Quarter Panel
	YH64 DX8AB	1	1, 6		61				[K6X], Right
	YH64 PR4AB	1	1, 6		61				[K6R], Right
	YH64 WS2AB	1	1, 6		61				[K6S], Right
	YH65 DX8AB	1	1, 6		61				[K6X], Left
	YH65 PR4AB	1	1, 6		61				[K6R], Left
	YH65 WS2AB	1	1, 6		61				[K6S], Left
10	6032 031	3	1, 6		61				NUT, Spring, .19-16
-11	5029 878AA-	1	1						BAG, Storage, Spoiler Tool Storage

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Claddings and Tapes, Rumble Bee  
Figure EDR-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLADDING KIT, Lowerside
	5159 214AA	1			61				Right
	5159 215AA	1			61				Left
2	5096 348AA	1			41, 61				AIR DAM
3	5159 221AA	1			41, 61				VALANCE, Rear
4									ACCENT KIT, Box
	5159 222AA	1			41, 61				Set of Two, Right
	5159 223AA	1			41, 61				Left
5	8220 7131	1							EXHAUST TIP, Tailpipe
6	8220 7715	1							DECOR KIT, Fuel Door
7	8220 8794	1							GUARD KIT, Light
8	8220 8576	1							SCOOP KIT, HOOD, Primed
-9	5166 486AA-	1							HARDWARE KIT, ATTACHMENT,
									Hood Scoop
10	5159 224AA	1							GASKET, Hood
11	5159 225AA	1							GRILLE, Hood
12									DECAL KIT, Body
	5159 228AA	1							Black Box Stripe, Right
	5159 229AA	1							Black Box Stripe, Left
	5159 218AA	1							BEE, Right
	5159 219AA	1							BEE, Left
	5159 216AA	1							Yellow Box Stripe, Right
	5159 217AA	1							Yellow Box Stripe, Left
-13	5159 220AA-	1							APPLIQUE KIT, Door, Set of 2
									"BEE" Interior Medallion


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Claddings and Tapes, Hemi Sport  
Figure EDR-240




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RUNNING BOARD, Board
	5159 226AA	1			41, 42				Right
	5159 227AA	1			41, 42				Left
2	5096 348AA	1			41, 61				AIR DAM
3	5159 221AA	1			41, 61				VALANCE, Rear, Primed
4									ACCENT KIT, Box
	5159 222AA	1			41, 61				Right
	5159 223AA	1			41, 61				Left
5	8220 7131	1							EXHAUST TIP, Tailpipe
6	8220 7715	1							DECOR KIT, Fuel Door
7	8220 8794	1							GUARD KIT, Light
8	8220 8576	1							SCOOP KIT, HOOD
-9	5166 486AA-	1							HARDWARE KIT, ATTACHMENT,
									Hood Scoop
10	5159 224AA	1							GASKET, Hood
11	5159 225AA	1							GRILLE, Hood
-12	8220 8890	1							DECAL KIT, Qtr & Tailgate - RR,
									HEMI SPORT

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

# Group – IDR









## Interior Trim



# Group – IDR

## Interior Trim

<b>IDR-900</b> Rear Storage Compartment			
--	--	--	--

<b>IDR-100</b> Headliner and Visor	<b>IDR-200</b> Moldings, Scuff Plates	<b>IDR-300</b> Carpet	<b>IDR-400</b> Door Trim Panels–Front and Rear
			
<b>IDR-500</b> Front Seats and Attaching Parts	<b>IDR-600</b> Rear Seats– Folding and Quad	<b>IDR-700</b> Seat Belts–Front and Rear	<b>IDR-800</b> Adjusters, Covers, Shields, and Risers
			


GROUP IDR - Interior Trim

Illustration Title	Group-Fig. No.
<b>Headliner and Visor</b>	
Headliner, Visors, Coat Hooks .....	Fig. IDR-110
<b>Moldings, Scuff Plates</b>	
A-Pillar, Cowl and Sills .....	Fig. IDR-210
Quarter Trim Panel .....	Fig. IDR-220
Side Air Bag .....	Fig. IDR-230
<b>Carpet</b>	
Carpets, Mats .....	Fig. IDR-310
Quad Cab Back Silencer .....	Fig. IDR-320
<b>Door Trim Panels-Front and Rear</b>	
Door Trim Panels .....	Fig. IDR-410
<b>Front Seats and Attaching Parts</b>	
Front, Vinyl, Trim Code [TX] .....	Fig. IDR-510
Front, Cloth, Trim Code [P9] .....	Fig. IDR-520
Front, Cloth, Trim Code [V9] .....	Fig. IDR-530
Front, Cloth, Trim Code [M9] .....	Fig. IDR-540
Front, Leather, Trim Code [QL] .....	Fig. IDR-550
Front, Leather, Trim Code [VL] .....	Fig. IDR-560
Front, Leather, Trim Code [DZ] .....	Fig. IDR-570
<b>Rear Seats- Folding and Quad</b>	
Rear Bench Seat .....	Fig. IDR-610
Rear, 60/40 Seat .....	Fig. IDR-620
Load Floor .....	Fig. IDR-630
<b>Seat Belts-Front and Rear</b>	
Seat Belts, Regular Cab .....	Fig. IDR-710
Seat Belts, Quad Cab .....	Fig. IDR-720
<b>Adjusters, Covers, Shields, and Risers</b>	
Adjusters and Miscellaneous Front Seat Attachments .....	Fig. IDR-810
<b>Rear Storage Compartment</b>	
Rear Trim Panel and Storage .....	Fig. IDR-910



# Headliner, Visors, Coat Hooks

## Figure IDR-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Codes:									
[CUS] = Overhead console with trip computer									
[CV2] = Overhead console with trip computer and garage door opener									
[GNC] = Illuminated mirrors									
[LCL] = Front dome lamp with on/off switch									
1									HEADLINER
	ZB96 TL2AA	1			61, 62			O0	With Overhead Console [CUS]
	ZB98 TL2AA	1			61, 62			O0	With Overhead Console [CUS or CV2] and Illuminated Vanity
	ZC04 TL2AA	1			61, 62			O0	Mirrors [GNC] Without Overhead Console [CUS or CV2]
	ZC00 TL2AA	1			41, 42			O0	With Overhead Console [CUS]
	ZC02 TL2AA	1			41, 42			O0	With Overhead Console [CUS or CV2] and Illuminated Vanity
	ZC06 TL2AA	1			41, 42			O0	Mirrors [GNC] Without Overhead Console [CUS or CV2]
2									SUPPORT, Visor
	WF19 TL2AA	2			61, 62			O0	
		2			41, 42			O0	
3									VISOR
	WF21 TL2AA	1			41, 42			O0	Without Illuminated Mirrors [GNC], Left
	YY77 TL2AA	1			41, 42			O0	With Illuminated Mirrors [GNC], Left
	YY76 TL2AA	1			41, 42			O0	With Overhead Console [CUS or CV2] and Illuminated Vanity
	YE64 TL2AA	1			41, 42			O0	Mirrors [GNC], Right Without Overhead Console [CUS or CV2], Right
	YE66 TL2AA	1			41, 42			O0	With Overhead Console [CUS], Right
	XB05 TL2AA	1			61, 62			O0	With Overhead Console, Without [GNC or LCL], Left
	YE68 TL2AA	1			61, 62			O0	Without Overhead Console [CUS or CV2], Right
	YE82 TL2AA	1			61, 62			O0	With Overhead Console [CUS], Right
	YY74 TL2AA	1			61, 62			O0	With Overhead Console [CUS or CV2] and Illuminated Vanity
									Mirrors [GNC], Right


### DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Headliner, Visors, Coat Hooks  
Figure IDR-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	YY75 TL2AA	1			61, 62			O0	With Overhead Console [CV2 or CUS], Left
4	5HT25 TL2AD	2						O0	HOOK, Coat
5	5073 064AA	3			61, 62			O0	SCREW
		3			41, 42			O0	
6	5073 065AA	1			61, 62			O0	CLIP, Visor
		1			41, 42			O0	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

A-Pillar, Cowl and Sills  
Figure IDR-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5GR28 TL2AF	1						O0	Right
	ZL39 TL2AA	1	1, 6					O0	[SRT10]
	5GR29 TL2AE	1						O0	Left
2	WQ06 TL2AA	2						O0	PLUG, A Pillar Garnish
3									SCREW AND WASHER, M6x1. 00x25.80, (NOT SERVICED) (Not Serviced)
4	6507 161AA	4							NUT
5									PANEL, Scuff
	5GR40 WL5AD	1						O0	[L5], Right
	5GR40 XDVAD	1						O0	[DV], Right
	5GR41 WL5AD	1						O0	[L5], Left
	5GR41 XDVAD	1						O0	[DV], Left
6									PLATE, Scuff
	5GY78 WL5AC	1			41, 42			O0	[L5], Right
	5GY78 XDVAC	1			41, 42			O0	[DV], Right
	5GY79 WL5AC	1			41, 42			O0	[L5], Left
	5GY79 XDVAC	1			41, 42			O0	[DV], Left
7									RETAINER, Scuff Plate
	6506 540AA	10			61, 62				
		14			41, 42				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Quarter Trim Panel Figure IDR-220

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code:									
[CJ4] = Air Bag Side Window Curtain, Front									
1									PANEL, B Pillar
	5GR30 TL2AC	1			61, 62			O0	Right
	5GR31 TL2AC	1			61, 62			O0	Left
	5JZ22 TL2AA	1			61, 62			O0	With [CJ4] Side Air Bag Badge, Right
	5JZ23 TL2AA	1			61, 62			O0	With [CJ4] Side Air Bag Badge, Left
2									PANEL, B Pillar
	5HA58 WL5AD	1			61, 62			O0	[L5], Right
	5HA58 XDVAD	1			61, 62			O0	[DV], Right
	5HA59 WL5AD	1			61, 62			O0	[L5], Left
	5HA59 XDVAD	1			61, 62			O0	[DV], Left
3									PANEL, B Pillar
	5GV02 TL2AD	1			41, 42			O0	Right
	5GV03 TL2AD	1			41, 42			O0	Left
	5JZ24 TL2AA	1			41, 42			O0	With [CJ4] Side Air Bag Badge, Right
	5JZ25 TL2AA	1			41, 42			O0	With [CJ4] Side Air Bag Badge, Left
4	WQ02 TL2AA	1			41, 42			O0	HANDLE, Roof Grab
5									SCREW AND WASHER, Hex, M6x1. 00x20.00, (NOT SERVICED) (Not Serviced)
6									PLUG, B Pillar
	WQ04 TL2AA	1			41, 42			O0	Upper
	WQ05 TL2AA	1			41, 42			O0	Lower
7									PANEL, B Pillar
	5GY68 WL5AC	1			41, 42			O0	[L5], Right
	5GY68 XDVAC	1			41, 42			O0	[DV], Right
	5GY69 WL5AC	1			41, 42			O0	[L5], Left
	5GY69 XDVAC	1			41, 42			O0	[DV], Left
8									PANEL, C Pillar
	5GS42 TL2AE	1			41, 42			O0	Right
	5GS43 TL2AE	1			41, 42			O0	Left
9									PANEL, C Pillar
	5HC64 WL5AE	1			41, 42			O0	[L5], Right
	5HC64 XDVAE	1			41, 42			O0	[DV], Right
	5HC65 WL5AE	1			41, 42			O0	[L5], Left

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Quarter Trim Panel  
Figure IDR-220**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5HC65 XDVAE	1			41, 42			O0	[DV], Left





DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**



Side Air Bag  
Figure IDR-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									AIR BAG, Side Curtain
	55350 932AE	1			61, 62				Right
	55350 933AE	1			61, 62				Left
2									AIR BAG, Side Curtain
	55350 934AE	1			41, 42				Right
	55350 935AE	1			41, 42				Left
3									SCREW AND WASHER, Hex Head, M6x1x20, (NOT SERVICED) (Not Serviced)
4									NUT, Snap In
	6506 955AA	8			61, 62				
		12			41, 42				
5	6507 161AA	2							NUT

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Carpets, Mats  
Figure IDR-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code: [XE6] = Shifter, Hurst [SRT-10]									
1									CARPET, Floor
	ZT34 XDVAA	1			61, 62			O0	[DV], With Sales code [XE6]
	5GT51 WL8AD	1			61, 62			O0	[L5]
	5GT51 XDVAD	1			61, 62			O0	[DV]
-2	5GT55 DX9AD-	1			61, 62			O0	MAT, Floor
3									CARPET, Floor
	5GT53 WL8AE	1			41, 42			O0	[L5]
	5GT53 XDVAE	1			41, 42			O0	[DV]
-4	5GS57 DX9AE-	1			41, 42			O0	MAT, Floor
5	6501 916	11			41, 42				RETAINER, Push On
-6									CLIP, Floor Mat Retention
	5086 365AA-	1			61, 62			O0	Drivers Side
		1			41, 42			O0	
-7	1BM90 XDVAA-AR		1	H	61			DZ	MAT KIT, Floor - Front, Viper Club of America Logo


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Quad Cab Back Silencer  
Figure IDR-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 923AE	1			41, 42				SILENCER, Panel Inner
2	6501 916	3			41, 42				RETAINER, Push On
3	6507 256AA	2			41, 42				RETAINER, Push On



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door Trim Panels  
Figure IDR-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Sales Code:  
[AM6] = Rumblebee Group  
[RCD] = 4 Speakers  
[RCK] = 7 Speakers, Infinity

1									PANEL, Front Door Trim
	5GU83 1DVAG	1			61, 62			DZ	[DV], Left
	5GU82 1DVAG	1			61, 62			DZ	[DV], Right
	5KK11 1DVAA	1			61, 62			M9	[AM6], Rumblebee, (Bee Door Medallion Not Included), Left
	5KK10 1DVAA	1			61, 62			M9	[AM6], Rumblebee, (Bee Door Medallion Not Included), Right
	5JM95 XDVAA	1			61, 62			M9	[DV], With Infinity, Left
	5JM95 1L5AA	1			61, 62			M9	[L5], With Infinity, Left
	5JM94 XDVAA	1			61, 62			M9	[DV], With Infinity, Right
	5JM94 1L5AA	1			61, 62			M9	[L5], With Infinity, Right
	5JM91 XDVAA	1			61, 62			M9	[DV], Without Infinity, Left
	5JM91 1L5AA	1			61, 62			M9	[L5], Without Infinity, Left
	5JM90 XDVAA	1			61, 62			M9	[DV], Without Infinity, Right
	5JM90 1L5AA	1			61, 62			M9	[L5], Without Infinity, Right
	5GS62 XDVAF	1			61, 62			P9	[DV], Right
	5GS63 1L5AF	1			61, 62			P9	[L5], Left
	5GS63 XDVAF	1			61, 62			P9	[DV], Left
	5GS62 1L5AF	1			61, 62			P9	[L5], Right
	5GS62 XDVAF	1			61, 62			TX	[DV], Right
	5GS63 1L5AF	1			61, 62			TX	[L5], Left
	5GS63 XDVAF	1			61, 62			TX	[DV], Left
	5GS62 1L5AF	1			61, 62			TX	[L5], Right
	5JM90 1L5AA	1			61, 62			V9	[L5], Without Infinity, Right
	5JM91 XDVAA	1			61, 62			V9	[DV], Without Infinity, Left
	5JM91 1L5AA	1			61, 62			V9	[L5], Without Infinity, Left
	5JM94 1L5AA	1			61, 62			V9	[L5], With Infinity, Right
	5KK11 1DVAA	1			61, 62			V9	[AM6], Rumblebee, (Bee Door Medallion Not Included), Left
	5JM94 XDVAA	1			61, 62			V9	[DV], With Infinity, Right
	5JM95 1L5AA	1			61, 62			V9	[L5], With Infinity, Left
	5JM90 XDVAA	1			61, 62			V9	[DV], Without Infinity, Right
	5KK10 1DVAA	1			61, 62			V9	[AM6], Rumblebee, (Bee Door Medallion Not Included), Right
	5JM95 XDVAA	1			61, 62			V9	[DV], With Infinity, Left
	5KF78 1DVAA	1			61, 62			VL	[DV], With 4 speakers [RCD], Right

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005



Door Trim Panels  
Figure IDR-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5KF78 1L5AA	1			61, 62			VL	[L5], With 4 speakers [RCD], Right
	5KF79 1DVAA	1			61, 62			VL	[DV], With 4 speakers [RCD], Left
	5KF79 1L5AA	1			61, 62			VL	[L5], With 4 speakers [RCD], Left
	5GU83 1DVAG	1			61, 62			VL	[DV], With Infinity [RCK], Left
	5GU82 1L5AG	1			61, 62			VL	[L5], With Infinity [RCK], Right
	5GU83 1L5AG	1			61, 62			VL	[L5], With Infinity [RCK], Left
	5GU82 1DVAG	1			61, 62			VL	[DV], With Infinity [RCK], Right
2									PANEL, Front Door Trim
	5JM97 XDVAA	1			41, 42			M9	[DV], With Infinity, Left
	5JM97 1L5AA	1			41, 42			M9	[L5], With Infinity, Left
	5JM96 XDVAA	1			41, 42			M9	[DV], With Infinity, Right
	5JM96 1L5AA	1			41, 42			M9	[L5], With Infinity, Right
	5JM93 XDVAA	1			41, 42			M9	[DV], Without Infinity, Left
	5JM93 1L5AA	1			41, 42			M9	[L5], Without Infinity, Left
	5JM92 XDVAA	1			41, 42			M9	[DV], Without Infinity, Right
	5JM92 1L5AA	1			41, 42			M9	[L5], Without Infinity, Right
	5GS64 1L5AF	1			41, 42			P9	[L5], Right
	5GS64 XDVAF	1			41, 42			P9	[DV], Right
	5GS65 1L5AF	1			41, 42			P9	[L5], Left
	5GS65 XDVAF	1			41, 42			P9	[DV], Left
	5JM92 1L5AA	1			41, 42			QL	[L5], Without Infinity, Right
	5JM97 XDVAA	1			41, 42			QL	[DV], With Infinity, Left
	5JM97 1L5AA	1			41, 42			QL	[L5], With Infinity, Left
	5JM96 XDVAA	1			41, 42			QL	[DV], With Infinity, Right
	5JM92 XDVAA	1			41, 42			QL	[DV], Without Infinity, Right
	5JM96 1L5AA	1			41, 42			QL	[L5], With Infinity, Right
	5JM93 XDVAA	1			41, 42			QL	[DV], Without Infinity, Left
	5JM93 1L5AA	1			41, 42			QL	[L5], Without Infinity, Left
	5GS65 XDVAF	1			41, 42			TX	[DV], Left
	5GS64 1L5AF	1			41, 42			TX	[L5], Right
	5GS65 1L5AF	1			41, 42			TX	[L5], Left
	5GS64 XDVAF	1			41, 42			TX	[DV], Right
	5JM96 1L5AA	1			41, 42			V9	[L5], With Infinity, Right
	5JM97 XDVAA	1			41, 42			V9	[DV], With Infinity, Left
	5JM92 1L5AA	1			41, 42			V9	[L5], Without Infinity, Right
	5JM92 XDVAA	1			41, 42			V9	[DV], Without Infinity, Right
	5JM96 XDVAA	1			41, 42			V9	[DV], With Infinity, Right
	5JM93 1L5AA	1			41, 42			V9	[L5], Without Infinity, Left
	5JM93 XDVAA	1			41, 42			V9	[DV], Without Infinity, Left
	5JM97 1L5AA	1			41, 42			V9	[L5], With Infinity, Left


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Door Trim Panels  
Figure IDR-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GU85 1DVAG	1			41, 42			VL	[DV], With Infinity [RCK], Left
	5GU85 1L5AG	1			41, 42			VL	[L5], With Infinity [RCK], Left
	5GU84 1DVAG	1			41, 42			VL	[DV], With Infinity [RCK], Right
	5GU84 1L5AG	1			41, 42			VL	[L5], With Infinity [RCK], Right
	5KF80 1DVAA	1			41, 42			VL	[DV], With 4 Speakers [RCD], Right
	5KF80 1L5AA	1			41, 42			VL	[L5], With 4 Speakers [RCD], Right
	5KF81 1DVAA	1			41, 42			VL	[DV], With 4 Speakers [RCD], Left
	5KF81 1L5AA	1			41, 42			VL	[L5], With 4 Speakers [RCD], Left
3									BEZEL, Lock Knob
	5HD44 WL8AC	2						O0	[L5]
	5HD44 XDVAC	2						O0	[DV]
4									SCREW, .250-14x.875, (NOT SERVICED) (Not Serviced)
5	6035 821	4							NUT, Plastic Snap In, For .164-15 Screw
6									COVER, Door Panel
	UY45 XDVAA	1			61, 62			DZ	[DV], Left
	UY44 XDVAA	1			61, 62			DZ	[DV], Right
	UY45 XDVAA	1			61, 62			M9	[DV], Left
	UY44 1L5AA	1			61, 62			M9	[L5], Right
	UY45 1L5AA	1			61, 62			M9	[L5], Left
	UY44 XDVAA	1			61, 62			M9	[DV], Right
	UY44 1L5AA	1			61, 62			P9	[L5], Right
	UY45 XDVAA	1			61, 62			P9	[DV], Left
	UY45 1L5AA	1			61, 62			P9	[L5], Left
	UY44 XDVAA	1			61, 62			P9	[DV], Right
	UY45 1L5AA	1			61, 62			TX	[DV], Right
	UY45 1L5AA	1			61, 62			TX	[L5], Left
	UY45 XDVAA	1			61, 62			TX	[DV], Left
	UY44 1L5AA	1			61, 62			TX	[L5], Right
	UY44 XDVAA	1			61, 62			V9	[DV], Right
	UY45 1L5AA	1			61, 62			V9	[L5], Left
	UY44 1L5AA	1			61, 62			V9	[L5], Right
	UY45 XDVAA	1			61, 62			V9	[DV], Left
		1			61, 62			VL	[DV], Left
	UY45 1L5AA	1			61, 62			VL	[L5], Left
	UY44 XDVAA	1			61, 62			VL	[DV], Right
	UY44 1L5AB	1			61, 62			VL	Right
7									REFLECTOR, Door Trim Panel
	5069 030AA	1			61, 62			DZ	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual



Door Trim Panels  
Figure IDR-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62			M9	
		1			41, 42			M9	
		1			61, 62			P9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			61, 62			TX	
		1			41, 42			TX	
		1			41, 42			V9	
		1			61, 62			V9	
		1			61, 62			VL	
		1			41, 42			VL	
8									PANEL, Rear Door Trim
	UY41 XDVAA	1			41, 42			M9	[DV], Left
	UY41 1L5AA	1			41, 42			M9	[L5], Left
	UY40 1L5AA	1			41, 42			M9	[L5], Right
	UY40 XDVAA	1			41, 42			M9	[DV], Right
	5GS51 XDVAE	1			41, 42			P9	[DV], Left
	5GS51 1L5AE	1			41, 42			P9	[L5], Left
	5GS50 XDVAE	1			41, 42			P9	[DV], Right
	5GS50 1L5AE	1			41, 42			P9	[L5], Right
	UY40 1L5AA	1			41, 42			QL	[L5], Right
	UY40 XDVAA	1			41, 42			QL	[DV], Right
	UY41 1L5AA	1			41, 42			QL	[L5], Left
	UY41 XDVAA	1			41, 42			QL	Left
	5GS51 XDVAE	1			41, 42			TX	[DV], Left
	5GS51 1L5AE	1			41, 42			TX	[L5], Left
	5GS50 XDVAE	1			41, 42			TX	[DV], Right
	5GS50 1L5AE	1			41, 42			TX	[L5], Right
	UY40 1L5AA	1			41, 42			V9	[L5], Right
	UY40 XDVAA	1			41, 42			V9	[DV], Right
	UY41 1L5AA	1			41, 42			V9	[L5], Left
	UY41 XDVAA	1			41, 42			V9	[DV], Left
	ZK31 1DVAA	1			41, 42			VL	[DV], Left
	ZK30 1L5AA	1			41, 42			VL	[L5], Right
	ZK30 1DVAA	1			41, 42			VL	[DV], Right
	ZK31 1L5AA	1			41, 42			VL	[L5], Left
9									CUP, Door Pull
	UY12 1L5AA	1			41, 42			M9	[L5], Right
	UY13 XDVAA	1			41, 42			M9	[DV], Left
	UY13 1L5AA	1			41, 42			M9	[L5], Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door Trim Panels  
Figure IDR-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UY12 XDVAA	1			41, 42			M9	[DV], Right
	UY12 1L5AA	1			41, 42			P9	[L5], Right
	UY13 XDVAA	1			41, 42			P9	[DV], Left
	UY13 1L5AA	1			41, 42			P9	[L5], Left
	UY12 XDVAA	1			41, 42			P9	[DV], Right
	UY12 1L5AA	1			41, 42			QL	[L5], Right
	UY13 XDVAA	1			41, 42			QL	[DV], Left
	UY12 XDVAA	1			41, 42			QL	[DV], Right
	UY13 1L5AA	1			41, 42			QL	[L5], Left
		1			41, 42			TX	[L5], Left
	UY12 1L5AA	1			41, 42			TX	[L5], Right
	UY13 XDVAA	1			41, 42			TX	[DV], Left
	UY12 XDVAA	1			41, 42			TX	[DV], Right
	UY13 1L5AA	1			41, 42			V9	[L5], Left
	UY12 1L5AA	1			41, 42			V9	[L5], Right
	UY13 XDVAA	1			41, 42			V9	[DV], Left
	UY12 XDVAA	1			41, 42			V9	[DV], Right
	UY13 XDVAA	1			41, 42			VL	[DV], Left
	UY12 XDVAA	1			41, 42			VL	[DV], Right
	UY12 1L5AA	1			41, 42			VL	[L5], Right
	UY13 1L5AA	1			41, 42			VL	[L5], Left
10	6035 556	2							SCREW, Pan Head Tapping, .19-16x.625
11									HANDLE, Door Interior
	UY49 1DVAA	1			61, 62			DZ	[DV], Left
	UY48 1DVAA	1			61, 62			DZ	[DV], Right
	UY49 1L5AA	1			61, 62			M9	[L5], Left
		1			41, 42			M9	[L5], Left
	UY49 1DVAA	1			41, 42			M9	[DV], Left
		1			61, 62			M9	[DV], Left
	UY48 1L5AA	1			61, 62			M9	[L5], Right
		1			41, 42			M9	[L5], Right
	UY48 1DVAA	1			61, 62			M9	[DV], Right
		1			41, 42			M9	[DV], Right
	UY47 1L5AA	1			61, 62			P9	[L5], Left
	UY46 1L5AA	1			61, 62			P9	[L5], Right
	UY47 XDVAA	1			61, 62			P9	[DV], Left
		1			41, 42			P9	[DV], Left
	UY46 1L5AA	1			41, 42			P9	[L5], Right
	UY46 XDVAA	1			61, 62			P9	[DV], Right

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual






Door Trim Panels  
Figure IDR-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UY47 1L5AA	1			41, 42			P9	[L5], Left
	UY46 XDVAA	1			41, 42			P9	[DV], Right
	UY49 1L5AA	1			41, 42			QL	[L5], Left
	UY49 1DVAA	1			41, 42			QL	[DV], Left
	UY48 1DVAA	1			41, 42			QL	[DV], Right
	UY48 1L5AA	1			41, 42			QL	[L5], Right
	UY46 1L5AA	1			41, 42			TX	[L5], Right
	UY47 1L5AA	1			41, 42			TX	[L5], Left
		1			61, 62			TX	[L5], Left
	UY47 XDVAA	1			41, 42			TX	[DV], Left
	UY46 XDVAA	1			41, 42			TX	[DV], Right
		1			61, 62			TX	[DV], Right
	UY46 1L5AA	1			61, 62			TX	[L5], Right
	UY47 XDVAA	1			61, 62			TX	[DV], Left
	UY48 1DVAA	1			41, 42			V9	[DV], Right
		1			61, 62			V9	[DV], Right
	UY48 1L5AA	1			41, 42			V9	[L5], Right
	UY49 1L5AA	1			61, 62			V9	[L5], Left
		1			41, 42			V9	[L5], Left
	UY49 1DVAA	1			61, 62			V9	[DV], Left
		1			41, 42			V9	[DV], Left
	UY48 1L5AA	1			61, 62			V9	[L5], Right
		1			41, 42			VL	[L5], Right
	UY49 1DVAA	1			41, 42			VL	[DV], Left
		1			61, 62			VL	[DV], Left
	UY49 1L5AA	1			61, 62			VL	[L5], Left
		1			41, 42			VL	[L5], Left
	UY48 1L5AA	1			61, 62			VL	[L5], Right
	UY48 1DVAA	1			41, 42			VL	[DV], Right
		1			61, 62			VL	[DV], Right
-12									CLIP, Door Trim, Attaches Pull Cup
	5066 897AA-	1			41, 42			M9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			41, 42			TX	
		1			41, 42			V9	
		1			41, 42			VL	
-13									NAMEPLATE, Infinity
	55350 962AA-	1			61, 62			DZ	
		1			61, 62			M9	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Door Trim Panels  
Figure IDR-410


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			M9	
		1			41, 42			QL	
		1			61, 62			V9	
		1			41, 42			V9	
		1			41, 42			VL	
		1			61, 62			VL	
-14									CLIP, Front Door Trim, Infinity Label Retaining
	6035 492	2			61, 62			DZ	
		2			61, 62			M9	
		2			41, 42			M9	
		2			41, 42			QL	
		2			41, 42			V9	
		2			61, 62			V9	
		2			41, 42			VL	
		2			61, 62			VL	
-15	5159 220AA-	1							APPLIQUE KIT, Door, Rumble Bee Medallions, Right & Left


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Vinyl, Trim Code [TX]  
Figure IDR-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver
	ZK57 1DVAA	1			61, 62			TX	[DV]
	ZK57 1L5AA	1			61, 62			TX	[L5]
	ZK59 1DVAA	1			41, 42			TX	[DV]
	ZK59 1L5AA	1			41, 42			TX	[L5]
2									COVER, Front Seat Back, Driver
	ZK83 1DVAA	1			61, 62			TX	[DV]
	ZK83 1L5AA	1			61, 62			TX	[L5]
	ZK85 1DVAA	1			41, 42			TX	[DV]
	ZK85 1L5AA	1			41, 42			TX	[L5]
3									SEAT BACK, Front, Passenger
	ZK56 1DVAA	1			61, 62			TX	[DV]
	ZK56 1L5AA	1			61, 62			TX	[L5]
	ZK58 1DVAA	1			41, 42			TX	[DV]
	ZK58 1L5AA	1			41, 42			TX	[L5]
4									COVER, Front Seat Back, Passenger
	ZK82 1DVAA	1			61, 62			TX	[DV]
	ZK82 1L5AA	1			61, 62			TX	[L5]
	ZK84 1DVAA	1			41, 42			TX	[DV]
	ZK84 1L5AA	1			41, 42			TX	[L5]
-5									PIN, Roll
	5083 371AA-	4			61, 62			TX	
		4			41, 42			TX	
6									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			TX	
	5080 965AA	1			61, 62			TX	
7									PAD, Front Seat Cushion, Driver
	5127 750AA	1			41, 42			TX	
		1			61, 62			TX	
8									COVER, Front Seat Cushion, Driver
	ZL07 1DVAA	1			61, 62			TX	[DV]
	ZL07 1L5AA	1			61, 62			TX	[L5]
	ZL09 1DVAA	1			41, 42			TX	[DV]
	ZL09 1L5AA	1			41, 42			TX	[L5]
9									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5080 966AA	1			41, 42			TX	
	5086 184AA	1			61, 62			TX	
10									PAD, Front Seat Cushion, Passenger


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Vinyl, Trim Code [TX]  
Figure IDR-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5127 751AA	1			41, 42			TX	
		1			61, 62			TX	
11									COVER, Front Seat Cushion, Passenger
	ZL06 1DVAA	1			61, 62			TX	[DV]
	ZL06 1L5AA	1			61, 62			TX	[L5]
	ZL08 1DVAA	1			41, 42			TX	[DV]
	ZL08 1L5AA	1			41, 42			TX	[L5]
12									CUSHION, Front Seat, Center
	WP26 1DVAA	1			61, 62			TX	[DV]
	WP26 1L5AA	1			61, 62			TX	[L5]
	WP29 1DVAA	1			41, 42			TX	[DV]
	WP29 1L5AA	1			41, 42			TX	[L5]
13									COVER, Front Seat Cushion, Center
	WP27 1DVAA	1			61, 62			TX	[DV]
	WP27 1L5AA	1			61, 62			TX	[L5]
	WP30 1DVAA	1			41, 42			TX	[DV]
	WP30 1L5AA	1			41, 42			TX	[L5]
14									HEADREST, Front
	ZK55 1DVAA	2			61, 62			TX	[DV]
		2			41, 42			TX	[DV]
	ZK55 1L5AA	2			61, 62			TX	[L5]
		2			41, 42			TX	[L5]
15									SLEEVE, Headrest, Non-Locking
	5080 644AA	2			41, 42			TX	
		1			61, 62			TX	
16									SLEEVE, Headrest, Locking
	5080 645AA	4			41, 42			TX	
		2			61, 62			TX	
17									ARMREST, Seat
	YK08 1DVAA	1			61, 62			TX	[DV]
		1			41, 42			TX	[DV]
	YK08 1L5AA	1			61, 62			TX	[L5]
		1			41, 42			TX	[L5]
18									BRACKET, Arm Rest
	5080 726AA	1			41, 42			TX	Right
		1			61, 62			TX	Right
19									COVER, Seat latch
	5080 728AA	1			41, 42			TX	Right
		1			61, 62			TX	Right
20									BRACKET, Arm Rest


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Vinyl, Trim Code [TX]  
Figure IDR-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5080 727AA	1			41, 42			TX	Left
		1			61, 62			TX	Left
21	5080 729AA	1			41, 42			TX	COVER, Seat latch
		1			61, 62			TX	Left
22	5080 731AA	1			61, 62			TX	BOLT, Armrest Pivot
		1			41, 42			TX	
23	5080 734AA	2			41, 42			TX	BOLT, Seat
		2			61, 62			TX	
24	5080 735AA	1			61, 62			TX	INSULATOR, Anti Rattle
		1			41, 42			TX	
25	5080 738AA	4			41, 42			TX	BOLT, Seat, Armrest to Center Cushion
		4			61, 62			TX	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [P9]  
Figure IDR-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver
	ZK61 1DVAA	1			61, 62			P9	[DV]
	ZK61 1L5AA	1			61, 62			P9	[L5]
	ZK63 1DVAA	1			41, 42			P9	[DV]
	ZK63 1L5AA	1			41, 42			P9	[L5]
2									COVER, Front Seat Back, Driver
	ZK87 1DVAA	1			61, 62			P9	[DV]
	ZK87 1L5AA	1			61, 62			P9	[L5]
	ZK95 1DVAA	1			41, 42			P9	[DV]
	ZK95 1L5AA	1			41, 42			P9	[L5]
3									SEAT BACK, Front, Passenger
	ZK60 1DVAA	1			61, 62			P9	[DV]
	ZK60 1L5AA	1			61, 62			P9	[L5]
	ZK62 1DVAA	1			41, 42			P9	[DV]
	ZK62 1L5AA	1			41, 42			P9	[L5]
4									COVER, Front Seat Back, Passenger
	ZK86 1DVAA	1			61, 62			P9	[DV]
	ZK86 1L5AA	1			61, 62			P9	[L5]
	ZK94 1DVAA	1			41, 42			P9	[DV]
	ZK94 1L5AA	1			41, 42			P9	[L5]
-5									PIN, Roll
	5083 371AA-	4			61, 62			P9	
		4			41, 42			P9	
6									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			P9	
	5080 965AA	1			61, 62			P9	
7									PAD, Front Seat Cushion, Driver
	5127 751AA	1			41, 42			P9	
		1			61, 62			P9	
8									COVER, Front Seat Cushion, Driver
	ZL11 1DVAA	1			61, 62			P9	[DV]
	ZL11 1L5AA	1			61, 62			P9	[L5]
	ZL13 1DVAA	1			41, 42			P9	[DV]
	ZL13 1L5AA	1			41, 42			P9	[L5]
9									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5086 184AA	1			61, 62			P9	
	5080 966AA	1			41, 42			P9	
10									PAD, Front Seat Cushion, Passenger


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [P9]  
Figure IDR-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5127 750AA	1			41, 42			P9	
		1			61, 62			P9	
11									COVER, Front Seat Cushion, Passenger
	ZL10 1DVAA	1			61, 62			P9	[DV]
	ZL10 1L5AA	1			61, 62			P9	[L5]
	ZL12 1DVAA	1			41, 42			P9	[DV]
	ZL12 1L5AA	1			41, 42			P9	[L5]
12									CUSHION, Front Seat, Center
	WP26 1DVAA	1			61, 62			P9	[DV]
	WP26 1L5AA	1			61, 62			P9	[L5]
	WP29 1DVAA	1			41, 42			P9	[DV]
	WP29 1L5AA	1			41, 42			P9	[L5]
13									COVER, Front Seat Cushion, Center
	WP27 1DVAA	1			61, 62			P9	[DV]
	WP27 1L5AA	1			61, 62			P9	[L5]
	WP30 1DVAA	1			41, 42			P9	[DV]
	WP30 1L5AA	1			41, 42			P9	[L5]
14									HEADREST, Front
	ZK55 1DVAA	2			61, 62			P9	[DV]
		2			41, 42			P9	[DV]
	ZK55 1L5AA	2			61, 62			P9	[L5]
		2			41, 42			P9	[L5]
15									SLEEVE, Headrest, Non-Locking
	5080 644AA	1			41, 42			P9	
		1			61, 62			P9	
16									SLEEVE, Headrest, Locking
	5080 645AA	4			41, 42			P9	
		2			61, 62			P9	
17									ARMREST, Seat
	YK08 1DVAA	1			61, 62			P9	[DV]
		1			41, 42			P9	[DV]
	YK08 1L5AA	1			61, 62			P9	[L5]
		1			41, 42			P9	[L5]
18									BRACKET, Arm Rest
	5080 726AA	1			41, 42			P9	Right
		1			61, 62			P9	Right
19									COVER, Seat latch
	5080 728AA	1			41, 42			P9	Right
		1			61, 62			P9	Right
20									BRACKET, Arm Rest

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [P9]  
Figure IDR-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5080 727AA	1			41, 42			P9	Left
		1			61, 62			P9	Left
21	5080 729AA	1			41, 42			P9	COVER, Seat latch
		1			61, 62			P9	Left
22	5080 731AA	1			61, 62			P9	BOLT, Armrest Pivot
		1			41, 42			P9	
23	5080 734AA	2			41, 42			P9	BOLT, Seat
		1			61, 62			P9	
24	5080 735AA	1			61, 62			P9	INSULATOR, Anti Rattle
		1			41, 42			P9	
25	5080 738AA	4			41, 42			P9	BOLT, Seat, Armrest to Center Cushion
		4			61, 62			P9	


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Front, Cloth, Trim Code [V9]  
Figure IDR-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	ZK65 1DVAA	1			61, 62			V9	[DV], Driver
	ZK65 1L5AA	1			61, 62			V9	[L5], Driver
	ZK66 1DVAA	1			61, 62			V9	[DV], Passenger
	ZK66 1L5AA	1			61, 62			V9	[L5], Passenger
	ZK65 1DVAA	1			41, 42			V9	[DV], Driver and Passenger
	ZK65 1L5AA	1			41, 42			V9	[L5], Driver and Passenger
2									COVER, Front Seat Back
	ZK97 1DVAA	1			41, 42			V9	[DV], Driver
	ZK97 1L5AA	1			41, 42			V9	[L5], Driver
	ZK96 1DVAA	1			41, 42			V9	[DV], Passenger
	ZK96 1L5AA	1			41, 42			V9	[L5], Passenger
	ZK98 1L5AA	1			61, 62			V9	[L5], Passenger
	ZK98 1DVAA	1			61, 62			V9	[DV], Passenger
	ZK97 1L5AA	1			61, 62			V9	[L5], Driver
	ZK97 1DVAA	1			61, 62			V9	[DV], Driver
-3									PIN, Roll
	5083 371AA-	4			61, 62			V9	
		4			41, 42			V9	
4									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			V9	
	5080 965AA	1			61, 62			V9	
5									PAD, Front Seat Cushion, Driver
	5127 751AA	1			61, 62			V9	
		1			41, 42			V9	
6									COVER, Front Seat Cushion, Driver
	ZL15 1DVAA	1			61, 62			V9	[DV]
	ZL15 1L5AA	1			61, 62			V9	[L5]
	ZL17 1DVAA	1			41, 42			V9	[DV]
	ZL17 1L5AA	1			41, 42			V9	[L5]
7									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5086 184AA	1			61, 62			V9	
	5080 966AA	1			41, 42			V9	
8									PAD, Front Seat Cushion, Passenger
	5127 750AA	1			41, 42			V9	
		1			61, 62			V9	
9									COVER, Front Seat Cushion, Passenger


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [V9]  
Figure IDR-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ZL14 1DVAA	1			61, 62			V9	[DV]
	ZL14 1L5AA	1			61, 62			V9	[L5]
	ZL16 1DVAA	1			41, 42			V9	[DV]
	ZL16 1L5AA	1			41, 42			V9	[L5]
10									CUSHION, Front Seat, Center
	WP12 1DVAA	1			61, 62			V9	[DV]
		1			41, 42			V9	[DV]
	WP12 1L5AA	1			61, 62			V9	[L5]
		1			41, 42			V9	[L5]
11									COVER, Front Seat Cushion, Center
	WP16 1DVAA	1			61, 62			V9	[DV]
		1			41, 42			V9	[DV]
	WP16 1L5AA	1			61, 62			V9	[L5]
		1			41, 42			V9	[L5]
12									HEADREST, Front
	ZK67 1DVAA	2			61, 62			V9	[DV]
		2			41, 42			V9	[DV]
	ZK67 1L5AA	2			61, 62			V9	[L5]
		2			41, 42			V9	[L5]
13									SLEEVE, Headrest, Non-Locking
	5080 644AA	2			41, 42			V9	
		1			61, 62			V9	
14									SLEEVE, Headrest, Locking
	5080 645AA	2			61, 62			V9	
		2			41, 42			V9	
15									BASE, Armrest
	YJ97 1DVAA	1			61, 62			V9	[DV]
		1			41, 42			V9	[DV]
	YJ97 1L5AA	1			61, 62			V9	[L5]
		1			41, 42			V9	[L5]
16									DIVIDER KIT, Cargo
	5080 733AA	1			61, 62			V9	
		1			41, 42			V9	
17									BRACKET, Arm Rest
	5080 726AA	1			41, 42			V9	
		1			61, 62			V9	
18									COVER, Seat latch
	5080 728AA	1			41, 42			V9	Right
		1			61, 62			V9	Right
19									BRACKET, Arm Rest

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [V9]  
Figure IDR-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5080 727AA	1			61, 62			V9	Left
		1			41, 42			V9	Left
20	5080 729AA	1			61, 62			V9	COVER, Seat latch
		1			41, 42			V9	Left
21	5080 731AA	1			61, 62			V9	BOLT, Armrest Pivot
		1			41, 42			V9	
22	5080 734AA	2			61, 62			V9	BOLT, Seat
		2			41, 42			V9	
23	5080 735AA	1			61, 62			V9	INSULATOR, Anti Rattle
		1			41, 42			V9	
24	5080 738AA	4			41, 42			V9	BOLT, Seat, Armrest to Center Cushion
		4			61, 62			V9	
25	WP05 1DVAA	1			61, 62			V9	LID, Armrest Bin
		1			41, 42			V9	[DV]
	WP05 1L5AA	1			61, 62			V9	[L5]
		1			41, 42			V9	[L5]

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [M9]  
Figure IDR-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver, Includes Lumbar
	ZK69 1DVAA	1			41, 42			M9	[DV], Up to 12/12/03
		1			61, 62			M9	[DV], Up to 12/12/03
	ZK69 1DVAB	1			41, 42			M9	[DV], After 12/12/03
		1			61, 62			M9	[DV], After 12/12/03
	ZK69 1L5AA	1			41, 42			M9	[L5], Up to 12/12/03
		1			61, 62			M9	[L5], Up to 12/12/03
	ZK69 1L5AB	1			41, 42			M9	[L5], After 12/12/03
		1			61, 62			M9	[L5], After 12/12/03
2									SEAT BACK, Front, Passenger
	ZK68 1DVAA	1			41, 42			M9	[DV]
	ZK68 1L5AA	1			41, 42			M9	[L5]
	ZK70 1DVAA	1			61, 62			M9	[DV]
	ZK70 1L5AA	1			61, 62			M9	[L5]
3									COVER, Front Seat Back, Driver
	ZL21 1DVAA	1			61, 62			M9	[DV]
		1			41, 42			M9	[DV]
	ZL21 1L5AA	1			41, 42			M9	[L5]
		1			61, 62			M9	[L5]
4									COVER, Front Seat Back, Passenger
	ZL20 1DVAA	1			41, 42			M9	[DV]
	ZL20 1L5AA	1			41, 42			M9	[L5]
	ZL22 1DVAA	1			61, 62			M9	[DV]
	ZL22 1L5AA	1			61, 62			M9	[L5]
-5									PIN, Roll
	5083 371AA-	4			41, 42			M9	
		4			61, 62			M9	
6									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 965AA	1			61, 62			M9	
	5080 967AA	1			41, 42			M9	
7									PAD, Front Seat Cushion, Driver
	5127 751AA	1			61, 62			M9	
		1			41, 42			M9	
8									COVER, Front Seat Cushion, Driver
	ZL05 1DVAA	1			61, 62			M9	[DV]
	ZL05 1L5AA	1			61, 62			M9	[L5]
	ZL19 1DVAA	1			41, 42			M9	[DV]
	ZL19 1L5AA	1			41, 42			M9	[L5]

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [M9]  
Figure IDR-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5080 966AA	1			41, 42			M9	
	5086 184AA	1			61, 62			M9	
10									PAD, Front Seat Cushion, Passenger
	5127 750AA	1			61, 62			M9	
		1			41, 42			M9	
11									COVER, Front Seat Cushion, Passenger
	ZL14 1DVAA	1			61, 62			M9	[DV]
	ZL14 1L5AA	1			61, 62			M9	[L5]
	ZL16 1DVAA	1			41, 42			M9	[DV]
	ZL16 1L5AA	1			41, 42			M9	[L5]
12									CONSOLE, Seat, Center
	WP19 1DVAA	1			61, 62			M9	[DV]
		1			41, 42			M9	[DV]
	WP19 1L5AA	1			41, 42			M9	[L5]
		1			61, 62			M9	[L5]
13									HEADREST, Front
	ZK67 1DVAA	2			61, 62			M9	[DV]
		2			41, 42			M9	[DV]
	ZK67 1L5AA	2			41, 42			M9	[L5]
		2			61, 62			M9	[L5]
14									SLEEVE, Headrest, Non-Locking
	5080 644AA	1			61, 62			M9	
		1			41, 42			M9	
15									SLEEVE, Headrest, Locking
	5080 645AA	2			61, 62			M9	
		2			41, 42			M9	
16									BASE, Armrest
	WP18 1DVAA	1			61, 62			M9	[DV]
		1			41, 42			M9	[DV]
	WP18 1L5AA	1			41, 42			M9	[L5]
		1			61, 62			M9	[L5]
17									LID, Armrest Bin, Includes Latch, Hinge and Inner Bezel
	WP05 1DVAA	1			61, 62			M9	[DV]
		1			41, 42			M9	[DV]
	WP05 1L5AA	1			41, 42			M9	[L5]

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [M9]  
Figure IDR-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62			M9	[L5]
18	5080 733AA	1			41, 42			M9	DIVIDER KIT, Cargo
		1			61, 62			M9	
19	4685 591	1			41, 42			M9	CAP, Cigar Lighter
		1			61, 62			M9	
20	5080 638AA	1			61, 62			M9	COIN BOX, Console
		1			41, 42			M9	
21	5080 726AA	1			61, 62			M9	BRACKET, Arm Rest
		1			41, 42			M9	Right
		1			41, 42			M9	Right
22	5080 728AA	1			61, 62			M9	COVER, Seat latch
		1			41, 42			M9	Right
23	5080 727AA	1			61, 62			M9	BRACKET, Arm Rest
		1			41, 42			M9	Left
24	5080 729AA	1			61, 62			M9	COVER, Seat latch
		1			41, 42			M9	Left
25	5080 731AA	1			41, 42			M9	BOLT, Armrest Pivot
		1			61, 62			M9	
26	5080 734AA	2			41, 42			M9	BOLT, Seat
		2			61, 62			M9	
27	5080 735AA	1			41, 42			M9	INSULATOR, Anti Rattle
		1			61, 62			M9	
28	4793 554AB	1						O0	POWER OUTLET
29	5080 722AA	1			61, 62			M9	HINGE, Storage Compartment
		1			41, 42			M9	
30	5080 723AA	1			61, 62			M9	HINGE, Storage Compartment
		1			41, 42			M9	
31	WP20 1DVAA	1			61, 62			M9	LID, Floor Console Bin
								M9	[DV]


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [M9]  
Figure IDR-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			M9	[DV]
	WP20 1L5AA	1			41, 42			M9	[L5]
		1			61, 62			M9	[L5]
32	5080 724AA	1			61, 62			M9	LATCH, Storage Bin Lid
		1			41, 42			M9	
33									BOLT, Seat, Armrest to Center Cushion
	5080 738AA	4			61, 62			M9	
		4			41, 42			M9	
34	UQ91 1DVAA	1			61, 62			M9	HANDLE, Lumbar
		1			41, 42			M9	Up to 12/12/03
	ZN27 XXXAA	1			41, 42			M9	After 12/12/03
		1			61, 62			M9	After 12/12/03
35									BEZEL
	5142 481AA	1			61, 62			M9	Used After 12/12/03, Inner
		1			41, 42			M9	Used After 12/12/03, Inner
	ZN28 XXXAA	1			41, 42			M9	Outer
		1			61, 62			M9	Outer


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [QL]  
Figure IDR-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver, Includes Lumbar
	ZK73 1DVAA	1			41, 42			QL	[DV], Up to 12/12/03
	ZK73 1DVAB	1			41, 42			QL	[DV], After 12/12/03
	ZK73 1L5AA	1			41, 42			QL	[L5], Up to 12/12/03
	ZK73 1L5AB	1			41, 42			QL	[L5], After 12/12/03
2									COVER, Front Seat Back, Driver
	ZL01 1DVAA	1			41, 42			QL	[DV]
	ZL01 1L5AA	1			41, 42			QL	[L5]
3									SEAT BACK, Front, Passenger
	ZK72 1DVAA	1			41, 42			QL	[DV]
	ZK72 1L5AA	1			41, 42			QL	[L5]
4									COVER, Front Seat Back, Passenger
	ZL00 1DVAA	1			41, 42			QL	[DV]
	ZL00 1L5AA	1			41, 42			QL	[L5]
-5	5083 371AA-	4			41, 42			QL	PIN, Roll
6	5080 967AA	1			41, 42			QL	FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
7	5140 697AA	1			41, 42			QL	PAD, Front Seat Cushion, Driver
8									COVER, Front Seat Cushion, Driver
	ZL25 1DVAA	1			41, 42			QL	[DV]
	ZL25 1L5AA	1			41, 42			QL	[L5]
9	5080 966AA	1			41, 42			QL	FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
10	5140 696AA	1			41, 42			QL	PAD, Front Seat Cushion, Passenger
11									COVER, Front Seat Cushion, Passenger
	ZL24 1DVAA	1			41, 42			QL	[DV]
	ZL24 1L5AA	1			41, 42			QL	[L5]
12									CONSOLE, Seat, Center
	WP02 1DVAA	1			41, 42			QL	[DV]
	WP02 1L5AA	1			41, 42			QL	[L5]
13									HEADREST, Front
	ZK55 1DVAA	2			41, 42			QL	[DV]
	ZK55 1L5AA	2			41, 42			QL	[L5]
14	5080 644AA	1			41, 42			QL	SLEEVE, Headrest, Non-Locking
15	5080 645AA	2			41, 42			QL	SLEEVE, Headrest, Locking
16									BASE, Armrest
	WP04 1DVAA	1			41, 42			QL	[DV]

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Front, Leather, Trim Code [QL]  
Figure IDR-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WP04 1L5AA	1			41, 42			QL	[L5]
17									LID, Armrest Bin, Includes Latch, Hinge and Inner Bezel
	WP05 1DVAA	1			41, 42			QL	[DV]
	WP05 1L5AA	1			41, 42			QL	[L5]
18	5080 733AA	1			41, 42			QL	DIVIDER KIT, Cargo
19	4685 591	1			41, 42			QL	CAP, Cigar Lighter
20	5080 638AA	1			41, 42			QL	COIN BOX, Console
21	5080 726AA	1			41, 42			QL	BRACKET, Arm Rest, Right
22	5080 728AA	1			41, 42			QL	COVER, Seat latch, Right
23	5080 727AA	1			41, 42			QL	BRACKET, Arm Rest, Left
24	5080 729AA	1			41, 42			QL	COVER, Seat latch, Left
25	5080 731AA	1			41, 42			QL	BOLT, Armrest Pivot
26	5080 734AA	2			41, 42			QL	BOLT, Seat
27	5080 735AA	1			41, 42			QL	INSULATOR, Anti Rattle
28	4793 554AB	1	1, 6					O0	POWER OUTLET
29	5080 722AA	1			41, 42			QL	HINGE, Storage Compartment
30	5080 723AA	1			41, 42			QL	HINGE, Storage Compartment
31									LID, Floor Console Bin
	WP03 1DVAA	1			41, 42			QL	[DV]
	WP03 1L5AA	1			41, 42			QL	[L5]
32	5080 724AA	1			41, 42			QL	LATCH, Storage Bin Lid
33	5080 738AA	4			41, 42			QL	BOLT, Seat, Armrest to Center Cushion
34									HANDLE, Lumbar
	UQ91 1DVAA	1			41, 42			QL	Up to 12/12/03
	ZN27 XXXAA	1			41, 42			QL	After 12/12/03
35									BEZEL
	ZN28 XXXAA	1			41, 42			QL	Outer
	5142 481AA	1			41, 42			QL	Used After 12/12/03, Inner

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]  
Figure IDR-560



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver, Includes Lumbar
	ZK75 1DVAA	1			41, 42			VL	[DV], Heated, Up to 12/12/03
		1			61, 62			VL	[DV], Heated, Up to 12/12/03
	ZK75 1DVAB	1			61, 62			VL	[DV], Heated, After 12/12/03
		1			41, 42			VL	[DV], Heated, After 12/12/03
	ZK75 1L5AA	1			41, 42			VL	[L5], Heated, Up to 12/12/03
		1			61, 62			VL	[L5], Heated, Up to 12/12/03
	ZK75 1L5AB	1			41, 42			VL	[L5], Heated, After 12/12/03
		1			61, 62			VL	[L5], Heated, After 12/12/03
	ZK79 1DVAA	1			61, 62			VL	[DV], Non-Heated, Up to 12/12/03
		1			41, 42			VL	[DV], Non-Heated, Up to 12/12/03
	ZK79 1DVAB	1			41, 42			VL	[DV], Non-Heated, After 12/12/03
		1			61, 62			VL	[DV], Non-Heated, After 12/12/03
	ZK79 1L5AA	1			41, 42			VL	[L5], Non-Heated, Up to 12/12/03
		1			61, 62			VL	[L5], Non-Heated, Up to 12/12/03
	ZK79 1L5AB	1			41, 42			VL	[L5], Non-Heated, After 12/12/03
		1			61, 62			VL	[L5], Non-Heated, After 12/12/03
2									COVER, Front Seat Back, Driver
	ZL03 1DVAA	1			61, 62			VL	[DV]
		1			41, 42			VL	[DV]
	ZL03 1L5AA	1			41, 42			VL	[L5]
		1			61, 62			VL	[L5]
3									SEAT BACK, Front, Passenger
	ZK74 1DVAA	1			41, 42			VL	[DV], Heated, Up to 12/12/03
	ZK74 1DVAB	1			41, 42			VL	[DV], Heated, After 12/12/03
	ZK74 1L5AA	1			41, 42			VL	[L5], Heated, Up to 12/12/03
	ZK74 1L5AB	1			41, 42			VL	[L5], Heated, After 12/12/03
	ZK76 1DVAA	1			61, 62			VL	[DV], Heated, Up to 12/12/03
	ZK76 1DVAB	1			61, 62			VL	[DV], Heated, After 12/12/03
	ZK76 1L5AA	1			61, 62			VL	[L5], Heated, Up to 12/12/03
	ZK76 1L5AB	1			61, 62			VL	[L5], Heated, After 12/12/03
	ZK78 1DVAA	1			41, 42			VL	[DV], Non-Heated, Up to 12/12/03
	ZK78 1L5AA	1			41, 42			VL	[L5], Non-Heated, Up to 12/12/03
	ZK78 1L5AB	1			41, 42			VL	[L5], Non-Heated, After 12/12/03
	ZK80 1DVAA	1			61, 62			VL	[DV], Non-Heated, Up to 12/12/03
	ZK80 1DVAB	1			61, 62			VL	[DV], Non-Heated, After 12/12/03
	ZK80 1L5AA	1			61, 62			VL	[L5], Non-Heated, Up to 12/12/03
	ZK80 1L5AB	1			61, 62			VL	[L5], Non-Heated, After 12/12/03
4									COVER, Front Seat Back, Passenger

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]  
Figure IDR-560



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ZL02 1DVAA	1			41, 42			VL	[DV]
	ZL02 1L5AA	1			41, 42			VL	[L5]
	ZL04 1DVAA	1			61, 62			VL	[DV]
	ZL04 1L5AA	1			61, 62			VL	[L5]
-5									PIN, Roll
	5083 371AA-	4			61, 62			VL	
		4			41, 42			VL	
-6									PAD, Heater, Seat Back
	5101 763AA-	1			61, 62			VL	
		1			41, 42			VL	
7									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 965AA	1			61, 62			VL	
	5080 967AA	1			41, 42			VL	
8									PAD, Front Seat Cushion, Driver
	5140 697AA	1			61, 62			VL	
		1			41, 42			VL	
9									COVER, Front Seat Cushion, Driver
	ZL25 1DVAA	1			41, 42			VL	[DV]
	ZL25 1L5AA	1			41, 42			VL	[L5]
	ZL29 1DVAA	1			61, 62			VL	[DV]
	ZL29 1L5AA	1			61, 62			VL	[L5]
10									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5080 966AA	1			41, 42			VL	
	5086 184AA	1			61, 62			VL	
11									PAD, Front Seat Cushion, Passenger
	5140 696AA	1			41, 42			VL	
		1			61, 62			VL	
12									COVER, Front Seat Cushion, Passenger
	ZL24 1DVAA	1			41, 42			VL	[DV], Manual Seat
	ZL24 1L5AA	1			41, 42			VL	[L5], Manual Seat
	ZL26 1DVAA	1			41, 42			VL	[DV], Power Seat
	ZL26 1L5AA	1			41, 42			VL	[L5], Power Seat
	ZL28 1DVAA	1			61, 62			VL	[DV]
	ZL28 1L5AA	1			61, 62			VL	[L5]
-13									PAD, Heater, Cushion
	5101 764AA-	2			61, 62			VL	


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]  
Figure IDR-560



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2			41, 42			VL	
14	WP02 1DVAA	1			61, 62			VL	CONSOLE, Seat, Center
		1			41, 42			VL	[DV]
	WP02 1L5AA	1			41, 42			VL	[L5]
		1			61, 62			VL	[L5]
15	ZK55 1DVAA	2			61, 62			VL	HEADREST, Front
		2			41, 42			VL	[DV]
	ZK55 1L5AA	2			41, 42			VL	[L5]
		2			61, 62			VL	[L5]
16	5080 644AA	1			61, 62			VL	SLEEVE, Headrest, Non-Locking
		1			41, 42			VL	
17	5080 645AA	2			41, 42			VL	SLEEVE, Headrest, Locking
		2			61, 62			VL	
18	WP04 1DVAA	1			61, 62			VL	BASE, Armrest
		1			41, 42			VL	[DV]
	WP04 1L5AA	1			41, 42			VL	[L5]
		1			61, 62			VL	[L5]
19	WP05 1DVAA	1			61, 62			VL	LID, Armrest Bin, Includes Latch, Hinge and Inner Bezel
		1			41, 42			VL	[DV]
	WP05 1L5AA	1			41, 42			VL	[L5]
		1			61, 62			VL	[L5]
20	5080 733AA	1			61, 62			VL	DIVIDER KIT, Cargo
		1			41, 42			VL	
21	4685 591	1						O0	CAP, Cigar Lighter
22	5080 638AA	1			61, 62			VL	COIN BOX, Console
		1			41, 42			VL	
23	5080 726AA	1			61, 62			VL	BRACKET, Arm Rest
		1			41, 42			VL	Right
24	5080 728AA	1			61, 62			VL	COVER, Seat latch
		1			61, 62			VL	Right

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]  
Figure IDR-560



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			VL	Right
25					41, 42			VL	BRACKET, Arm Rest
	5080 727AA	1			41, 42			VL	Left
		1			61, 62			VL	Left
26									COVER, Seat latch
	5080 729AA	1			41, 42			VL	Left
		1			61, 62			VL	Left
27									BOLT, Armrest Pivot
	5080 731AA	1			61, 62			VL	
		1			41, 42			VL	
28									BOLT, Seat
	5080 734AA	2			41, 42			VL	
		2			61, 62			VL	
29									INSULATOR, Anti Rattle
	5080 735AA	1			61, 62			VL	
		1			41, 42			VL	
30	4793 554AB	1						O0	POWER OUTLET
31									HINGE, Storage Compartment
	5080 722AA	1			41, 42			VL	
		1			61, 62			VL	
32									HINGE, Storage Compartment
	5080 723AA	1			41, 42			VL	
		1			61, 62			VL	
33									LID, Floor Console Bin
	WP03 1DVAA	1			61, 62			VL	[DV]
		1			41, 42			VL	[DV]
	WP03 1L5AA	1			41, 42			VL	[L5]
		1			61, 62			VL	[L5]
34									LATCH, Storage Bin Lid
	5080 724AA	1			61, 62			VL	
		1			41, 42			VL	
35									BOLT, Seat, Armrest to Center Cushion
	5080 738AA	4			41, 42			VL	
		4			61, 62			VL	
36									HANDLE, Lumbar
	UQ91 1DVAA	2			61, 62			VL	Up to 12/12/03
		2			41, 42			VL	Up to 12/12/03
	ZN27 XXXAA	2			61, 62			VL	After 12/12/03
		2			41, 42			VL	After 12/12/03
37									BEZEL


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Front, Leather, Trim Code [VL]  
Figure IDR-560**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ZN28 XXXAA	2			61, 62			VL	Outer
		2			41, 42			VL	Outer
	5142 481AA	2			61, 62			VL	Used After 12/12/03, Inner
		2			41, 42			VL	Used After 12/12/03, Inner

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

Front, Leather, Trim Code [DZ]  
Figure IDR-570



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	1AE79 1DVAA	1	1		61			DZ	SEAT BACK, Front, Driver, Includes Lumbar
2	1AE81 1DVAA	1	1		61			DZ	COVER, Front Seat Back, Driver
3	1AE78 1DVAA	1	1		61			DZ	SEAT BACK, Front, Passenger
4	1AE80 1DVAA	1	1		61			DZ	COVER, Front Seat Back, Passenger
-5	5083 371AA-	2	1		61			DZ	PIN, Roll
6	5080 965AA	1	1		61			DZ	FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
7	5136 003AA	1	1		61			DZ	PAD, Front Seat Cushion, Driver
8	1AE89 1DVAA	1	1		61			DZ	COVER, Front Seat Cushion, Driver
9	5086 184AA	1	1		61			DZ	FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
10	5136 002AA	1	1		61			DZ	PAD, Front Seat Cushion, Passenger
11	1AE88 1DVAA	1	1		61			DZ	COVER, Front Seat Cushion, Passenger
12	1AE83 1DVAA	1	1		61			DZ	CONSOLE, Seat, Center
13	1AE82 1DVAA	2	1		61			DZ	HEADREST, Front
14	5080 644AA	1	1		61			DZ	SLEEVE, Headrest, Non-Locking
15	5080 645AA	1	1		61			DZ	SLEEVE, Headrest, Locking
16	1AE85 1DVAA	1	1		61			DZ	BASE, Armrest
17	1AE86 1DVAA	1	1		61			DZ	LID, Armrest Bin, Includes Latch, Hinge and Inner Bezel
18	5080 733AA	1	1		61			DZ	DIVIDER KIT, Cargo
19	4685 591	1	1		61			DZ	CAP, Cigar Lighter
20	5080 638AA	1	1		61			DZ	COIN BOX, Console
21	5080 726AA	1	1		61			DZ	BRACKET, Arm Rest, Right
22	5080 728AA	1	1		61			DZ	COVER, Seat latch, Right
23	5080 727AA	1	1		61			DZ	BRACKET, Arm Rest, Left
24	5080 729AA	1	1		61			DZ	COVER, Seat latch, Left
25	5080 731AA	1	1		61			DZ	BOLT, Armrest Pivot
26	5080 734AA	2	1		61			DZ	BOLT, Seat
27	5080 735AA	1	1		61			DZ	INSULATOR, Anti Rattle
28	4793 554AB	1	1		61			DZ	POWER OUTLET
29	5080 722AA	1	1		61			DZ	HINGE, Storage Compartment, Right
30	5080 723AA	1	1		61			DZ	HINGE, Storage Compartment, Left
31	1AE84 1DVAA	1	1		61			DZ	LID, Floor Console Bin
32	5080 724AA	1	1		61			DZ	LATCH, Storage Bin Lid
33	5080 738AA	1	1		61			DZ	BOLT, Seat, Armrest to Center Cushion

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Rear Bench Seat  
Figure IDR-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SEAT BACK, Rear								
	ZL23 1L5AA	1			41, 42			P9	[L5]
	ZL23 1DVAA	1			41, 42			P9	[DV]
	ZL27 1L5AA	1			41, 42			TX	[L5]
	ZL27 1DVAA	1			41, 42			TX	[DV]
	ZL32 1DVAA	1			41, 42			V9	[DV]
	ZL32 1L5AA	1			41, 42			V9	[L5]
2	COVER, Rear Seat Back								
	ZL52 1L5AA	1			41, 42			P9	[L5]
	ZL52 1DVAA	1			41, 42			P9	[DV]
	ZL42 1DVAA	1			41, 42			TX	[DV]
	ZL42 1L5AA	1			41, 42			TX	[L5]
	ZL53 1DVAA	1			41, 42			V9	[DV]
	ZL53 1L5AA	1			41, 42			V9	[L5]
3	CUSHION, Rear Seat								
	ZL38 1L5AA	1			41, 42			P9	[L5]
	ZL38 1DVAA	1			41, 42			P9	[DV]
	ZL33 1DVAA	1			41, 42			TX	[DV]
	ZL33 1L5AA	1			41, 42			TX	[L5]
	ZL40 1DVAA	1			41, 42			V9	[DV]
	ZL40 1L5AA	1			41, 42			V9	[L5]
4	COVER, Rear Seat Cushion								
	ZL61 1L5AA	1			41, 42			P9	[L5]
	ZL61 1DVAA	1			41, 42			P9	[DV]
	ZL60 1DVAA	1			41, 42			TX	[DV]
	ZL60 1L5AA	1			41, 42			TX	[L5]
	ZL64 1DVAA	1			41, 42			V9	[DV]
	ZL64 1L5AA	1			41, 42			V9	[L5]
5	LATCH, Seat, Right								
	5101 928AA	1			41, 42			P9	
		1			41, 42			TX	
6	LATCH, Seat, Left								
	5101 929AA	1			41, 42			P9	
		1			41, 42			TX	
7	BOLT, Seat, Attach Rear Seat Cushion								
		1			41, 42			V9	
	5080 725AA	6			41, 42			P9	
		6			41, 42			TX	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005





Rear Bench Seat  
Figure IDR-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6			41, 42			V9	
8	5080 730AA	2			41, 42			P9	BOLT, Seat, Attach Rear Seat Back
		2			41, 42			TX	
		2			41, 42			V9	
9	ZK77 1DVAA	2			41, 42			P9	HEADREST, Rear
	ZK77 1L5AA	2			41, 42			P9	
		2			41, 42			TX	
	ZK77 1DVAA	2			41, 42			TX	
	ZK81 1L5AA	2			41, 42			V9	
	ZK81 1DVAA	2			41, 42			V9	
10	5080 644AA	2			41, 42			P9	SLEEVE, Headrest, Non-Locking
		2			41, 42			TX	
		2			41, 42			V9	
11	5080 645AA	2			41, 42			P9	SLEEVE, Headrest, Locking
		1			61, 62			TX	
		2			41, 42			V9	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Rear, 60/40 Seat  
Figure IDR-620**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, 60%, Right
	ZL34 1DVAA	1			41, 42			M9	[DV]
	ZL34 1L5AA	1			41, 42			M9	[L5]
	ZL36 1L5AA	1			41, 42			QL	[L5]
	ZL36 1DVAA	1			41, 42			QL	[DV]
	ZL44 1DVAA	1			41, 42			VL	[DV]
	ZL44 1L5AA	1			41, 42			VL	[L5]
2									COVER, Rear Seat Back, 60%, Right
	ZL54 1DVAA	1			41, 42			M9	[DV]
	ZL54 1L5AA	1			41, 42			M9	[L5]
	ZL56 1L5AA	1			41, 42			QL	[L5]
	ZL56 1DVAA	1			41, 42			QL	[DV]
	ZL58 1DVAA	1			41, 42			VL	[DV]
	ZL58 1L5AA	1			41, 42			VL	[L5]
3									SEAT BACK, Rear, 40%, Left
	ZL35 1L5AA	1			41, 42			M9	[L5]
	ZL35 1DVAA	1			41, 42			M9	[DV]
	ZL37 1DVAA	1			41, 42			QL	[DV]
	ZL37 1L5AA	1			41, 42			QL	[L5]
	ZL45 1DVAA	1			41, 42			VL	[DV]
	ZL45 1L5AA	1			41, 42			VL	[L5]
4									COVER, Rear Seat Back, 40%, Left
	ZL55 1L5AA	1			41, 42			M9	[L5]
	ZL55 1DVAA	1			41, 42			M9	[DV]
	ZL57 1DVAA	1			41, 42			QL	[DV]
	ZL57 1L5AA	1			41, 42			QL	[L5]
	ZL59 1DVAA	1			41, 42			VL	[DV]
	ZL59 1L5AA	1			41, 42			VL	[L5]
5									CUSHION, Rear Seat, 60%, Right
	ZL46 1DVAA	1			41, 42			M9	[DV]
	ZL46 1L5AA	1			41, 42			M9	[L5]
	ZL48 1DVAA	1			41, 42			QL	[DV]
	ZL48 1L5AA	1			41, 42			QL	[L5]
	ZL48 1DVAA	1			41, 42			VL	[DV]
	ZL48 1L5AA	1			41, 42			VL	[L5]
6									COVER, Rear Seat Cushion, 60%, Right
	ZL74 1DVAA	1			41, 42			M9	[DV]
	ZL74 1L5AA	1			41, 42			M9	[L5]
	ZL76 1DVAA	1			41, 42			QL	[DV]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

**September 19, 2005**

# Rear, 60/40 Seat Figure IDR-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	ZL76 1L5AA	1			41, 42			QL	[L5]
	ZL76 1DVAA	1			41, 42			VL	[DV]
	ZL76 1L5AA	1			41, 42			VL	[L5]
	ZL47 1L5AA	1			41, 42			M9	[L5]
	ZL47 1DVAA	1			41, 42			M9	[DV]
	ZL49 1DVAA	1			41, 42			QL	[DV]
	ZL49 1L5AA	1			41, 42			QL	[L5]
8	ZL49 1DVAA	1			41, 42			VL	[DV]
	ZL49 1L5AA	1			41, 42			VL	[L5]
									COVER, Rear Seat Cushion, 40%, Left
	ZL75 1L5AA	1			41, 42			M9	[L5]
	ZL75 1DVAA	1			41, 42			M9	[DV]
	ZL77 1DVAA	1			41, 42			QL	[DV]
	ZL77 1L5AA	1			41, 42			QL	[L5]
9	ZL77 1DVAA	1			41, 42			VL	[DV]
	ZL77 1L5AA	1			41, 42			VL	[L5]
									LATCH, Seat, 60%, Outer
	5080 600AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
									LATCH, Seat, 40%, Outer
10	5080 603AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
									LATCH, Seat, 60%, Inner
	5080 601AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
11									LATCH, Seat, 40%, Inner
	5080 602AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
									BOLT, Seat, Latch to Cushion
	5080 725AA	4			41, 42			M9	
		4			41, 42			QL	
12		4			41, 42			VL	
									BOLT, Seat, Latch to Back
	5080 730AA	2			41, 42			M9	

## DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)


ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear, 60/40 Seat  
Figure IDR-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2			41, 42			QL	
		2			41, 42			V9	
15	5HH78 DX9AC	1			41, 42			M9	BASE, Load Floor, 60%, Right
		1			41, 42			QL	
16	5HH79 DX9AC	1			41, 42			VL	BASE, Load Floor, 40%, Left
		1			41, 42			M9	
		1			41, 42			QL	
17	6507 241AA	8			41, 42			VL	SCREW AND WASHER, Hex Head
18	ZK81 1L5AA	1			41, 42			M9	HEADREST, Rear [L5]
	ZK81 1DVAA	1			41, 42			M9	[DV]
	ZK77 1L5AA	1			41, 42			QL	[L5]
	ZK77 1DVAA	1			41, 42			QL	[DV]
		1			41, 42			VL	[DV]
19	ZK77 1L5AA	1			41, 42			VL	[L5]
		1			41, 42			VL	SLEEVE, Headrest, Non-Locking
	5080 644AA	1			41, 42			M9	
		1			41, 42			QL	
20		1			41, 42			VL	SLEEVE, Headrest, Locking
	5080 645AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	

DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Load Floor  
Figure IDR-630

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: This is only used on a 60/40 seat.

1	5HH78 DX9AC	1			41, 42			M9	BASE, Load Floor, 60%
		1			41, 42			QL	
		1			41, 42			VL	
2	5083 766AA	1			41, 42			M9	SUPPORT, Rear Shelf Panel, 60%
		1			41, 42			QL	
		1			41, 42			VL	
3	5083 776AA	1			41, 42			M9	BRACKET, Mounting, 60%
		1			41, 42			QL	
		1			41, 42			VL	
4	5083 777AA	1			41, 42			M9	BRACKET, Mounting, 60%
		1			41, 42			QL	
		1			41, 42			VL	
5	5083 781AA	1			41, 42			M9	BUSHING, Pivot, This is a kit. Order one kit for each side
		1			41, 42			QL	
		1			41, 42			VL	
6	5HH79 DX9AC	1			41, 42			M9	BASE, Load Floor, 40%
		1			41, 42			QL	
		1			41, 42			VL	
7	5083 767AA	1			41, 42			M9	SUPPORT, Rear Shelf Panel, 40%
		1			41, 42			QL	
		1			41, 42			VL	
8	5083 778AA	1			41, 42			M9	BRACKET, Mounting, 40%
		1			41, 42			QL	
		1			41, 42			VL	
9	5083 779AA	1			41, 42			M9	BRACKET, Mounting, 40%
		1			41, 42			QL	
		1			41, 42			VL	
10	5083 750AA								KNOB
		1			41, 42			M9	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Load Floor  
Figure IDR-630

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			QL	
		1			41, 42			VL	
11	5083 749AA	1			41, 42			M9	PROP, Gas
		1			41, 42			QL	
12		1			41, 42			VL	PIN, Pivot, Also contains E clip.Prop Attach
	5083 751AA	2			41, 42			M9	
		2			41, 42			QL	
-13		2			41, 42			VL	BUMPER, Rubber, Contains 4 Bumpers
	5083 774AA-	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
14									STRAP, Retaining, With Rivets
	5086 255AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
15	6036 443AA	2			41, 42				SNAP

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Seat Belts, Regular Cab  
Figure IDR-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 982AB	2			61, 62				ADJUSTER, Seat Belt Turning Loop
2	6035 556	2							SCREW, Pan Head Tapping, .19-16x.625
3	6036 187AA	2							SCREW, Pan Head
4	6036 591AA	2							BOLT, Seat Belt
5	5HF07 TL2AC	2						O0	COVER, Adjustable Turning Loop
6									SEAT BELT, Front Outer
	5JY30 1DVAA	1			61, 62			O0	[DV], Right
	5JY30 1L8AA	1			61, 62			O0	[L5], Right
	5JY31 1DVAA	1			61, 62			O0	[DV], Left
	5JY31 1L8AA	1			61, 62			O0	[L5], Left
7	6034 395	2			61, 62				SCREW, Pan Head, .437-20x1.79
8									BEZEL, Seat Belt
	5HJ46 WL5AB	1			61, 62			O0	[L5]
	5HJ46 XDVAB	1			61, 62			O0	[DV]
9									SEAT BELT, Front Center
	5HG26 XDVAE	1			61, 62			O0	[DV]
	5HG26 1L8AE	1			61, 62			O0	[L5]
10	6507 057AA	2			61, 62				BOLT, Seat Belt
11	6506 600AA	2			61, 62				BOLT, Seat Belt
12									SEAT BELT, Front Inner, Right, Buckle
	5GW36 1DVAD	1	1		61			DZ	
	5GW36 1DVAC	1			61, 62			M9	[DV]
	5GW36 1L8AC	1			61, 62			M9	[L5]
		1			61, 62			P9	[L5]
	5GW36 1DVAC	1			61, 62			P9	[DV]
	5GW36 1L8AC	1			61, 62			TX	[L5]
	5GW36 1DVAC	1			61, 62			TX	[DV]
		1			61, 62			V9	[DV]
	5GW36 1L8AC	1			61, 62			V9	[L5]
		1			61, 62			VL	[L5]
		1			61, 62			VL	[DV]
13									SEAT BELT, Front Center, Center Seat
	5HG32 1X9AD	1	1		61			DZ	
	5HG32 1X9AC	1			61, 62			M9	[DV, L5]
		1			61, 62			P9	[DV, L5]
		1			61, 62			TX	[DV, L5]
		1			61, 62			V9	[DV, L5]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Seat Belts, Regular Cab  
 Figure IDR-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62			VL	[DV, L5]
14									SEAT BELT, Buckle Half, Center Seat
	5GW28 1DVAC	1	1		61			DZ	
	5GW28 1DVAB	1			61, 62			M9	[DV]
	5GW28 1L8AB	1			61, 62			M9	[L5]
	5GW28 1DVAB	1			61, 62			P9	[DV]
	5GW28 1L8AB	1			61, 62			P9	[L5]
		1			61, 62			TX	[L5]
	5GW28 1DVAB	1			61, 62			TX	[DV]
		1			61, 62			V9	[DV]
	5GW28 1L8AB	1			61, 62			V9	[L5]
		1			61, 62			VL	[L5]
	5GW28 1DVAB	1			61, 62			VL	[DV]
15									SEAT BELT, Front Inner, Left, Buckle
	5GW37 1DVAD	1	1		61			DZ	
	5GW37 1L8AC	1			61, 62			M9	[L5]
	5GW37 1DVAC	1			61, 62			M9	[DV]
		1			61, 62			P9	[DV]
	5GW37 1L8AC	1			61, 62			P9	[L5]
	5GW37 1DVAC	1			61, 62			TX	[DV]
	5GW37 1L8AC	1			61, 62			TX	[L5]
	5GW37 1DVAD	1			61, 62			V9	[DV]
	5GW37 1L8AC	1			61, 62			V9	[L5]
	5GW37 1DVAC	1			61, 62			VL	[DV]
	5GW37 1L8AC	1			61, 62			VL	[L5]
16									BOLT, Seat Belt
	5080 637AA	2	1		61			DZ	
		2			61, 62			M9	
		2			61, 62			P9	
		2			61, 62			TX	
		2			61, 62			V9	
		2			61, 62			VL	
17									BOLT, Seat Belt
	5096 259AA	1	1		61			DZ	
		1			61, 62			M9	
		1			61, 62			P9	
		1			61, 62			TX	
		1			61, 62			V9	

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year


September 19, 2005





Seat Belts, Regular Cab  
Figure IDR-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			61, 62			VL	
18									BUTTON, BELT WEBBING
	5093 280AB	1	2, 3, 7, 8		62			O0	[DV]
	5093 282AB	1	2, 3, 7, 8		62			O0	[L5]




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Seat Belts, Quad Cab Figure IDR-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Seat Belt Turning Loop
	55350 984AC	1			41, 42				Right
	55350 985AC	1			41, 42				Left
2	6035 556	2							SCREW, Pan Head Tapping, .19-16x.625
3	6036 187AA	2							SCREW, Pan Head
4	6036 591AA	2							BOLT, Seat Belt
5	5HF07 TL2AC	2						O0	COVER, Adjustable Turning Loop
6									SEAT BELT, Front Outer
	5JY32 1DVAA	1			41, 42			O0	[DV], Right
	5JY32 1L8AA	1			41, 42			O0	[L5], Right
	5JY33 1DVAA	1			41, 42			O0	[DV], Left
	5JY33 1L8AA	1			41, 42			O0	[L5], Left
7	6506 600AA	2			41, 42				BOLT, Seat Belt
8									SEAT BELT, Front Inner, Right, Buckle
	5GW36 1L8AC	1			41, 42			M9	[L5]
	5GW36 1DVAC	1			41, 42			M9	[DV]
		1			41, 42			P9	[DV]
	5GW36 1L8AC	1			41, 42			P9	[L5]
	5GW36 1DVAC	1			41, 42			QL	[DV]
	5GW36 1L8AC	1			41, 42			QL	[L5]
	5GW36 1DVAC	1			41, 42			TX	[DV]
	5GW36 1L8AC	1			41, 42			TX	[L5]
	5GW36 1DVAC	1			41, 42			V9	[DV]
	5GW36 1L8AC	1			41, 42			V9	[L5]
	5GW36 1DVAC	1			41, 42			VL	[DV]
	5GW36 1L8AC	1			41, 42			VL	[L5]
9									SEAT BELT, Buckle Half, Center Buckle
	5GW28 1L8AB	1			41, 42			M9	[L5]
	5GW28 1DVAB	1			41, 42			M9	[DV]
	5GW28 1L8AB	1			41, 42			P9	[L5]
	5GW28 1DVAB	1			41, 42			P9	[DV]
	5GW28 1L8AB	1			41, 42			QL	[L5]
	5GW28 1DVAB	1			41, 42			QL	[DV]
		1			41, 42			TX	[DV]
	5GW28 1L8AB	1			41, 42			TX	[L5]
	5GW28 1DVAB	1			41, 42			V9	[DV]
	5GW28 1L8AB	1			41, 42			V9	[L5]


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Seat Belts, Quad Cab Figure IDR-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5GW28 1DVAB	1			41, 42			VL	[DV]
	5GW28 1L8AB	1			41, 42			VL	[L5]
									SEAT BELT, Tip Half, Center
	5GW30 XDVAB	1			41, 42			M9	[DV]
	5GW30 1L8AB	1			41, 42			M9	[L5]
	5GW30 XDVAB	1			41, 42			P9	[DV]
	5GW30 1L8AB	1			41, 42			P9	[L5]
	5GW30 XDVAB	1			41, 42			QL	[DV]
	5GW30 1L8AB	1			41, 42			QL	[L5]
		1			41, 42			TX	[L5]
11	5GW30 XDVAB	1			41, 42			TX	[DV]
	5GW30 1L8AB	1			41, 42			V9	[L5]
	5GW30 XDVAB	1			41, 42			V9	[DV]
	5GW30 1L8AB	1			41, 42			VL	[L5]
	5GW30 XDVAB	1			41, 42			VL	[DV]
									BOLT, Seat Belt
	5096 259AA	1			41, 42			M9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			41, 42			TX	
12		1			41, 42			V9	
								VL	
									SEAT BELT, Front Inner, Left, Buckle
	5GW37 1L8AC	1			41, 42			M9	[L5]
	5GW37 1DVAC	1			41, 42			M9	[DV]
	5GW37 1L8AC	1			41, 42			P9	[L5]
	5GW37 1DVAC	1			41, 42			P9	[DV]
	5GW37 1L8AC	1			41, 42			QL	[L5]
	5GW37 1DVAC	1			41, 42			QL	[DV]
	5GW37 1L8AC	1			41, 42			TX	[L5]
13	5GW37 1DVAC	1			41, 42			TX	[DV]
		1			41, 42			V9	[DV]
	5GW37 1L8AC	1			41, 42			V9	[L5]
	5GW37 1DVAC	1			41, 42			VL	[DV]
	5GW37 1L8AC	1			41, 42			VL	[L5]
									BOLT, Seat Belt
	5080 637AA	2			41, 42			M9	
		2			41, 42			P9	
		2			41, 42			QL	


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Seat Belts, Quad Cab Figure IDR-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2			41, 42			TX	
		2			41, 42			V9	
		2			41, 42			VL	
14	6034 395	2			41, 42				SCREW, Pan Head, .437-20x1.79
15	5HU37 TL2AC	2			41, 42			O0	COVER, Seat Belt Turning Loop
16									SEAT BELT, Rear Outer
	5GU98 1DVAH	2			41, 42			O0	[DV]
	5GU98 1L8AH	2			41, 42			O0	[L5]
17	6035 556	2							SCREW, Pan Head Tapping, .19-16x.625
18	6036 187AA	2							SCREW, Pan Head
19									BEZEL, Seat Belt
	5HJ47 WL5AB	1			41, 42			O0	[L5]
	5HJ47 XDVAB	1			41, 42			O0	[DV]
20	55350 959AB	1			41, 42				COVER, Rear Seat Belt
21	6507 057AA	2			41, 42				BOLT, Seat Belt
22	6507 241AA	4							SCREW AND WASHER, Hex Head
23									SEAT BELT, Retractor
	YZ84 1DVAA	1			41, 42			O0	[DV]
	YZ84 1L8AA	1			41, 42			O0	[L5]
24									SEAT BELT, Rear, Right Seat
	YZ85 1DVAA	1			41, 42			O0	[DV]
	YZ85 1L8AA	1			41, 42			O0	[L5]
25									SEAT BELT, Rear Inner, Center and Left Seat
	5GV89 1DVAC	2			41, 42			O0	[DV]
	5GV89 1L8AC	2			41, 42			O0	[L5]
26	55350 981AB	3			41, 42				TETHER, Child Seat
-27	5083 695AA-	1			41, 42			O0	EXTENDER, Seat Belt
28									BUTTON, BELT WEBBING
	5093 280AA	1	2, 3, 7, 8		41, 42			O0	[DV]
	5093 282AA	1	2, 3, 7, 8		41, 42			O0	[L5]


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Adjusters and Miscellaneous Front Seat Attachments Figure IDR-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Recliner is serviced in the Frame									
1	5080 737AA	10	1		61			DZ	NUT, Seat, Cushion to Frame
		14			61, 62			M9	
		14			41, 42			M9	
		14			41, 42			P9	
		14			61, 62			P9	
		14			41, 42			QL	
		14			41, 42			TX	
		14			61, 62			TX	
		14			61, 62			V9	
		14			41, 42			V9	
		14			61, 62			VL	
2	4886 477AA	2	1		61			DZ	BUSHING, Pivot
		2			61, 62			M9	
		2			41, 42			M9	
		2			41, 42			P9	
		2			61, 62			P9	
		2			41, 42			QL	
		2			61, 62			TX	
		2			41, 42			TX	
		2			61, 62			V9	
		2			41, 42			V9	
		2			61, 62			VL	
		2			41, 42			VL	
3	5080 616AA	1	1		61			DZ	ADJUSTER, Manual Seat, Passenger Side
		1			61, 62			M9	
		1			41, 42			M9	
		1			41, 42			P9	
		1			61, 62			P9	
		1			41, 42			QL	
		1			61, 62			TX	
		1			41, 42			TX	
		1			41, 42			V9	
		1			61, 62			V9	
		1			61, 62			VL	


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Adjusters and Miscellaneous Front Seat Attachments Figure IDR-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	5080 629AA	1			41, 42			VL	ADJUSTER, Manual Seat, Drivers Side
		1			41, 42			P9	
		1			61, 62			P9	
		1			61, 62			TX	
		1			41, 42			TX	
		1			61, 62			V9	
5	5080 617AA	1	1		61			DZ	TOWEL BAR, Seat Adjuster Handle
		1			61, 62			M9	
		1			41, 42			M9	
		1			41, 42			P9	
		1			61, 62			P9	
		1			41, 42			QL	
		1			41, 42			TX	
		1			61, 62			TX	
		1			61, 62			V9	
		1			41, 42			V9	
		1			61, 62			VL	
6	WM29 DX9AA	2	1		61			DZ	HANDLE, Recliner
		2			61, 62			M9	
		2			41, 42			M9	
		2			41, 42			P9	
		2			61, 62			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			61, 62			TX	
		2			61, 62			V9	
		2			41, 42			V9	
		2			41, 42			VL	
7	5080 635AA	2	1		61			DZ	SCREW, Recliner Handle
		2			61, 62			M9	
		2			41, 42			M9	
		2			41, 42			P9	
		2			41, 42			P9	


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Adjusters and Miscellaneous Front Seat Attachments Figure IDR-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2			61, 62			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			61, 62			TX	
		2			61, 62			V9	
		2			41, 42			V9	
		2			61, 62			VL	
		2			41, 42			VL	
8									BOLT, Seat, Back Pivot
	5086 165AA	4	1		61			DZ	
		4			41, 42			M9	
		4			61, 62			M9	
		4			61, 62			P9	
		4			41, 42			P9	
		4			41, 42			QL	
		4			41, 42			TX	
		4			61, 62			TX	
		4			41, 42			V9	
		4			61, 62			V9	
		4			41, 42			VL	
		4			61, 62			VL	
-9									MODULE, Heated Seat Control
	56010 113AA-	1			61, 62			VL	
		1			41, 42			VL	
10	5080 614AB	1			41, 42			VL	ADJUSTER, Power Seat, Passenger Side
11									ADJUSTER, Power Seat, Drivers Side
	5080 615AB	1	1		61			DZ	
		1			61, 62			M9	
		1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
		1			61, 62			VL	
12									SCREW, Switch Bezel to Bracket
	5080 736AA	4	1		61			DZ	
		4			61, 62			M9	
		4			41, 42			M9	
		4			61, 62			P9	
		4			41, 42			P9	


## DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Adjusters and Miscellaneous Front Seat Attachments Figure IDR-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4			41, 42			QL	
		4			61, 62			TX	
		4			41, 42			TX	
		4			61, 62			V9	
		4			41, 42			V9	
		4			61, 62			VL	
		4			41, 42			VL	
13									BEZEL, Power Seat Switch
	ZL31 1DVAA	1	1		61			DZ	Driver
	ZL31 1L5AA	1			61, 62			M9	[L5], Driver
	ZL31 1DVAA	1			41, 42			M9	[DV], Driver
		1			61, 62			M9	[DV], Driver
	ZL31 1L5AA	1			41, 42			M9	[L5], Driver
		1			41, 42			QL	[L5], Driver
	ZL31 1DVAA	1			41, 42			QL	[DV], Driver
	ZL31 1L5AA	1			41, 42			VL	[L5], Driver
	ZL31 1DVAA	1			41, 42			VL	[DV], Driver
	ZL30 1DVAA	1			41, 42			VL	[DV], Passenger
	ZL30 1L5AA	1			41, 42			VL	[L5], Passenger
14									PIN, Roll
	5083 371AA	2	1		61			DZ	
		4			41, 42			M9	
		4			61, 62			M9	
		4			61, 62			P9	
		4			41, 42			P9	
		4			41, 42			QL	
		4			41, 42			TX	
		4			61, 62			TX	
		4			41, 42			V9	
		4			61, 62			V9	
		2			61, 62			VL	
		4			41, 42			VL	
15	6508 117AA	4							BOLT, Seat
16	6507 241AA	4							SCREW AND WASHER, Hex Head
17									BRACKET, Switch
	5179 117AA	1			41, 42			M9	Left
		1			41, 42			QL	Left
		1			41, 42			VL	Left
	5179 116AA	1			41, 42			VL	Right

## DODGE RAM (DR)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Rear Trim Panel and Storage  
Figure IDR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cab Back Trim
	5GR33 WL5AD	1			61, 62			O0	[L5]
	5GR33 XDVAD	1			61, 62			O0	[DV]
2									HOOK, Coat
	5HG29 WL5AC	2			61, 62			O0	[L5]
	5HG29 XDVAC	2			61, 62			O0	[DV]
3	55350 937AE	1			61, 62				BIN, Storage
4									SCREW, (NOT SERVICED) (Not Serviced)
5	55350 964AA	1			61, 62				GROMMET, Floor
6	55350 966AA	1			61, 62				GROMMET, Floor


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




# Group – SDR









## Body Sheet Metal Except Doors



# Group – SDR

## Body Sheet Metal Except Doors

<b>SDR-1100</b> Roof Panels 	<b>SDR-1300</b> Tailgate 	<b>SDR-1700</b> Tonneau Cover & Bed Liner 	
--	---	--	--


<b>SDR-200</b> Floor Pans 	<b>SDR-300</b> Plugs 	<b>SDR-400</b> Front Fenders 	<b>SDR-500</b> Hood & Hood Release 
<b>SDR-600</b> Cowl and Dash Panel 	<b>SDR-700</b> Glass and Rear View Mirror 	<b>SDR-800</b> Aperture Panel 	<b>SDR-900</b> Quarter Panel and Pillar 

GROUP SDR - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
<b>Floor Pans</b>	
Floor Pan .....	Fig. SDR-210
Floor Box and Panel .....	Fig. SDR-220
<b>Plugs</b>	
Plugs, Standard Cab .....	Fig. SDR-310
Plugs, Quad Cab .....	Fig. SDR-320
<b>Front Fenders</b>	
Front Fender .....	Fig. SDR-410
<b>Hood &amp; Hood Release</b>	
Hood .....	Fig. SDR-510
<b>Cowl and Dash Panel</b>	
Cowl and Dash Panel .....	Fig. SDR-610
<b>Glass and Rear View Mirror</b>	
Windshield, Backlite and Inside Mirror .....	Fig. SDR-710
<b>Aperture Panel</b>	
Aperture Panel Bodyside, 2 Door .....	Fig. SDR-810
Aperture Panel Bodyside, 4 Door .....	Fig. SDR-820
<b>Quarter Panel and Pillar</b>	
Quarter Panel .....	Fig. SDR-910
Dual Wheel Fender .....	Fig. SDR-920
<b>Roof Panels</b>	
Roof Panel .....	Fig. SDR-1110
<b>Tailgate</b>	
Tailgate .....	Fig. SDR-1310
<b>Tonneau Cover &amp; Bed Liner</b>	
Tonneau Cover .....	Fig. SDR-1710



**Floor Pan  
Figure SDR-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code:									
[DEC] = 6 speed manual									
1	55276 027AA	1			41, 42				PANEL, Front Floor Pan
		1			61, 62				
2	55275 548AA	1			61, 62				PANEL, Rear Floor Pan
	55275 553AA	1			41, 42				
3	55276 223AA	1			41, 42				TAPPING PLATE
		1			61, 62				
4	55276 410AA	1			41, 42				TAPPING PLATE, Floor Crossmember
5	55276 424AD	1			41, 42				PANEL, Stowage Bin
6	55276 036AB	1			61, 62				SILL, Body Side Right
	55276 037AB	1			61, 62				Left
	55276 042AB	1			41, 42				Right
	55276 043AB	1			41, 42				Left
7	55275 764AB	1							SUPPORT, Underbody Hold Down Right
	55275 765AC	1							Left
8	55276 340AA	1			41, 42				CROSSMEMBER, Front Seat Retention
		1			61, 62				
9	55277 007AA	1			61, 62				With 6 Speed Manual [DEC] CROSSMEMBER, Front Seat Retention
	55276 412AC	1							Rear Right
	55276 413AC	1							Rear Left
10	55276 028AB	1							CROSSMEMBER, Rear Floor Right
	55276 029AB	1							Left
11	55365 016AB	1							SILENCER, Floor Pan Front Tunnel Diesel
	55350 992AC	1							
12									NUT, Push-On Spring, 3, (NOT SERVICED) (Not Serviced)
13	55350 920AF	1			41, 42				SILENCER, Floor Pan, Under Rear Seat

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Floor Box and Panel  
Figure SDR-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, D Pillar Upper
	55276 248AA	1							Right
	55276 249AA	1							Left
2									PANEL, Box Floor
	55275 516AA	1			41, 61				6.5 Floor Box
	55275 517AA	1			42, 62				8 Floor Box
3	55276 086AA	1							PANEL, Front Box
4	55275 526AB	1							CROSSMEMBER, Rear Box
5	55276 912AB	1	2, 3, 7, 8		42, 62				CROSSMEMBER, Rear Box
6	55276 802AA	1			41, 61				CROSSMEMBER, Rear Box
7	55276 800AA	2			42, 62				CROSSMEMBER, Rear Box
8	55276 800AA	1			41, 61				CROSSMEMBER, Rear Box
9									CROSSMEMBER, Rear Box
	55276 916AB	1			41, 61				
		1	2, 3, 7, 8		42, 62				
10	55275 531AD	1							SILL, Box
11	55276 534AA	1							PANEL, Cab Back
12	6030 441	2							PIN, Retainer
13	55276 459AC	1			61, 62				REINFORCEMENT, Cab Back
14	55276 272AB	1			41, 42				REINFORCEMENT, Cab Back
15									FOOTMAN LOOP, Hold Down
	55257 382AA	2			41, 42				Folding Bench
		4			41, 42				60/40 Folding
16	6101 331	4			41, 42				BOLT, M6x1.00x20
17	6504 118	4			41, 42				U-NUT, M6 x 1.00, M6x1.00
18	55055 998AD	2							EXHAUSTER, Bodyside Aperture
19	4440 486	2							PLUG, Body, 19.05mm x 31.75mm
20	55359 234AB	2							PLUG, Body
21	55276 865AA	2			42, 62				BRACE, Side Rail
22									REINFORCEMENT, Sill
	55276 874AB	2	2, 3, 7, 8		41, 42, 62				
		2	1						

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Plugs, Standard Cab  
Figure SDR-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4646 971	10			61, 62				PLUG, Floor Pan
2	4780 521AB	2							PLUG, Top Seal
3	4860 953AA	10			61, 62				PLUG, Drain
4	55257 380AB	2							PLUG
5	5255 216	2			61, 62				PLUG, Body, .875 Diameter
6	55359 234AB	2							PLUG, Body

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Plugs, Quad Cab  
Figure SDR-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4646 971	14			41, 42				PLUG, Floor Pan
2	4780 521AB	2							PLUG, Top Seal
3	4860 953AA	16			41, 42				PLUG, Drain
4	55257 380AB	2							PLUG
5	5255 216	4			41, 42				PLUG, Body, .875 Diameter
6	55359 234AB	2							PLUG, Body

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front Fender  
Figure SDR-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Fender
	55276 208AD	1							Right
	55276 209AD	1							Left
2	6506 570AA	AR							SCREW AND WASHER, Hex Head, M7 x 1.25 x 20.00, Fender
3	55276 483AC	2							Attaching BRACKET, Fender Mounting
4	6507 458AA	4							NUT/RIVET, M6x1.0
5									SEAL, Fender To Cowl
	55275 656AA	1							Right
	55275 657AA	1							Left
6	55276 453AA	2							BALL STUD
7									SHIELD, Wheelhouse
	55275 834AD	1	1, 2, 3, 6						Right
	55275 835AD	1	1, 2, 3, 6						Left
	55276 798AC	1	7, 8		41, 42, 62				Right
	55276 799AC	1	7, 8		41, 42, 62				Left
8									SCREW, M4.8x1.59x16.00, (NOT SERVICED) (Not Serviced)
9	55276 850AA	1	2, 3, 7, 8		41, 42, 62				SHIELD, Air Intake
10	6030 441	8	2, 3, 7, 8		41, 42, 62				PIN, Retainer
11	55276 920AA	1	2, 3, 7, 8		41, 42, 62				PANEL, CLOSEOUT
12									SHIELD, Air Intake With 8.3L Engine
	55277 011AA	1	1						Diesel
		1	2, 3, 7, 8		41, 42, 62				
13									SHIELD, Fender Diesel
	55277 014AA	1	2, 3, 7, 8		41, 42, 62				
		1	1						With 8.3L Engine

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



**Hood**  
**Figure SDR-510**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code:									
[MGB] = Power Bulge									
[XCK] = Diesel									
1	5029 419AB	1							HOOD [SRT-10], With Hole, See Accessory Catalog for Hood Scoop
2	55275 733AD	1							HINGE, Hood
	55275 840AC	1							Right
	55275 841AC	1							Left
3	55276 321AB	2							SUPPORT, Hood Latch
4	55276 453AA	2							BALL STUD
5	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
6	6503 661	4							SCREW AND WASHER, Hex Head, M8x1.25x25, Hinge to Cowl
7	55275 843AB	1							STRIKER, Hood Latch
8	6101 455	4							SCREW AND WASHER, Hex Head, M6x1x20
9	5525 5451	1							LATCH, Hood
10	55275 849AA	1							RELEASE, Hood Latch
-11	5207 294	1							GROMMET, Hood Latch Release
12	6503 794	3							CLIP, M6.3x11.2
13	55275 850AA	1							ROD, Hood Safety Catch
14	55276 482AB	2							BUMPER, Hood
15	55276 578AA	2							BUMPER, Hood to Fender
16	6505 686AA	AR							PLUG
17	55276 851AA	1							BUMPER, Hood
18	YL23 1R4AA	1							BEZEL, Hood [R4]
	YL23 1S2AA	1							[S2]
	YL23 1X8AA	1							[X8]
19	5029 484AA	1							GRILLE, Hood, Bezel, Also serviced with the Bezel
20	55350 891AC	1							SILENCER, Hood With Power Bulge [MGB]
	55365 043AA	1							With Diesel [XCK]
21	6504 135	12							PIN, Push In, M6.3x15 LG
22	5143 056AA	1							RETAINER, Hood Latch Release Rod

**DODGE RAM (DR)**

SERIES  
H = SLT  
L = ST

LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

**BODY**

41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

**ENGINE**

EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI


**TRANSMISSION**

DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hood  
Figure SDR-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
23	5029 770AA	4							NUT
24	5179 728AA	1							CLIP
25	5179 727AA	1							NUT

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cowl and Dash Panel  
Figure SDR-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	55275 678AB	1							Right
	55275 679AB	1							Left
2	55275 783AD	1							PANEL, Cowl And Plenum
3	55275 789AE	1							PANEL, Cowl And Plenum
4	55275 786AA	1							SUPPORT, Steering Column
5	6505 526AA	2							STUD
6	55276 568AA	1							BRACKET, Wiring
7	55275 659AA	1							PANEL, Dash
8	6505 511AA	7							STUD
9									INSULATION, Dash Panel
	55350 873AF	1							
	55350 892AE	1	2, 3, 7, 8			41, 42, 62			Diesel
10	6507 622AA	7							PIN, Push
11	55056 006AD	1							PANEL, Cowl Top
-12	0153 634	2							SCREW
13	6505 411AA	6							PIN, Push
14	4475 385	2							PLUG
15	4860 953AA	1							PLUG, Drain
16	55275 977AA	1							SEAL, Hood To Plenum
17	6504 135	4							PIN, Push In, M6.3x15 LG
18	55350 922AA	1							INSULATION, Cowl Front
19	6506 099AA	3							NUT, Push-On Spring, 3
20									INSULATION, Dash Panel
	55350 881AE	1							
	55365 042AA	1							Diesel

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Windshield, Backlite and Inside Mirror  
Figure SDR-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WINDSHIELD
	5101 944AC	1							[25] Windshields
	55275 563AE	1							[1], Windshield
2	55276 862AA	10							SPACER, Windshield
3	55276 549AA	2							SPACER, Windshield
4									BACKLITE
	55275 539AE	1							Sliding
	55276 927AB	1							Fixed, Privacy Heated
	55277 037AA	1							Fixed, Tinted Non-Heated
5									MIRROR, Inside Rear View
	55076 403AB	1							[GNA], Day/Night
	4805 572AA	1							[GNK], Auto Dim
	5064 017AA	1							[RSP], Telematics Communication
									and [GNK], Auto Dim
6	5073 472AA	1							SCREW
7	5507 6401	1							BUTTON, Rear View Mirror
8	5093 514AA	1							GLASS, Backlite, Sliding, Includes
									Latch
9	5093 516AB	1							CHANNEL, Sliding Backlite, Upper
10	5093 515AB	1							CHANNEL, Sliding Backlite, Lower
11	5093 518AA	1							KEEPER, Outside Handle

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Aperture Panel Bodyside, 2 Door  
Figure SDR-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture, Complete
	5080 298AA	1			61, 62				Right
	5080 299AA	1			61, 62				Left
2									PANEL, Body Side Aperture, Outer Only
	55276 046AB	1			61, 62				Right
	55276 047AB	1			61, 62				Left
3									EXTENSION, Body Side Aperture
	55276 446AA	1							Right
	55276 447AA	1							Left
4									REINFORCEMENT, Front Side Rail to Dash
	55276 408AB	1							Right
	55276 409AB	1							Left
5	55275 611AD	2			61, 62				WEATHERSTRIP, Door Opening
6									SEAL, Body Side
	55257 430AA	1							Right
	55257 431AA	1							Left
7									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
8									RETAINER, Bodyside Seal
	55276 200AC	1			61, 62				Right
	55276 201AC	1			61, 62				Left
9	6507 595AA	20			61, 62				SCREW
10	4780 259	2							STRIKER, Door
11	6506 749AA	4							SCREW, 6 Lobed
12	55276 944AA	2			61, 62				SEAL, Body Side
13	6503 221	2							PIN, Cab Framing
14									BAFFLE, A Pillar
	55276 016AB	1							Right
	55276 017AB	1							Left
15									REINFORCEMENT, Center Pillar
	55276 336AA	1			61, 62				Right
	55276 337AA	1			61, 62				Left
16									BAFFLE, A Pillar
	55275 990AA	1							Right
	55275 991AA	1							Left
17									BAFFLE, B Pillar


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Aperture Panel Bodyside, 2 Door  
Figure SDR-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55276 002AB	1			61, 62				Right
	55276 003AB	1			61, 62				Left

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Aperture Panel Bodyside, 4 Door  
Figure SDR-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture, Complete
	5080 306AA	1			41, 42				Right
	5080 307AA	1			41, 42				Left
2									PANEL, Body Side Aperture, Outer Only
	55276 050AB	1			41, 42				Right
	55276 051AB	1			41, 42				Left
3									EXTENSION, Body Side Aperture
	55276 446AA	1							Right
	55276 447AA	1							Left
4									REINFORCEMENT, Center Pillar
	55276 264AB	1			41, 42				Right
	55276 265AB	1			41, 42				Left
5									REINFORCEMENT, Front Side Rail to Dash
	55276 408AB	1							Right
	55276 409AB	1							Left
6	55275 609AD	2			41, 42				WEATHERSTRIP, Door Opening
7	55275 608AE	2			41, 42				WEATHERSTRIP, Door Opening
8									SEAL, Body Side
	55257 430AA	1							Right
	55257 431AA	1							Left
9									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
10									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
11	6507 595AA	26			41, 42				SCREW
12	55276 941AA	2			41, 42				SEAL, Body Side
13	4780 259	2							STRIKER, Door
14	6506 749AA	4							SCREW, 6 Lobed
15									BAFFLE, A Pillar
	55275 990AA	1							Right
	55275 991AA	1							Left
16									BAFFLE, A Pillar
	55276 016AB	1							Right
	55276 017AB	1							Left
17	6503 221	2							PIN
18									REINFORCEMENT, Center Pillar

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Aperture Panel Bodyside, 4 Door  
Figure SDR-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55276 270AA	1			41, 42				Right
	55276 271AA	1			41, 42				Left


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Quarter Panel  
Figure SDR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Box Side Outer
	5101 754AA	1							Dual Wheel, Right
	5101 755AA	1							Dual Wheel, Left
	5140 340AA	1			41, 61				[SRT-10], Right
	5140 341AA	1			41, 61				[SRT-10], Left
	55275 522AA	1			41, 61				Right
	55275 523AA	1			41, 61				Left
	55276 082AB	1			42, 62				Right
	55276 083AB	1			42, 62				Left
2									PANEL, Box Side, Inner
	55276 372AA	1			42, 62				Right
	55276 373AA	1			42, 62				Left
	55276 374AA	1			41, 61				Right
	55276 375AA	1			41, 61				Left
3									PANEL, D Pillar, Outer
	55276 186AA	1							Right
	55276 187AA	1							Left
4									PANEL, CLOSEOUT
	55275 524AA	1							Right
	55275 525AA	1							Left
5									REINFORCEMENT, Box Side
	55276 244AA	1			41, 61				Right
		1			42, 62				Right
	55276 245AA	1			41, 61				Left
		1			42, 62				Left
6	55276 182AA	2							PANEL, Wheelhouse Inner
7									PANEL, Wheelhouse
	55276 184AA	1							Right
	55276 185AA	1							Left
8	55275 514AA	4							REINFORCEMENT, Side Panel
9									REINFORCEMENT, Box Side
	55276 246AA	1			41, 61				Right
		1			42, 62				Right
	55276 247AA	1			41, 61				Left
		1			42, 62				Left
10									REINFORCEMENT, Tailgate Hinge
	55276 158AA	1							Right
	55276 159AA	1							Left
11									HINGE, Tailgate
	55276 230AC	1							Right
	55276 231AB	1							Left

DODGE RAM (DR)

SERIES

H = SLT

L = ST

LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

Quarter Panel  
Figure SDR-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	6506 252AA	4							SCREW
13	55276 248AA	1							REINFORCEMENT, D Pillar Upper Right
	55276 249AA	1							Left
14	55276 826AB	1							BRACE, Side Rail Front Right
	55276 827AB	1							Front Left
15	55276 824AB	1							BRACE, Side Rail Rear Right
	55276 825AB	1							Rear Left
16	6101 718	12							SCREW AND WASHER, Oval Head, M6x1x25
17	6101 712	2							NUT, U, M6x1
18	55276 322AB	1							SHIELD, Splash Right
	55276 323AB	1							Left
19									SCREW, M4.8x1.59x16.00, (NOT SERVICED) (Not Serviced)
20	5080 829AD	1			41, 61				BOX, Pickup 6.5 Foot
	5127 204AB	1			42, 62				8 Foot
	5134 666AA	1			42, 62				8 Foot, Dually
	5140 397AA	1			41, 61				6.5 Foot, [SRT]
-21									SCREW AND WASHER, Hex Flange Head, M12x1.75x45, Box Hold Down
	6506 948AA-	6			41, 61				
		8			42, 62				
22									BEDLINER KIT, Under Rail
	8220 6995	1	1, 6		41, 61				6.5 Foot
	8220 6996	1	1, 6		42, 62				8 Foot
23	55275 538AC	1							DOOR, Fuel Fill
24	6503 259	2							SCREW, Tapping, M6x1x20
25	5507 6327	2							BUMPER, Fuel Door
26	55276 782AA	2							BRACKET, Cargo Tie Down Right
	55276 783AA	2							Left
27	55276 735AB	4							TIE DOWN, Cargo With Bedliner
	55276 344AB	4							Without Bedliner
28	6506 356AA	8							SCREW, M8-1.25


DODGE RAM (DR)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Quarter Panel  
Figure SDR-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	6503 943	6							RETAINER, Box Tub Framing
30									SCREW, M8x1.25x30, (NOT SERVICED) (Not Serviced)

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

# Dual Wheel Fender Figure SDR-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FENDER, Dual Wheel
	5GX54 TZZAC	1	3, 8		42, 62				Right
	5GX55 TZZAC	1	3, 8		42, 62				Left
2	6101 968	26	3, 8		42, 62				NUT, M6x1.00
3	6101 818	12	3, 8		42, 62				SCREW
4									BRACKET, Box, Front
	55276 570AC	1	3, 8		42, 62				Right
	55276 571AC	1	3, 8		42, 62				Left
5									BRACKET, Box, Rear
	55276 572AC	1	3, 8		42, 62				Right
	55276 573AC	1	3, 8		42, 62				Left
6	6101 818	12	3, 8		42, 62				SCREW
7	6503 245	20	3, 8		42, 62				RIVET
8	6502 780	26	3, 8		42, 62				STUD, M6x1.0x18.0
9									FASTENER, Push Pin, (NOT SERVICED) (Not Serviced)
10									SHIELD, Splash
	55276 312AA	1	3, 8		42, 62				Right
	55276 313AA	1	3, 8		42, 62				Left
11	6032 031	12	3, 8		42, 62				NUT, Spring, .19-16
12	6502 871	10	3, 8		42, 62				RETAINER
13									REINFORCEMENT, Wheelhouse
	55276 310AA	1	3, 8		42, 62				Right
	55276 311AA	1	3, 8		42, 62				Left

## DODGE RAM (DR)

### SERIES

H = SLT

L = ST

### LINE

1, 6 = 1500

2, 7 = 2500

3, 8 = 3500

### BODY

41 = Quad Cab (140.5 WB)

42 = Quad Cab (160.5 WB)

61 = Reg. Cab (120.5 WB)

62 = Reg. Cab (140.5 WB)

### ENGINE

EKG = 3.7L V6

EVA = 4.7L V8

EZA = 5.7L V8

EML = 5.9L SMPI V8

ETC = 5.9LD V6

ETH = 5.9LD V6 HO

EWA = 8.0L V10 MPI

### TRANSMISSION

DGT = 4 Spd. Auto.(46RE)

DDC = 5 Spd. HD Manual (3500)

DDP,DDX = 5 Spd. Manual (4500)

DGQ,DG4 = Multi-Speed Auto.(45RFE)


DG8 = 4 Spd. Auto.(48RE)

DEE = 6 Spd. Manual (5600)

DGP = 4 Spd. Auto.(47RE)

DEC = 5 Spd. Manual

Roof Panel  
Figure SDR-1110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 801AA	1							HEADER, Roof Front
2	55275 800AB	1							HEADER, Roof Rear
3	55275 815AB	1			41, 42				BOW, Roof
4	6030 441	2							PIN, Retainer
5									ROOF
	55275 814AA	1			41, 42				
	55275 816AA	1			61, 62				

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required   - = Non illustrated part   # = New this model year

September 19, 2005

Tailgate  
Figure SDR-1310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TAILGATE
	55275 969AB	1							
	55276 328AA	1	3, 8		42, 62				Dual Wheel
2	55276 237AA	1							HANDLE, Tailgate
3	55276 236AC	1							CONTROL UNIT, Door
4	6100 515	2							NUT, Hex Flange Lock, M5
5	6507 306AA	2							STRIKER, Liftgate
6	55276 076AC	1							BUSHING, Tailgate Pivot
7	55276 077AB	1							BUSHING, Tailgate Pivot
8	55275 952AA	2							LATCH, Tailgate
9									SCREW, M8x1.25x19.75, (NOT SERVICED) (Not Serviced)
10	6506 949AA	2							SCREW
11	55276 074AC	2							CABLE, Tailgate
12	6506 881AA	2							SCREW, M8-1.25
13	55275 950AA	2							ROD, Tailgate Handle to Latch
14	55275 974AA	1							COVER, Tailgate
15	8220 7621	1							COVER KIT, Tailgate-Molded, With Bedliner
16	6507 447AA	10							SCREW
17									SPACER, Tailgate
	55276 589AA	AR							Thin
	55276 590AA	AR							Thick
18	55276 274AC	2							BUMPER, Tailgate

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Tonneau Cover  
Figure SDR-1710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55276 846AA	1			41, 61				COVER ASSY, Tonneau
2	5096 074AA	1			41, 61				COVER, Tonneau
3	55276 842AA	1			41, 61				RAIL, Tonneau Cover
4	55276 843AA	1			41, 61				RAIL, Tonneau Cover
5	5096 071AA	1			41, 61				BOW, Tonneau Cover, Bow #1
6	5096 072AA	1			41, 61				BOW, Tonneau Cover, Bow #2
7	5096 073AA	1			41, 61				BOW, Tonneau Cover, Bow #3
8	55276 847AA	1			42, 62				COVER ASSY, Tonneau
9	5096 079AA	1			42, 62				COVER, Tonneau
10	55276 840AA	1			42, 62				RAIL, Tonneau Cover
11	55276 841AA	1			42, 62				RAIL, Tonneau Cover
12	5096 075AA	1			42, 62				BOW, Tonneau Cover, Bow #1
13	5096 076AA	1			42, 62				BOW, Tonneau Cover, Bow #2
14	5096 077AA	1			42, 62				BOW, Tonneau Cover, Bow #3
15	5096 078AA	1			42, 62				BOW, Tonneau Cover, Bow #4
16	55276 839AA	1			41, 61				RAIL ASSY, tonneau w/frame
		1			42, 62				
17	55276 868AA	6							CLAMP, Tonneau
18	5086 899AA	1			42, 62				RETAINER, Tonneau Cover Hook

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

# Group – LBLS

## Labels All Vehicle Locations

### GROUP LBLS - Labels All Vehicle Locations


Illustration Title	Group-Fig. No.
<b>Interior</b>	
Instrument Panel & Visor .....	Fig. LBLS-110
<b>Under Hood</b>	
Engine Compartment .....	Fig. LBLS-210
<b>Doors</b>	
Doors and Pillars .....	Fig. LBLS-310
<b>Exterior</b>	
Fuel Filler Door .....	Fig. LBLS-410
Tonneau Cover .....	Fig. LBLS-420
<b>Rear Cargo &amp; Storage</b>	
Jack Assembly .....	Fig. LBLS-510



<b>LBLS-100</b> Interior	<b>LBLS-200</b> Under Hood	<b>LBLS-300</b> Doors	<b>LBLS-400</b> Exterior
<b>LBLS-500</b> Rear Cargo & Storage			



Instrument Panel & Visor  
Figure LBL5-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Air Bag Warning
	4595 748AA	1							English/Arabic
	4664 280AD	2			61, 62				With [CJ4 And Or CJ2]
	55365 002AA	2			61, 62				English / French
	55365 003AA	2			41, 42				Decal
-2	4897 875AA-	2			41, 42				LABEL, Airbag, Headliner
-3									LABEL, Air Bag Warning, Spanish
	4898 879AA-	2			61, 62				With [CJ4]
		4			41, 42				With [CJ2]
	5032 545AA-	2							
4	4215 966	1							LABEL, Equipmemt Identification
5									LABEL, Air Bag Warning, Removeable
	4595 749AA	1							English/French
	4595 748AA	1							
	4664 294AA	4			41, 42				Side Airbag, English/Arabic
		2			61, 62				Side Airbag, English/Arabic
	5023 548AA	2							Airbag, English/Arabic
6	4851 416AA	1							LABEL, Air Bag Warning, Spanish, Removeable
-7	5016 174AA-	1				ETH			LABEL, Equipmemt Identification, PTO
-8									LABEL, Transfer Case Shift
	52105 629AF-	1							With [DH5] Or [DH3]
	52105 985AB-	1							With [DH5 Or DH3 + XLR]

DODGE RAM (DR)

SERIES  
H = SLT  
L = ST


LINE  
1, 6 = 1500  
2, 7 = 2500  
3, 8 = 3500

BODY  
41 = Quad Cab (140.5 WB)  
42 = Quad Cab (160.5 WB)  
61 = Reg. Cab (120.5 WB)  
62 = Reg. Cab (140.5 WB)

ENGINE  
EKG = 3.7L V6  
EVA = 4.7L V8  
EZA = 5.7L V8  
EML = 5.9L SMPI V8  
ETC = 5.9LD V6  
ETH = 5.9LD V6 HO  
EWA = 8.0L V10 MPI

TRANSMISSION  
DGT = 4 Spd. Auto.(46RE)  
DDC = 5 Spd. HD Manual (3500)  
DDP,DDX = 5 Spd. Manual (4500)  
DGQ,DG4 = Multi-Speed Auto.(45RFE)  
DG8 = 4 Spd. Auto.(48RE)  
DEE = 6 Spd. Manual (5600)  
DGP = 4 Spd. Auto.(47RE)  
DEC = 5 Spd. Manual

Engine Compartment  
Figure LBL5-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes  
[EK0] = All 3.7L 6 Cylinder Gas Engines  
[EV0-] = All 4.7L Gas Engines  
[EM0] = All 5.9L 8 Cylinder Gas Engines  
[EZA] = Magnum 5.7L Sequential Multi Point Injected V8  
[ETC] = 5.9L Cummins 24V Diesel  
[ETH] = 5.9L High Output Cummins Turbo Diesel  
[EW0] = All 8.0L Gas Engines  
[EWA] = Magnum 80.L V10 Multi Point Injection  
[NA1] = Export Emissions  
[NAA] = Federal Emissions  
[NAS] = U.S. 50 State Emissions  
[NAE] = California Emissions


[XKC] = Clean Fuel Fleet									LABEL, Equipmemt Identification
1	4215 966	1							LABEL, Emission
2									[Spanish] Language
	5271 577AA	1				EK0			[Spanish] Language
	5271 578AA	1				EV0			[Spanish] Language
	5271 587AA	1				EZ0			[Spanish] Language
	5271 718AA	1				EWC			[Spanish] Language
	52022 087AA	1			41, 61	EK0			With [NAS+NFW] Sales Code
	52022 088AA	1			41, 62	EK0			With [NAS+NFW And Or NFV]
	52022 095AA	1			41, 61	EVD			With [NAA]
	52022 096AA	1			42, 62	EVD			With [NAA]
	52022 097AA	1			41, 61	EZA			With [NAS+NFW]
	52022 098AA	1			41, 42, 62	EZA			With [NAS+NFW And Or NFV]
	52022 112AA	1			41, 42, 62	EZA			With [NAA Or NAS]
	52022 115AA	1			41, 42, 62	EZA			With [NAE]
	52022 126AA	1				EK0			With [NA1]
	52022 127AA	1				EVA			With [NA1]
	52022 128AA	1				EZA			With [NA1]
	52022 114AB	1			62	EZA			[XBC,Z2A]
		1			62	EZA			[XBC,Z7A]
	52022 118AB	1			41, 42	EZA			[XBC,Z2A]
		1			41, 42	EZA			[XBC,Z7A]
	5037 478AB	1				EWC			[NAS]
	52022 132AA	1			41, 61	EVA			[NAS,NFW,XKC]

DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Compartment  
Figure LBL5-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52022 133AA	1			41, 42, 62	EVA			[NAS,NFU,NFW,XKC]
3	52022 091AA	1			41, 61	EVA			LABEL, Battery Jump Start, Diesel
	5304 0076	2				ET0			
	5304 0081	2				ET0			With [XLR] Sales Code
-4	4606 818AA-	1							LABEL, Battery, With [ABD] Sales Code
5									LABEL, Air Conditioning System, With Belt Routing Mexico
	5271 699AA	1				EK0, EV0, EZ0			
	55055 956AI	1				EK0, EV0, EZ0 ET0			
	55056 343AA	1							With [HA0 + XLB]
	55056 347AA	1							With [HA0 + XLR]
6									LABEL, Belt Routing
	5290 384AB	1				EWC			
	5032 784AA	1				EK0, EV0 EZ0			
	5271 413AA	1							
7	53015 961AA	1							LABEL, Warning, Radiator Cap, Middle East Equipment Group
8	53015 959AA	1							LABEL, Warning, Fan, Middle East Equipment Group
-9	4809 615AA-	1				EWC			LABEL, Fan Caution
-10	5032 657AA-	1							LABEL, Fuse Block
-11									LABEL, Warning Fire Extinguisher Brake Fluid
	5056 223AA-	1							
	52128 784AA-	1							
	55111 007AA-	1							Radiator Pressure Cap


DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Figure LBL5-310**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Air Bag Warning
	4664 279AD	4			41, 42				English / French
		2			61, 62				English / French
	4664 294AA	2			61, 62				English / Arabic
		4			41, 42				English / Arabic
2	4898 771AB	2							LABEL, Child Protection Lock, Spanish
3	5056 072AA	2			41, 42				LABEL, Child Protection Lock, English
4									LABEL, Certification, (NOT SERVICED) (Not Serviced)
5	4040 858	1							OVERLAY, Vehicle Certification




DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

AR = Use as required    - = Non illustrated part    # = New this model year

**September 19, 2005**

## Fuel Filler Door Figure LBL5-410

[illegible]


DODGE RAM (DR)			
SERIES	LINE	BODY	ENGINE
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8
			ETC = 5.9LD V6
			ETH = 5.9LD V6 HO
			EWA = 8.0L V10 MPI
			TRANSMISSION
			DGT = 4 Spd. Auto.(46RE)
			DDC = 5 Spd. HD Manual (3500)
			DDP,DDX = 5 Spd. Manual (4500)
			DGQ,DG4 = Multi-Speed Auto.(45RFE)
			DG8 = 4 Spd. Auto.(48RE)
			DEE = 6 Spd. Manual (5600)
			DGP = 4 Spd. Auto.(47RE)
			DEC = 5 Spd. Manual

**AR = Use as required    - = Non illustrated part    # = New this model year**

**September 19, 2005**

Tonneau Cover  
Figure LBLS-420


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, TONNEAU
	55276 893AA	1							Arabic
	55276 892AA	1							French



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual

Jack Assembly  
Figure LBL5-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52110 391AA	1							LABEL, Jack Assembly Instructions
2									LABEL, Jack Caution
	52110 392AA	1							With [XLR] Sales Code
	5271 495AA	1							With [XL5] Sales Code
	52110 400AB	1							With [ABD] Sales Codes



DODGE RAM (DR)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EKG = 3.7L V6	DGT = 4 Spd. Auto.(46RE)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	EVA = 4.7L V8	DDC = 5 Spd. HD Manual (3500)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	EZA = 5.7L V8	DDP,DDX = 5 Spd. Manual (4500)
		62 = Reg. Cab (140.5 WB)	EML = 5.9L SMPI V8	DGQ,DG4 = Multi-Speed Auto.(45RFE)
			ETC = 5.9LD V6	DG8 = 4 Spd. Auto.(48RE)
			ETH = 5.9LD V6 HO	DEE = 6 Spd. Manual (5600)
			EWA = 8.0L V10 MPI	DGP = 4 Spd. Auto.(47RE)
				DEC = 5 Spd. Manual